CUSTOMER: 191277 BATCH #: 2996485

PICK ZONE: 600 PRODUCT NAME: PREMALUBE XTREME GREEN 32 ORDER #: 890878

DELIVERY ID: 18516270 PICK SEQUENCE #: 15500

BARCODE #: 12090939

Safety Data Sheet: PREMALUBE XTREME GREEN 32

Supercedes Date: 11/23/2021

Issuing Date: 05/13/2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PREMALUBE XTREME GREEN 32

Recommended use Lubricant Information on Manufacturer CERTIFIED LAB PRODUCTS

239 ORENDA ROAD **BRAMPTON ONT L6T 1E6** Product Code: 12090939 **Chemical nature Mixture Emergency Telephone** CHEMTREC® 800-424-9300

Telephone inquiry 972-579-2477

2. HAZARD IDENTIFICATION

Color Blue Green

Physical state Grease

Odor Characteristic

GHS

Classification

Physical Hazards

None

Health Hazard

Serious Eye Damage/Eye Irritation

Category 2A

Other hazards

None

Labeling Signal Word WARNING



Hazard statements H319 - Causes serious eye irritation Precautionary Statements

P280 - Wear protective gloves, protective clothing and eye protection. P264 - Wash face, hands and any exposed skin thoroughly after handling. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists, get medical attention.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Benzenesulfonic acid, C10-13-(linear) alkyl	near) alkyl 1335202-81-7	1-5
derivs., calcium salt	unilimitation -	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice **Eye Contact**

Avoid contact with skin, eyes and clothing.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Get medical attention immediately.

No hazards which require special first aid measures. **Skin Contact** No hazards which require special first aid measures. Inhalation

No hazards which require special first aid measures. Ingestion

Treat symptomatically. Notes to physician

5. FIRE-FIGHTING MEASURES

Flash Point > 395.5 °F / > 202 °C

Flammability Limits in Air %: No information available.

Method Cleveland open cup (COC)

Upper: No data available

Lower: No data available

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure -demand, NOHSC (approved or equivalent) and full protective gear.

NFPA

Flammability 1

Instability 0

HMIS -

Health 1

Flammability 1

Physical Hazard 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Environmental precautions Methods for Containment

Use personal protective equipment. Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

Contain spillage, soak up with non -combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Methods for Cleaning Up **Neutralizing Agent**

Pick up and transfer to properly labeled containers.

Not applicable.

7. HANDLING AND STORAGE

Handling

Storage

Storage Temperature Storage Conditions

Avoid contact with skin, eyes and clothing.

Store in original container. Keep containers tightly closed in a dry, cool and well -ventilated place. 0 °F / -18 °C

Minimum Indoor

Outdoor

Maximum Heated

120 °F / 49 °C Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Χ

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this shoul d should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection Skin Protection

Respiratory Protection

General Hygiene Considerations

Tightly fitting safety goggles.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.

In case of inadequate ventilation wear respiratory protection.

Ensure that eyewash stations and safety showers are close to the workstation location. Remove

and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Color

Odor Threshold pН

Evaporation Rate VOC Content (%)

Vapor pressure Solubility Melting Point/Range

Boiling Point/Range Flash Point Autoignition Temperature

Flammability Limits in Air %:

Grease

Blue Green Not applicable Not applicable 0 (BuAc = 1)

0 0 mmHg @ 01°F Negligible

No data available No data available > 395.5 °F / > 202 °C No data available

No information available

Viscosity

Odor **Appearance** Specific Gravity

Percent Volatile (Volume) VOC Content (g/L) Vapor Density

n-Octanol/Water Partition **Decomposition Temperature**

Flammability (solid, gas) Method

No data available No data available No data available

117.4 cSt @ 40°C

Characteristic

Opaque

1.05

10.4

0

0

Cleveland open cup (COC)

Upper: No data available Lower: No data available

10. STABILITY AND REACTIVITY

Chemical Stability Conditions to Avoid

Incompatible Products **Decomposition Temperature** Stable. Hazardous polymerization does not occur.

Keep away from open flames, hot surfaces, and sources of ignition, Protect from direct sunlight and extremes of temperatures.

Strong oxidizing agents, Acids.

No data available

Hazardous Decomposition Products

Possibility of Hazardous Reactions

Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Oxides of

phosphorus. None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information

No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50

No information available

Dermal LD50

No information available

Inhalation LC50

No information available No information available

Gas Mist Vapor

No information available

Principle Route of Exposure

Skin contact, Eye contact.

Primary Routes of Entry

None known.

Acute Effects:

Causes serious eye irritation.

Eyes Skin

Low hazard for usual industrial or commercial handling. Low hazard for usual industrial or commercial handling.

Inhalation Ingestion **Chronic Toxicity**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Repeated exposure may cause skin dryness or cracking.

Target Organ Effects:

No information available.

Aggravated Medical Conditions

Skin disorders, Respiratory disorders.

Component Information

No information available.

Acute Toxicity

No information available.

Chronic Toxicity

No information available.

Carcinogenicity

There are no known carcinogens in this product.

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Additional Ecological Information: No information available

Component Information

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal

Dispose of in accordance with local regulations.

Container Disposal

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT

Not regulated

TDG

Not regulated

ICAO

Not regulated

IATA

Not regulated

IMDG/IMO

Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA

Listed

DSL / NDSL

Listed

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

See Section 2

CERCLA

None

16. OTHER INFORMATION

Prepared By

Pamela Starkey

Supercedes Date:

11/23/2021

Issuing Date:

05/13/2022

Reason for Revision

No information available.

Glossary

No information available.

List of References. No information available.

CERTIFIED LAB PRODUCTS assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

CUSTOMER: 634390 BATCH #: 2996485

PICK ZONE: 600 PRODUCT NAME: PREMALUBE XTREME GREEN 32 ORDER #: 890941

DELIVERY ID: 18516287 PICK SEQUENCE #: 15500 **BARCODE #: 12090939**

Safety Data Sheet: PREMALUBE XTREME GREEN 32

Supercedes Date: 11/23/2021

Issuing Date: 05/13/2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PREMALUBE XTREME GREEN 32

Recommended use Lubricant Information on Manufacturer CERTIFIED LAB PRODUCTS

239 ORENDA ROAD **BRAMPTON ONT L6T 1E6**

Product Code: 12090939 **Chemical nature Mixture Emergency Telephone** CHEMTREC® 800-424-9300

Telephone inquiry 972-579-2477

2. HAZARD IDENTIFICATION

Color Blue Green

Physical state Grease

Odor Characteristic

GHS

Classification

Physical Hazards

Health Hazard

Serious Eye Damage/Eye Irritation

Category 2A

Other hazards

None

Labeling Signal Word WARNING



Hazard statements H319 - Causes serious eye irritation

Precautionary Statements

P280 - Wear protective gloves, protective clothing and eye protection. P264 - Wash face, hands and any exposed skin thoroughly after handling. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists, get medical attention.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Benzenesulfonic acid, C10-13-(linear) alkyl	1335202-81-7	1-5
derivs., calcium salt	performanced the	in a construction of the c

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice **Eye Contact**

Avoid contact with skin, eyes and clothing.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Get medical attention immediately.

No hazards which require special first aid measures. No hazards which require special first aid measures. No hazards which require special first aid measures.

Treat symptomatically.

Skin Contact Inhalation Ingestion

Notes to physician

5. FIRE-FIGHTING MEASURES

Flash Point > 395.5 °F / > 202 °C

Method Cleveland open cup (COC)

Flammability Limits in Air %: No information available.

Upper: No data available

Lower: No data available

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure -demand, NOHSC (approved or equivalent) and full protective gear.

NFPA

Flammability 1

Instability 0

HMIS -

Health 1

Flammability 1

Physical Hazard 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Environmental precautions

Use personal protective equipment. Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

Methods for Containment

Contain spillage, soak up with non -combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Methods for Cleaning Up **Neutralizing Agent**

Pick up and transfer to properly labeled containers.

Not applicable.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Store in original container. Keep containers tightly closed in a dry, cool and well -ventilated place.

Storage Temperature

Minimum

0 °F / -18 °C Maximum 120 °F / 49 °C

Storage Conditions

Indoor

Outdoor

Heated

Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits

X

established by the region specific regulatory bodies. **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this shoul d should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection

Skin Protection

Respiratory Protection

General Hygiene Considerations

Tightly fitting safety goggles.

Χ

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.

In case of inadequate ventilation wear respiratory protection.

Ensure that eyewash stations and safety showers are close to the workstation location. Remove

and wash contaminated clothing before re -use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state **Odor Threshold**

Evaporation Rate

VOC Content (%)

Color

Grease Blue Green

Not applicable

Not applicable

0 (BuAc = 1)

Vapor pressure Solubility Negligible Melting Point/Range No data available Boiling Point/Range No data available Flash Point

Autoignition Temperature Flammability Limits in Air %: 0 mmHg @ 01°F

> 395.5 °F / > 202 °C No data available

No information available

Viscosity Odor

Appearance Specific Gravity Percent Volatile (Volume) VOC Content (g/L) Vapor Density

n-Octanol/Water Partition **Decomposition Temperature** Flammability (solid, gas)

Method

117.4 cSt @ 40°C Characteristic

Opaque 1.05 0 0

10.4 No data available No data available No data available

Cleveland open cup (COC)

Upper: No data available Lower: No data available

10. STABILITY AND REACTIVITY

Chemical Stability Conditions to Avoid

Incompatible Products **Decomposition Temperature** Stable. Hazardous polymerization does not occur.

Keep away from open flames, hot surfaces, and sources of ignition, Protect from direct sunlight and extremes of temperatures.

Strong oxidizing agents, Acids.

No data available

Hazardous Decomposition Products

Possibility of Hazardous Reactions

Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Oxides of

phosphorus.

None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information

No information available.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 **Dermal LD50** No information available No information available

Inhalation LC50

No information available Gas No information available Mist No information available Vapor

Principle Route of Exposure

Skin contact, Eye contact.

Primary Routes of Entry

None known.

Acute Effects:

Causes serious eye irritation. Eyes

Skin Inhalation Ingestion

Low hazard for usual industrial or commercial handling. Low hazard for usual industrial or commercial handling. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity

Repeated exposure may cause skin dryness or cracking.

Target Organ Effects:

No information available.

Aggravated Medical Conditions

Skin disorders, Respiratory disorders.

Component Information

No information available.

Acute Toxicity

No information available.

Chronic Toxicity

No information available.

Carcinogenicity

There are no known carcinogens in this product.

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Additional Ecological Information: No information available

Component Information

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Container Disposal Dispose of in accordance with local regulations.

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT

Not regulated

TDG

Not regulated

ICAO

Not regulated

IATA

Not regulated

IMDG/IMO

Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA

Listed

DSL / NDSL

Listed

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

See Section 2

CERCLA

None

16. OTHER INFORMATION

Prepared By

Pamela Starkey

Supercedes Date:

11/23/2021

Issuing Date:

05/13/2022

Reason for Revision

No information available.

Glossary

No information available.

List of References.

No information available.

CERTIFIED LAB PRODUCTS assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.