

# MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2

DATE PRINTED: 11/11/2008 PREPARED BY: Walter Friedlander

1. CHEMICAL PRODUCT

PRINTEX SEE THRU

PRODUCT CODE: 117809

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:1/1Fire:1/1Reactivity:0/0Special/Protective Equipment:None/B

NAME OF THE Rochester Midland Corporation Information: 585-336-2200

**MANUFACTURER:** 333 Hollenbeck Street Emergency Phone:

Rochester, New York 14621 INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

### 2. HAZARDS IDENTIFICATION

#### **EFFECTS FROM ACUTE EXPOSURE:**

**INGESTION:** Causes vomiting, nausea, and diarrhea.

**SKIN CONTACT:** Possible systematic effects such as nausea or dizziness with prolonged or repeated contact.

Prolonged contact may lead to irritation and dermatitis.

**INHALATION:** Mists or vapors may cause nose and respiratory irritation, headache, nausea, dizziness.

**EYE CONTACT:** May cause mild eye irritation.

**CHRONIC EFFECTS:** 2-Butoxyethanol is readily absorbed through the skin; frequent or widespread contact may

absorb harmful amounts. Repeated overexposure may cause damage to liver, kidney, and red

blood cells.

**EFFECTS/CARCINOGENICITY:** None listed under OSHA, IARC, or NTP.

**ROUTES OF ENTRY:** Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| PRODUCT COMPOSITION | %      | ACGIH TLV | OSHA PELs             |
|---------------------|--------|-----------|-----------------------|
| CAS#                |        |           |                       |
| Isopropyl alcohol   | < 1    | 200 ppm   | 400 ppm               |
| 67-63-0             |        |           | 980 mg/m <sup>3</sup> |
| 2-Butoxy ethanol    | 2 max. | 20 ppm    | 240 mg/m <sup>3</sup> |
| 111-76-2            |        |           | 50 ppm                |

### 4. FIRST AID MEASURES

**INGESTION:** Drink several glasses of water or milk. Contact Physician. Never give anything by mouth to an

unconcious person.

**SKIN:** Wash with soap and water.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-

mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get

medical attention if irritation persists.

NOTES TO PHYSICIAN: None.

## 5. FIRE AND EXPLOSION HAZARD DATA

#### PRINTEX SEE THRU

\_\_\_\_\_

5. FIRE AND EXPLOSION HAZARD DATA

**FLASH POINT (F):** > 180 F (TCC) **(C):** NA

METHOD: TCC

**FLAMMABLE LIMITS IN AIR** 

- LOWER (%): NE - UPPER (%): NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA: As appropriate for surrounding fire-product is mostly water and will

not burn.

FIRE FIGHTING PROCEDURES: None.

6. ACCIDENTAL RELEASE MEASURES

**SPILL PROCEDURES:** 

**SMALL SPILLS:** Flush with water.

LARGE SPILLS: Dike to contain, reclaim all possible. Flush remainder with water.

PERSONAL PRECAUTIONS: NA
ENVIRONMENTAL PRECAUTIONS: NA
METHODS FOR CLEANING UP: NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN Avoid contact with skin and eyes. Use only with adequate ventilation. Avoid creating mists or

IN HANDLING AND STORAGE: aerosols.

OTHER PRECAUTIONS: Keep out of reach of children.

SPECIFIC USE(S): NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**PROTECTIVE EQUIPMENT:** 

**EXPOSURE CONTROLS:** None known.

**RESPIRATORY PROTECTION:** Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved

organic vapor respirator.

PROTECTIVE GLOVES: Rubber or plastic gloves recommended to minimize skin contact.

**EYE PROTECTION:** Safety Glasses. **OTHER PERSONAL PROTECTION** None required.

**EQUIPMENT:** 

**VENTILATION:** General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

(C) NA

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Blue liquid. Alcohol scent.

**BOILING POINT (F):** 212 F

VAPOR PRESSURE: 15.7 mm Hg @ 22.2 C

 VAPOR DENSITY (AIR=1):
 0.625

 SOLUBILITY IN WATER:
 NA

 SPECIFIC GRAVITY:
 0.973

 VOC Content (%):
 NE

 VOV Content (%):
 NE

**EVAPORATION RATE:** (BuAc = 1): 1.26

**PH**: 7.5

#### PRINTEX SEE THRU

# 10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Hydrogen halides

INCOMPATIBILITY (MATERIALS TO None

AVOID):

CONDITIONS/HAZARDS TO AVOID: None.

### 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

### 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL** No data at this time

**INFORMATION:** 

CHEMICAL FATE INFORMATION: No data at this time.

MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

### 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

## 15. REGULATORY INFORMATION

| PRODUCT COMPOSITION<br>CAS#  | %      | TSCA:  | EINECS: | Canada DSL: | CA PROP 65: |
|------------------------------|--------|--------|---------|-------------|-------------|
| Isopropyl alcohol<br>67-63-0 | < 1    | Listed | Listed  | Listed      | Not Listed  |
| 2-Butoxy ethanol<br>111-76-2 | 2 max. | Listed | Listed  | Listed      | Not Listed  |

| PRODUCT COMPOSITION CAS#     | %      | CERCLA:    | SARA 302:  | SARA 313: |
|------------------------------|--------|------------|------------|-----------|
| Isopropyl alcohol<br>67-63-0 | < 1    | Not Listed | Not Listed | Listed    |
| 2-Butoxy ethanol<br>111-76-2 | 2 max. | Not Listed | Not Listed | Listed    |

| PRODUCT COMPOSITION<br>CAS#  | %      | Canada WHMIS: |
|------------------------------|--------|---------------|
| Isopropyl alcohol<br>67-63-0 | < 1    | Listed        |
| 2-Butoxy ethanol<br>111-76-2 | 2 max. | Listed        |

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

### **PRINTEX SEE THRU**

| PRODUCT COMPOSITION<br>CAS#  | %      | MARTK: |
|------------------------------|--------|--------|
| Isopropyl alcohol<br>67-63-0 | < 1    | Listed |
| 2-Butoxy ethanol<br>111-76-2 | 2 max. | Listed |

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

| PRODUCT COMPOSITION | %      | NJRTK: |
|---------------------|--------|--------|
| CAS#                |        |        |
| Isopropyl alcohol   | < 1    | Listed |
| 67-63-0             |        |        |
| 2-Butoxy ethanol    | 2 max. | Listed |
| 111-76-2            |        |        |

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

| PRODUCT COMPOSITION<br>CAS#  | %      | PARTK: |
|------------------------------|--------|--------|
| Isopropyl alcohol<br>67-63-0 | < 1    | Listed |
| 2-Butoxy ethanol<br>111-76-2 | 2 max. | Listed |

# **16. OTHER INFORMATION**

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

\*\*\* END OF MSDS \*\*\*