Safety Data Sheet Procleix Buffer For Deactivation Fluid

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Product Name Procleix Buffer For Deactivation Fluid

Recommended use of the chemical and restrictions on use

Specific use(s) Procleix Assay Fluids

Recommended Use In vitro diagnostic

Details of the supplier of the safety data sheet

United States of America Supplier Hologic, Inc.

10210 Genetic Center Drive San Diego, CA 92121-4362

Canadian Supplier Hologic Canada Limited

130 Spadina Avenue

Suite 401

Toronto, ON, M5V-2L4

Canada

1-877-209-7192

Manufacturer Hologic, Inc.

10210 Genetic Center Drive San Diego, CA 92121-4362

Emergency Telephone - United States of America

24 Hour Emergency Phone Number Chemtrec, U.S. and Canada 1-800-424-9300; Chemtrec International + 1-703-741-5970

For further information, please contact: MolecularSupport@hologic.com

SECTION 2: Hazards identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Emergency Overview

Label Elements



Signal word Warning

Hazard Statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

S39 - Wear eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P332 + P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

Hazards not otherwise classified (HNOC)

Other Information

Not Applicable

SECTION 3: Composition/information on ingredients

Substances

Not Applicable

Mixtures Mixtures

Mixtures

OSHA Hazard Classification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

	Component name	CAS No	%
I	Sodium Hydroxide	1310-73-2	1 - 5

SECTION 4: First aid measures

First aid measures

General advice If symptoms persist, call a physician.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye

wide open while rinsing.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician. Wash contaminated clothing before reuse. Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with

soap and plenty of water while removing all contaminated clothes and shoes.

Inhalation Remove to fresh air. If symptoms persist, call a physician. Immediate medical attention is

not required. Move to fresh air in case of accidental inhalation of vapors.

Immediate medical attention is not required. Rinse mouth. Drink plenty of water. Do NOT

induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give

anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Use personal protective equipment as required.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

SECTION 5: Firefighting measures

Flammability Not flammable.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Avoid contact with eyes and skin. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

After cleaning, flush away traces with water. Prevent product from entering drains. Dam up.

SECTION 7: Handling and storage

Precautions for safe handling Avoid contact with skin and clothing. Wash hands thoroughly after

handling.

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Use personal protective

equipment as required. Use with local exhaust ventilation. Do not breathe

dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Store in accordance with local regulations. Use appropriate containment to avoid

environmental contamination.

Storage Conditions Keep container tightly closed. Keep out of the reach of children. Keep containers tightly

closed in a cool, well-ventilated place. Keep in properly labeled containers.

SECTION 8: Exposure Controls/Personal Protection.

Exposure Guidelines

United States of America

Component name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Canada

Component name	British Columbia OEL	Quebec OEL	Ontario TWA
Sodium Hydroxide	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³
1310-73-2			

Mexico

Component	Carcinogenicity	Exposure Limits
Sodium Hydroxide	-	Mexico: Ceiling 2 mg/m ³
1310-73-2 (1 - 5)		

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Provide adequate ventilation. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Face protection shield. Eye/face protection

Skin and body protection Wear suitable protective clothing.

Hand Protection Wear protective gloves.

Respiratory protection Not Applicable

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

Other Information

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical State @20°C Liquid Color Colorless

No information available Odor Odor threshold No information available

Property Values

~ 9.3 pН

Melting point/freezing point

No information available Boiling point / boiling range

Flash point

Method No information available **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limits in Air

No information available Upper flammability limits Lower flammability limit No information available No information available Vapor pressure Vapor density No information available Relative density

Specific Gravity 1 0

Water solubility No information available No information available Solubility(ies) **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available **Viscosity** No information available No information available **Explosive properties Oxidizing properties** No information available

SECTION 10: Stability and reactivity

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal use conditions.

Hazardous polymerizationNone under normal use conditions.

Conditions to avoidNone under normal use conditions.

Incompatible materials. None under normal use conditions.

Hazardous Decomposition Products None under normal use conditions.

Materials to avoid None under normal use conditions.

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

InhalationNone under normal use conditions.Eye contactNone under normal use conditions.Skin ContactNone under normal use conditions.IngestionNone under normal use conditions.

Component name	LD50/oral/rat - NO UNITS (Wizards mg/kg)	LD50/dermal/rat - NO UNITS (Wizards mg/kg)	Inhalation LC50
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitization
Germ cell mutagenicity
Carcinogenicity
No information available.

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Avoid repeated exposure.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 66984 mg/kg

SECTION 12: Ecological information

Ecotoxicity

20 - 50% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Component name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Bicarbonate		8250 - 9000: 96 h Lepomis		2350: 48 h Daphnia magna
144-55-8		macrochirus mg/L LC50		mg/L EC50

static

Persistence and degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

Other adverse effects No information available.

SECTION 13: Disposal Considerations.

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Waste from Residues / Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Component name	California Hazardous Waste Status
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

SECTION 14: Transport information

DOT Not regulated

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

SECTION 15: Regulatory information

International Inventories

Component name	TSCA	EINECS/ELINCS	DSL/NDSL	PICCS
Water 7732-18-5	Present	X	X	X
Sodium Bicarbonate 144-55-8	Present	X	X	X
Sodium Hydroxide 1310-73-2	Present	X	X	X
Sodium Hypochlorite 7681-52-9	Present	X	X	X

Component name	ENCS	IECSC	AICS	KECL
Water 7732-18-5	-	X	X	Present
Sodium Bicarbonate 144-55-8	Present	X	X	Present
Sodium Hydroxide 1310-73-2	Present	X	X	Present
Sodium Hypochlorite 7681-52-9	Present	X	X	Present

<u>Legend</u>

X - Present

- Not Listed

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Component name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Component name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Component name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide	X	X	X
1310-73-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

International Regulations

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

WHMIS Hazard Class

Non-controlled

Mexico

SECTION 16: Other information

Revision Date

18-Oct-2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet