MATERIAL SAFETY DATA SHEET



1. Chemical Product and Company Identification

Material name PRODUCTO™ SG-123

SPATTER GUARD FLUID

Version # 01

Issue date 02-03-2015 CAS# Mixture

MSDS Number Not applicable SPATTER GUARD Recommended use

Manufacturer

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8199

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

2. Hazards Identification

May be harmful if swallowed. Causes skin irritation. Causes eye irritation. Avoid prolonged contact **Emergency overview**

with eyes, skin and clothing.

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Causes eye irritation. Do not get this material in contact with eyes. **Eyes**

Skin Causes skin irritation. Avoid contact with the skin.

Inhalation Prolonged inhalation may be harmful. Health injuries are not known or expected under normal use. Ingestion

May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea. Do not ingest.

3. Composition/Information on Ingredients

Components	CAS#	Percent	
TRIETHANOLAMINE	102-71-6	10 - 30	
Other components below reportable levels		60 - 100	

4. FIRST AID MEASURES

First aid procedures

If symptoms are experienced, remove source of contamination or move victim to fresh air. Call a Inhalation

POISON CENTER or doctor/physician if you feel unwell.

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing Skin contact

and shoes. If skin irritation occurs: Get medical advice/attention. Wash clothing separately before

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Material name: PRODUCTO™ SG-123 MSDS Canada 1/6 Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. If vomiting occurs naturally, have victim lean

forward to reduce risk of aspiration.

Notes to physician General advice Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

5. FIRE FIGHTING MEASURES

Flammable properties

The product is not flammable.

Extinguishing media

Suitable extinguishing

media

Water fog. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Protection of firefighters

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Protective equipment for

firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not

breathe fumes.

Explosion data

Sensitivity to static

discharge

Not applicable.

Sensitivity to mechanical

impact

Not applicable.

Hazardous combustion

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

General fire hazards No unusual fire or explosion hazards noted.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not

touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.

Environmental precautions

Use appropriate containment to avoid environmental contamination. Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic

environment.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.

Prevent entry into waterways, sewer, basements or confined areas.

Methods for cleaning up

Methods for containment

Local authorities should be advised if significant spillages cannot be contained. This product is

miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush

area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the

MSDS.

Other information Clean up in accordance with all applicable regulations.

Material name: PRODUCTO™ SG-123

Version #: 01 Issue date: 02-03-2015

MSDS Canada

2 / 6

7. HANDLING AND STORAGE

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources Handling

of ignition. Do not breathe vapor. Avoid contact with skin and eyes. Do not ingest. Avoid prolonged and repeated contact. Do not get this material on clothing. When using, do not eat, drink or smoke. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care.

Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

To maintain product quality, do not store in heat or direct sunlight. Use care in handling/storage. Storage

> Keep away from food, drink and animal feedingstuffs. Keep containers closed when not in use. Store in original container. Store away from incompatible materials (see Section 10 of the MSDS). Do not allow material to freeze. Room temperature - normal conditions. If frozen, product may

separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits

US. ACGIH Threshold Limit Values

	Туре	Value	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

	Type	Value
TRIETHANOLAMINE (CAS	TWA	5 mg/m3

102-71-6)

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

	Туре	Value	
TRIETHANOLAMINE (CAS	TWA	5 mg/m3	
102-71-6)			

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

	Туре	Value	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	3.1 mg/m3	
102 7 1 0)		0.5 nnm	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

	Туре	Value	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Engineering controls Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air

changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency

showers are recommended.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is Eye/face protection

recommended.

Wear suitable protective clothing and gloves. Use protective gloves made of: Nitrile. Skin protection

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Use protective gloves made of: Nitrile.

9. PHYSICAL & CHEMICAL PROPERTIES

CLEAR Appearance

Material name: PRODUCTO™ SG-123 MSDS Canada

Physical state Liquid.
Form Liquid.

ColorNot available.OdorCHEMICALOdor thresholdNot available.

pH 8.7

Vapor pressureNot available.Vapor densityNot available.

Boiling point $> 212 \,^{\circ}\text{F} \, (> 100 \,^{\circ}\text{C})$ Melting point/Freezing point $< 6 \,^{\circ}\text{F} \, (< -14.4 \,^{\circ}\text{C})$ Solubility (water) $100 \,^{\circ}\text{W}$ Water Miscible

Specific gravity 1.012

Relative density

Flash point

Flammability limits in air,
upper, % by volume

Not available.
Not available.

Flammability limits in air,

lower, % by volume

Not available.

Auto-ignition temperature Not available.

Evaporation rate Like water when diluted

Other data

pH in aqueous solution 8.5 @ 10% VOC ASTM D2369 1 %

10. Stability and Reactivity

Chemical stability Material is stable under normal conditions. **Conditions to avoid** Contact with incompatible materials.

Incompatible materials Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Strong acids. Strong oxidizing agents. Avoid contact with oxidizers or reducing agents.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

Toxicological data

Components Species Test Results

TRIETHANOLAMINE (CAS 102-71-6)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Guinea pig 5300 mg/kg

Rat 8 g/kg

Acute effects May be harmful if swallowed.

Sensitization Not available.

Chronic effects Prolonged exposure may cause chronic effects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Defatting, drying and cracking of skin.

Serious eye damage/irritation Causes eye irritation.

 MutagenicityNot available.Reproductive effectsNot available.TeratogenicityNot available.

Symptoms and target organs Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation. Defatting of the skin.

Synergistic materials Not available.

Further information Symptoms may be delayed.

12. ECOLOGICAL INFORMATION

Ecotoxicological data

Components Species Test Results

TRIETHANOLAMINE (CAS 102-71-6)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 10610 - 13010 mg/l, 96 hours

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Aquatic toxicity Not available.

Persistence and degradability Not available.

Partition coefficient

TRIETHANOLAMINE - **Mobility in environmental** This product is miscible in water.

13. DISPOSAL CONSIDERATIONS

Disposal instructionsConsult authorities before disposal. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Waste from residues / unused

products

media

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

14. Transport Information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Controlled

WHMIS classification D2B - Other Toxic Effects-TOXIC

WHMIS labeling



Material name: PRODUCTO™ SG-123

Version #: 01 Issue date: 02-03-2015

MSDS Canada

5 / 6

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. OTHER INFORMATION

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Prepared by Ann Ball

513-458-8198

This data sheet contains changes from the previous version in section(s):

This document has undergone significant changes and should be reviewed in its entirety.

Material name: PRODUCTO™ SG-123

Version #: 01 Issue date: 02-03-2015

MSDS Canada

6 / 6