SAFETY DATA SHEET

1. Identification

Product identifier PRODUCTO™ SP-735 INDUSTRIAL CLEANER

Other means of identification

SDS number Not applicable **Product code** B40001

Recommended use INDUSTRIAL CLEANER

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

Emergency telephone

number

Emergency telephone

number (outside USA)

513-458-8100

905-319-1919

1-800-424-9300 (CHEMTREC)

1-703-527-3887 (CHEMTREC)

Supplier

Milacron Canada Corp. Company name

1175 Appleby Line Road, Unit B-1 **Address**

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

Emergency telephone

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1 **Health hazards** Acute toxicity, oral Category 4 Skin irritation Category 2 Serious eye irritation Category 2A

Not classified. **Environmental hazards**

Label elements



Signal word Warning

Hazard statement May be corrosive to metals. Harmful if swallowed. Causes skin irritation. Causes serious eye

irritation.

Material name: PRODUCTO™ SP-735 SDS Canada 1/9 **Precautionary statement**

Prevention Keep only in original packaging. Avoid breathing mist or vapor. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear eye protection/face protection. Wear protective gloves.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF IN Response

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse mouth. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Take off contaminated

clothing and wash it before reuse. Absorb spillage to prevent material-damage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive

resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Other hazards None known.

Supplemental information The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	<u></u>
MONOETHANOLAMINE		141-43-5	≤7
POTASSIUM HYDROXIDE		1310-58-3	≤5
Other components below repor	table levels		<u>≤95</u>

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention. Under normal conditions of intended

use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion

keep head low so that stomach content doesn't get into the lungs. Call a physician or poison

control center immediately.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in General information

attendance.

5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that Suitable extinguishing media

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted. General fire hazards

Material name: PRODUCTO™ SP-735 SDS Canada 2/9

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid breathing mist or vapor. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep only in the original container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

	Туре	Value	
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)			
	Туре	Value	
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	7.5 mg/m3	
		3 ppm	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

	Туре	Value
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
,	TWA	3 ppm

Material name: PRODUCTO™ SP-735 SDS Canada 3/9

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)			
	Туре	Value	
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
Canada. Ontario OELs. (Control o	f Exposure to Biological or Ch	emical Agents)	
	Туре	Value	
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3	
MONOETHANOLAMINE	STEL	6 ppm	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

	Туре	Value
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

TWA

	Туре	Value
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3

Biological limit values

(CAS 141-43-5)

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

3 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Use protective gloves made of: Nitrile. **Hand protection**

Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

CLEAR Appearance Physical state Liquid. **Form** Liquid. Not available. Color **CHEMICAL** Odor **Odor threshold** Not available. 10.8 Ηq

Melting point/freezing point < 32 °F (< 0 °C)

Material name: PRODUCTO™ SP-735

> 212 °F (> 100 °C) Initial boiling point and boiling

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Explosive limit - upper (%)

Not available. Not available.

Vapor pressure Not available. Vapor density Not available. Not available. Relative density

Solubility(ies)

100 % Water Miscible Solubility (water)

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity

Other information

Not explosive. **Explosive properties** Not oxidizing. **Oxidizing properties** pH in aqueous solution 9.5 @ 4% 1.123 Specific gravity

10. Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur. reactions

Conditions to avoid

Heat, flames and sparks. Contact with incompatible materials.

Acids. Aluminum. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which Incompatible materials

may form cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified.

Skin contact Causes skin irritation. Eye contact Causes eye irritation. Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

toxicological characteristics

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

Material name: PRODUCTO™ SP-735 SDS Canada

Components Species Test Results

MONOETHANOLAMINE (CAS 141-43-5)

<u>Acute</u>

Dermal

LD50 Rabbit 1025 mg/kg

Oral

LD50 Guinea pig 620 mg/kg

Mouse 700 mg/kg

Rat 10.2 g/kg

POTASSIUM HYDROXIDE (CAS 1310-58-3)

Acute Oral

LD50 Rat 214 mg/kg

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

MONOETHANOLAMINE (CAS 141-43-5) Irritant POTASSIUM HYDROXIDE (CAS 1310-58-3) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not classified.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Specific target organ toxicity - repeated

exposure

Not classified.

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not classified.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

Components Species Test Results

MONOETHANOLAMINE (CAS 141-43-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

POTASSIUM HYDROXIDE (CAS 1310-58-3)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 80 mg/l, 96 hours

Persistence and degradability
No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31

^{*} Estimates for product may be based on additional component data not shown.

^{*} Estimates for product may be based on additional component data not shown.

This product is miscible in water. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN number UN3267

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE, POTASSIUM **UN proper shipping name**

HYDROXIDE)

Transport hazard class(es)

8 Class Subsidiary risk Ш Packing group **Environmental hazards**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN3267

UN proper shipping name Transport hazard class(es) Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, POTASSIUM HYDROXIDE)

Class 8 Subsidiary risk Ш **Packing group Environmental hazards** No. **ERG Code** 8L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN3267 **UN** number

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE, POTASSIUM **UN** proper shipping name

HYDROXIDE)

Transport hazard class(es)

8 Class Subsidiary risk Packing group Ш

Environmental hazards

Marine pollutant No. F-A, S-B **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

Material name: PRODUCTO™ SP-735 SDS Canada

7/9

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

Issue date 03-13-2017

Version # 01

Material name: PRODUCTO™ SP-735 SDS Canada

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Product and Company Identification: Product and Company Identification

Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Product Uses

HazReg Data: North America

GHS: Classification

Material name: PRODUCTO™ SP-735 SDS Canada
Version #: 01 Issue date: 03-13-2017 9 / 9