



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2
DATE PRINTED: 11/11/2008 PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **PROKLEEN 520**
PRODUCT CODE: 118403

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 2/2 Fire: 1/1
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May be harmful if swallowed.
SKIN CONTACT: Causes severe skin irritation with tissue destruction.
INHALATION: May irritate mouth, nose, and throat.
EYE CONTACT: Causes severe eye irritation.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
SODIUM HYDROXIDE 1310-73-2	1.0-5.0	NA	2 mg/m ³
Tetrasodium EDTA 64-02-8	30.0-60.0	NA	NA

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Rinse mouth. Get immediate medical attention.
SKIN: Flush skin with large amounts of water. If irritation persists, get medical attention.
INHALATION: If inhaled, move victim to fresh air and seek medical attention.
EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA
METHOD: None

FLAMMABLE LIMITS IN AIR

PROKLEEN 520

- LOWER (%): None
- UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

Product will not be expected to burn unless all the water is boiled away. As for surrounding fire. Water.

FIRE FIGHTING PROCEDURES:

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Pick up with absorbant material.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS:

NA

ENVIRONMENTAL PRECAUTIONS:

NA

METHODS FOR CLEANING UP:

NA

7. HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:**

WARNING Avoid contact with eyes, skin and clothing. Keep container closed when not in use.

OTHER PRECAUTIONS:

Use only with sufficient ventilation.

SPECIFIC USE(S):

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

None normally required.

PROTECTIVE GLOVES:

Butyl rubber. Neoprene. Nitrile gloves. PVC.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION

Eyewash fountains and safety showers must be easily accessible.

EQUIPMENT:

VENTILATION:

General mechanical and/or local exhaust as needed if mist or vapors cause irritation.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear. Light yellow liquid. Slight amine odor.

BOILING POINT (F):

219 F / 104 C

(C) NA

VAPOR PRESSURE:

20 mm Hg @ 70 F / 21.1 C

SOLUBILITY IN WATER:

Miscible

SPECIFIC GRAVITY:

1.26-1.29 @ 77 F / 25 C

VOC Content (%):

0.00%

VOV Content (%):

NE

PH:

10.5-11.8 (1%)

10. STABILITY AND REACTIVITY

STABILITY DATA:

STABLE

POLYMERIZATION:

Will Not Occur.

HAZARDOUS DECOMPOSITION:

Oxides of Carbon. Oxides of Nitrogen. Ammonia.

**INCOMPATIBILITY (MATERIALS TO
AVOID):**

Strong acids and oxidizers. Reactive metals such as aluminum and magnesium.

10. STABILITY AND REACTIVITY

CONDITIONS/HAZARDS TO AVOID: Freezing conditions.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
 EFFECTS OF CHRONIC EXPOSURE: NE
 OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
 CHEMICAL FATE INFORMATION: No data at this time.
 MOBILITY: NA
 PERSISTENCE/DEGRADABILITY: NA
 BIOACCUMULATIVE POTENTIAL: NA
 OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
SODIUM HYDROXIDE 1310-73-2	1.0-5.0	Listed	Listed	Listed	Not Listed
Tetrasodium EDTA 64-02-8	30.0-60.0	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
SODIUM HYDROXIDE 1310-73-2	1.0-5.0	1000 lb 454 kg	Not Listed	Not Listed
Tetrasodium EDTA 64-02-8	30.0-60.0	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
SODIUM HYDROXIDE 1310-73-2	1.0-5.0	Listed
Tetrasodium EDTA 64-02-8	30.0-60.0	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
SODIUM HYDROXIDE 1310-73-2	1.0-5.0	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PROKLEEN 520

PRODUCT COMPOSITION CAS#	%	NJRTK:
SODIUM HYDROXIDE 1310-73-2	1.0-5.0	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
SODIUM HYDROXIDE 1310-73-2	1.0-5.0	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***