



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/18/2012

REVISION NUMBER: 7

DATE PRINTED: 04/18/2012

PREPARED BY:

EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **PROXI, Spray & Walk Away**

PRODUCT CODE: 118493

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1

Fire: 0/0

Reactivity: 1/1

Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May cause irritation.
SKIN CONTACT: Causes mild skin irritation.
INHALATION: May cause mild respiratory irritation.
EYE CONTACT: Causes mild eye irritation.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Hydrogen Peroxide 7722-84-1	< 8	1 ppm	1 ppm 1.4 mg/m ³

4. FIRST AID MEASURES

INGESTION: If swallowed, give at least 3-4 glasses of water, but do not induce vomiting. Do not give anything by mouth to an unconscious or convulsing person. Get medical attention.

SKIN: Rinse thoroughly with water. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists.

INHALATION: If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

(F): None (C): Not determined

METHOD:

TCC

PROXI, Spray & Walk Away

FLAMMABLE LIMITS IN AIR

LOWER (%):

No data

UPPER (%):

No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

Water fog, carbon dioxide, foam, dry chemical.

FIRE FIGHTING PROCEDURES:

Wear full protective clothing. Toxic vapors are emitted in a fire condition.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Reclaim as much as possible.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS:

Not applicable

ENVIRONMENTAL PRECAUTIONS:

Not applicable

METHODS FOR CLEANING UP:

Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

Avoid contact with eyes, skin and clothing. Avoid prolonged contact. Store in a cool, dry area.

OTHER PRECAUTIONS:

Keep out of reach of children. Read and follow label instructions.

SPECIFIC USE(S):

Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following respiratory protection: Dust masks.

PROTECTIVE GLOVES:

Chemical resistant gloves are recommended to minimize skin contact.

EYE PROTECTION:

Safety Glasses.

OTHER PERSONAL PROTECTION
EQUIPMENT:

Eyewash fountains and safety showers must be easily accessible.

VENTILATION:

None required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear. Colorless liquid.

BOILING POINT (F):

NA (C) 100

(C) Not determined

VAPOR PRESSURE:

NA

VAPOR DENSITY (AIR=1):

NA

SOLUBILITY IN WATER:

Complete

SPECIFIC GRAVITY:

1.018 - 1.028

VOC Content (%):

NA

EVAPORATION RATE:

NA

PH:

7.75 - 8.15

10. STABILITY AND REACTIVITY

STABILITY DATA:

NA

POLYMERIZATION:

Will Not Occur.

PROXI, Spray & Walk Away

10. STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION: Oxygen.
INCOMPATIBILITY (MATERIALS TO AVOID): Contact with iron. Contact with copper. Brass. Nickel.
CONDITIONS/HAZARDS TO AVOID: Extreme heat, direct sunlight.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Hydrogen Peroxide 7722-84-1	< 8	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Hydrogen Peroxide 7722-84-1	< 8	Not Listed	1000 lb RQ = 1000 lb TPQ concentration >52%	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Hydrogen Peroxide 7722-84-1	< 8	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Hydrogen Peroxide 7722-84-1	< 8	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PROXI, Spray & Walk Away

PRODUCT COMPOSITION CAS#	%	NJRTK:
Hydrogen Peroxide 7722-84-1	< 8	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Hydrogen Peroxide 7722-84-1	< 8	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***