

SAFETY DATA SHEET PROfab Anti-mildew

Version 1.1 Revision Date: 6/25/2015

SECTION 1. IDENTIFICATION

Product name PROfab Anti-mildew

Supplied by:

PRO Chemical & Dye 126 Shove Street Fall River, MA 02724

Emergency telephone number

800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals

Category 1

Acute toxicity (Oral) Category 4

Skin corrosion

Category 1A

Serious eye damage

Category 1

Skin sensitization

Category 1

Specific target organ toxicity -

single exposure

Category 3 (Respiratory system)

GHS Label element

Hazard pictograms





Signal word Danger

Hazard statements H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statements

Prevention:

P234 Keep only in original container.

P261 Avoid breathing dust! fume! gas! mist! vapours! spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves! protective clothing! eye protection! face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor! physician if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : isothiazoline

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
1,2-Benzisothiazolin-3-one	2634-33-5	15.00 - 20.00
Sodium hydroxide	1310-73-2	5.00 - 10.00

SECTION 4. FIRST AID MEASURES

General advice: Call a poison control center or doctor for treatment advice. For 24- hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If inhaled: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

In case of skin contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In case of eye contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an un- conscious person.

Notes to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media: Water fog

Foam Carbon dioxide Dry chemical

Specific hazards during firefighting: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Further information: In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling A sensitized individual should not be exposed to the product which

caused the sensitization.

Do not take internally. Avoid contact with skin, eyes and clothing by wearing proper protective equipment. Upon contact with skin or

eyes, wash off with water.

Keep containers tightly closed when not in use.

Avoid contact and inhalation of the vapors. Do not eat or drink when handling. Keep away from any source of ignition.

Conditions for safe storage Store in a cool, dry and well ventilated place. Isolate from incom-

patible materials.

Keep containers tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2		2 mg/m3	ACGIH
		Ceil Time	2 mg/m3	NIOSH/GUIDE
		PEL	2 mg/m3	OSHA TRANS
			2 mg/m3	Z1A
		TLV-C	2 mg/m3	CAD ON OEL

Appropriate engineering controls

Engineering measures

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TL V, PEL or other recommended exposure limit.

Personal protective equipment

Hand protection Remarks

Wear impervious gloves, boots and apron to avoid skin contact. A full impervious suit is recommended if exposure is possible to a

large portion of the body.

Use chemical goggles and a face-shield.

Eye protection Impervious

Skin and body protection

An eye wash and safety shower should be provided in the imme-

Protective measures diate work area.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Color no data available

Odor Slight

Odor Threshold no data available

pH no data available

< 0°C / 32° F

Boiling point/boiling range no data available

Flash point no data available

Evaporation rate No data

Flammability (solid, gas) Product is not known to be flammable, combustible, pyrophoric or

explosive.

Flammability (solid, gas) no data available

Upper explosion limit no data available

Lower explosion limit no data available

Vapour pressure no data available

Relative vapour density no data available

Relative density no data available

Water solubility

Partition coefficient: n-

octanol/water no data available

Auto-ignition temperature no data available

Decomposition temperature no data available

Viscosity, dynamic no data available

Viscosity, kinematic no data available

Oxidizing properties No data

SECTION 10. STABILITY AND REACTIVITY

Incompatible materials oxidizers

acids

Reducing agents

no data available

halogenated hydrocarbons

maleic anhydride

Hazardous decomposition products Potassium oxides

Carbon oxides nitrogen oxides Ammonia Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of

exposure

Inhalation, skin, eyes, ingestion

Acute toxicity

Acute oral toxicity (LD50)

= 2,175 mg/kg

Species: Rat (Male)

Acute oral toxicity (LD50)

= 1,221 mg/kg

Species: Rat (Female)

Acute dermal toxicity (LDSO)

Believed to be > 2,000 mg/kg

Species: Rabbit

Skin corrosion/irritation

Skin irritation

Remarks: This material is expected to be corrosive.

Serious eye damage/eye irritation

Eye irritation

Remarks: Corrosive to eyes.

Respiratory or skin sensitization

Sensitization

Remarks: May cause allergic skin sensitization in some individuals.

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1 is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1 is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP

No component of this product present at levels greater than or

equal to 0.1 is identified as a known or anticipated carcinogen

by NTP.

No component of this product present at levels greater than or

equal to 0.1 is identified as a carcinogen or potential carcino-

gen by ACGIH.

Further information

Remarks: No additional health information available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

ACGIH

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Ozone-Depletion Potential

Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-

Depleting Substances (40 CFR 82, Subpt. A, App A & B) Remarks: This product neither contains, nor was manufactured with a Class I or Class" ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information Moderately toxic to fish and other aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Spent or discarded material is not expected to be a hazardous

waste.

SECTION 14. TRANSPORT INFORMATION

IATA

UN number

Proper shipping name Caustic alkali liquid, n.o.s.

(Sodium hydroxide, 1,2-Benzisothiazolin-3-one)

Transport hazard class
Packing group
Labels
Environmental hazards

8

8

Environmental hazards

IMDG

UN number 1719

Proper shipping name Caustic alkali liquid, n.o.s.

(Sodium hydroxide, 1,2-Benzisothiazolin-3-one)

Transport hazard class 8
Packing group II
Labels 8
EmS Number 1 F-A
EmS Number 2 S-B

Environmental hazards Marine pollutant: yes

ADR

UN number 1719

Proper shipping name CAUSTIC ALKALI LIQUID, N.O.S.

(Sodium hydroxide, 1,2-Benzisothiazolin-3-one)

Transport hazard class
Packing group
II
Classification Code
Hazard Identification Number
Labels
Equipmental hazards

Environmental hazards yes

RID

UN number 1719

Proper shipping name CAUSTIC ALKALI LIQUID, N.O.S.

(Sodium hydroxide, 1,2-Benzisothiazolin-3-one)

Transport hazard class 8
Packing group II
Classification Code C5
Hazard Identification 80
Number 8
Labels yes

Environmental hazards

DOT

UN number

Proper shipping name Caustic alkali liquids, n.o.s.

(Sodium hydroxide, 1,2-Benzisothiazolin-3-one)

Transport hazard 8
class
Packing group
Labels
Emergency Response Guidebook

Number

Environmental hazards yes

TOG

UN number

Proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S.
(Sodium hydroxide, 1,2-Benzisothiazolin-3-one)

yes

Transport hazard class
Packing group
Labels

Environmental hazards

Special precautions for user none

Transport in bulk according to Annex 11 of MARPOL 73/78 and the

IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (50S), and for workplace labels of non-pesticide chemicals.

Signal word

POISON

P

Hazard statements May be fatal if absorbed through skin.

Mav be fatal if inhaled.

Corrosive. Causes skin burns. Corrosive. Causes irreversible eye damage. This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated
		(lbs)	product RQ
			(lbs)
Sodium hydroxide	1310-73-2	1000	

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium hydroxide 1310-73-2

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium hydroxide 1310-73-2

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Sodium hydroxide

1310-73-2

Pennsylvania Right To Know

 dipropylene glycol
 25265-71-8

 1,2-Benzisothiazolin-3-one
 2634-33-5

 Water
 7732-18-5

 Sodium hydroxide
 1310-73-2

New Jersey Right To Know

dipropylene glycol 1,2-Benzisothiazolin-3-one Water Sodium hydroxide 25265-71-8 2634-33-5 7732-18-5 1310-73-2

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

1

Revision Date : 6/25/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.