

Revision date: 27-Jun-2012 Version: 2.0 Page 1 of 7

## IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc Pfizer Ltd **Pfizer Pharmaceuticals Group Ramsgate Road** 235 East 42nd Street Sandwich, Kent New York. New York 10017 **CT13 9NJ United Kingdom** 1-212-573-2222

+00 44 (0)1304 616161

**Emergency telephone number:** 

International CHEMTREC (24 hours): +1-703-527-3887

**Emergency telephone number:** 

CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: pfizer-MSDS@pfizer.com

Material Name: Povidone-lodide with Alcohol (70%)

**Trade Name:** Not applicable **Chemical Family:** Mixture

Intended Use: Pharmaceutical product used as antiseptic, disinfectant

## 2. HAZARDS IDENTIFICATION

Appearance: Brown liquid Signal Word: **DANGER** 

Statement of Hazard: Highly flammable liquid and vapor.

Additional Hazard Information:

**Short Term:** May cause eye irritation. May cause mild skin irritation (based on animal data). Exposure to

> high concentrations of gas, vapor, or mist may cause irritation. Exposure to high concentrations may cause irritation, headache, drowsiness, and symptoms of alcohol

intoxication.

Chronic ingestion of ethanol has been associated with an increased incidence of cancer, liver Long Term:

cirrhosis, and, if ingested during pregnancy, congenital malformations.

**EU** Indication of danger: Flammable

**EU Hazard Symbols:** 

**EU Risk Phrases:** 

R11 - Highly flammable.

**Australian Hazard Classification** 

(NOHSC):

Dangerous Goods. Hazardous Substance.

Material Name: Povidone-Iodide with Alcohol (70%)

Page 2 of 7

Revision date: 27-Jun-2012 Version: 2.0

## 2. HAZARDS IDENTIFICATION

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Hazardous**

Ingredient	CAS Number	<b>EU EINECS/ELINCS List</b>	<b>EU Classification</b>	%
ETHANOL	64-17-5	200-578-6	F;R11	60-100

Ingredient	CAS Number	<b>EU EINECS/ELINCS List</b>	<b>EU Classification</b>	%
Water	7732-18-5	231-791-2	Not Listed	*
Povidone-lodine	25655-41-8	Not Listed	Not Listed	9-10

Additional Information: \* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

**Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

**Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

**Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

**Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information.

## 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Water spray, carbon dioxide, dry chemical or foam.

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire. May include oxides of carbon and

products of iodine.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Fire / Explosion Hazards: Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to

remote ignition sources and flash back.

Material Name: Povidone-Iodide with Alcohol (70%)

Revision date: 27-Jun-2012

Page 3 of 7

Version: 2.0

## 6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using

explosion-proof equipment.

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

area thoroughly.

**Measures for Environmental** 

**Protections:** 

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

**Additional Consideration for Large** 

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

## 7. HANDLING AND STORAGE

General Handling: Use only in a well-ventilated area. Avoid breathing vapor or mist. Avoid contact with eyes, skin

and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Keep away from heat, sparks, flame and all other sources of ignition. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other

equivalent controls.

Storage Conditions: Store in a cool, dry, well-ventilated area. Keep away from heat, sparks, flame, and other

sources of ignition. Keep container tightly closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

#### **ETHANOL**

ACGIH Threshold Limit Value (STEL)	1000 ppm
Australia TWA	1000 ppm
	1880 mg/m <sup>3</sup>
Austria OEL - MAKs	1000 ppm
	1900 mg/m <sup>3</sup>
Belgium OEL - TWA	1000 ppm
-	1907 mg/m <sup>3</sup>
Bulgaria OEL - TWA	1000.0 mg/m <sup>3</sup>
Czech Republic OEL - TWA	1000 mg/m <sup>3</sup>
Denmark OEL - TWA	1000 ppm
	1900 mg/m <sup>3</sup>
Estonia OEL - TWA	500 ppm
	1000 mg/m <sup>3</sup>
Finland OEL - TWA	1000 ppm
	1900 mg/m <sup>3</sup>
France OEL - TWA	1000 ppm
	1900 mg/m <sup>3</sup>
Germany - TRGS 900 - TWAs	500 ppm
	960 mg/m <sup>3</sup>
Germany (DFG) - MAK	500 ppm

\_\_\_\_\_

960 ma/m3

Material Name: Povidone-Iodide with Alcohol (70%)

Revision date: 27-Jun-2012

Page 4 of 7

Version: 2.0

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Greece OEL - TWA 1000 ppm 1900 mg/m<sup>3</sup> **Hungary OEL - TWA** 1900 mg/m<sup>3</sup> **Ireland OEL - TWAs** 1000 ppm 1900 mg/m<sup>3</sup> 1000 mg/m<sup>3</sup> Latvia OEL - TWA Lithuania OEL - TWA 500 ppm 1000 mg/m<sup>3</sup> **Netherlands OEL - TWA** 260 mg/m<sup>3</sup> 1000 ppm **OSHA - Final PELS - TWAs:** 1900 mg/m<sup>3</sup> 1900 mg/m<sup>3</sup> **Poland OEL - TWA** Portugal OEL - TWA 1000 ppm 1000 ppm Romania OEL - TWA 1900 mg/m<sup>3</sup> Slovakia OEL - TWA 500 ppm 960 mg/m<sup>3</sup> Slovenia OEL - TWA 1000 ppm 1900 mg/m<sup>3</sup> Spain OEL - TWA 1000 ppm 1910 mg/m<sup>3</sup> Sweden OEL - TWAs 500 ppm 1000 mg/m<sup>3</sup>

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Environmental Exposure Controls: Refer to specific Member State legislation for requirements under Community environmental

legislation.

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

**Hands:** Wear impervious gloves.

**Eyes:** Wear safety glasses or goggles if eye contact is possible. **Skin:** Wear protective clothing when working with large quantities.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidColor:BrownOdor:AlcoholMolecular Formula:Mixture

Molecular Weight: Mixture

Water Solubility: Soluble

**Boiling Point (°C):** 78.5 based on major component Ethanol

Vapor Pressure (kPa):7.91 (Ethanol)Vapor Density (g/ml):1.59 (Ethanol)

Flash Point (Liquid) (°C): 12.8 Closed cup based on major component (Ethanol)

Upper Explosive Limits (Liquid) (% by Vol.): 19
Lower Explosive Limits (Liquid) (% by Vol.): 3.3

Polymerization: Will not occur

Material Name: Povidone-Iodide with Alcohol (70%)

Page 5 of 7

Revision date: 27-Jun-2012 Version: 2.0

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions of use.

**Conditions to Avoid:** Keep away from heat, spark, flames and all other sources of ignition.

Incompatible Materials: Strong oxidizing agents and strong inorganic acids

## 11. TOXICOLOGICAL INFORMATION

**General Information:** There are no data for this formulation. The information included in this section describes the

potential hazards of the individual ingredients.

### Acute Toxicity: (Species, Route, End Point, Dose)

### **ETHANOL**

Rat Oral LD 50 7060 mg/kg Mouse Oral LD 50 3450 mg/kg Rat Inhalation LC 50 20000 ppm/10H Mouse Inhalation LC 50 39 gm/m^3/4h

#### Povidone-lodine

Rat Oral LD50 > 8000 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

### Irritation / Sensitization: (Study Type, Species, Severity)

#### **ETHANOL**

Eye Irritation Rabbit Severe Skin Irritation Rabbit Mild

### Povidone-lodine

Skin Irritation Rabbit Mild

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

**ETHANOL** 

IARC: Group 1 (Carcinogenic to Humans)

OSHA: Listed

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** The environmental characteristics of this mixture have not been fully evaluated. Releases to

the environment should be avoided.

### Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

### **ETHANOL**

Oncorhynchus mykiss (Rainbow Trout) NPDES LC-50 96 Hours 12900 mg/L

Fingerling Trout NPDES LC-50 24 Hours 11200 mg/L Fathead Minnow NPDES LC-50 96 Hours 14200 mg/L

PZ00720

Material Name: Povidone-Iodide with Alcohol (70%)
Page 6 of 7

Revision date: 27-Jun-2012 Version: 2.0

## 12. ECOLOGICAL INFORMATION

### 13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

## 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transport under DOT, ADR, IMDG, and IATA regulations.

UN number: UN 1170
UN proper shipping name: Ethanol solution

Transport hazard class(es): 3
Packing group: II
Flash Point (°C): 12.8

Flash Point (°C): 12.8

## 15. REGULATORY INFORMATION

EU Symbol: F

EU Indication of danger: Flammable

**EU Risk Phrases:** 

R11 - Highly flammable.

**EU Safety Phrases:** 

S16 - Keep away from sources of ignition - No smoking.

S25 - Avoid contact with eyes.

OSHA Label:

DANGER

Highly flammable liquid and vapor.

Canada - WHMIS: Classifications

WHMIS hazard class:

Class B, Division 2

Class D, Division 2, Subdivision B

Material Name: Povidone-Iodide with Alcohol (70%)

Revision date: 27-Jun-2012

Page 7 of 7

Version: 2.0

TOURS OF AUTO CONTRACTOR AND AUTO CONTRACTOR AND AUTO CONTRACTOR AUTO CONTRACT

## 15. REGULATORY INFORMATION



### Water

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the obligations of Register:

Present

EU EINECS/ELINCS List 231-791-2

Povidone-Iodine

Inventory - United States TSCA - Sect. 8(b) Present
Australia (AICS): Present

**ETHANOL** 

California Proposition 65 developmental toxicity initial date 10/1/87

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

200-578-6

## 16. OTHER INFORMATION

## Text of R phrases mentioned in Section 3

R11 - Highly flammable.

**Data Sources:** Publicly available toxicity information.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 4 - First Aid Measures. Updated

Section 7 - Handling and Storage. Updated Section 15 - Regulatory Information.

Prepared by: Product Stewardship Hazard Communication

Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet** 

\_\_\_\_\_