



# Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 28-Jul-2015

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Buckeye Pad Pal

### Other means of identification

**SDS #** BE-5016

**Product Code** 5016  
**UN/ID No** UN1760

### Recommended use of the chemical and restrictions on use

**Recommended Use** Floor Pad Cleaner, Water Based.

### Details of the supplier of the safety data sheet

#### Supplier Address

Buckeye International, Inc.  
2700 Wagner Place  
Maryland Heights, MO 63043 USA

### Emergency Telephone Number

**Company Phone Number** 1-651-632-8956 (International)  
1-800-303-0441 (North America)  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear Pale Yellow Solution

**Physical State** Liquid

**Odor** Sassafras fragrance

### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a poison center or doctor/physician  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a poison center or doctor/physician  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Immediately call a poison center or doctor/physician  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Toxic to aquatic life with long lasting effects

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Monoethanolamine	141-43-5	<6
Alkylbenzenesulfonic Acid	68584-22-5	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST-AID MEASURES****First Aid Measures**

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician. Wash contaminated clothing before reuse.
<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

<b>Ingestion</b>	IF SWALLOWED: Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.
------------------	--

**Most important symptoms and effects**

<b>Symptoms</b>	Causes severe skin burns and eye damage. May be harmful if swallowed.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

<b>Unsuitable Extinguishing Media</b>	Not determined.
---------------------------------------	-----------------

**Specific Hazards Arising from the Chemical**

Not determined.

<b>Hazardous Combustion Products</b>	Carbon oxides. Sulfur oxides. Nitrogen oxides (NOx).
--------------------------------------	--

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
-----------------------------	--

<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.
----------------------------------	---

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

<b>Methods for Clean-Up</b>	Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic. Dispose of in accordance with federal, state and local regulations.
-----------------------------	---

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

<b>Advice on Safe Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection.
--------------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Store away from incompatible materials. Store at room temperature.
---------------------------	---

<b>Incompatible Materials</b>	Do not mix with chlorinated detergents (bleach). Acids.
-------------------------------	---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

### Appropriate engineering controls

#### Engineering Controls

Apply technical measures to comply with the occupational exposure limits. Showers. Eyewash stations. Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/Face Protection

Refer to 29 CFR 1910.133 for eye and face protection regulations. Wear safety glasses or goggles to protect against exposure.

#### Skin and Body Protection

Refer to 29 CFR 1910.138 for appropriate skin and body protection. Wear rubber gloves or other impervious gloves. Suitable protective clothing.

#### Respiratory Protection

Refer to 29 CFR 1910.134 for respiratory protection requirements. No protective equipment is needed under normal use conditions.

#### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State	Liquid	Odor	Sassafras fragrance
Appearance	Clear Pale Yellow Solution	Odor Threshold	Not determined
Color	Pale yellow		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	pH (Conc.) 12.0 +/- 0.2 pH(1:4 Dilution) 11.14 +/- 0.2		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	None	Tag Closed Cup	
Evaporation Rate	1.0	(Water = 1)	
Flammability (Solid, Gas)	Liquid- Not Applicable		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not determined		
Vapor Density	Not determined		
Specific Gravity	1.03		
Water Solubility	Infinite		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		

<b>Kinematic Viscosity</b>	Not determined
<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined
<b>Additional Information</b>	% Volatile by weight 93

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Do not mix with chlorinated detergents (bleach). Acids.

### Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Sulfur oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

#### **Eye Contact**

Causes severe eye damage.

#### **Skin Contact**

Causes severe skin burns.

#### **Inhalation**

Do not inhale.

#### **Ingestion**

May be harmful if swallowed.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene Glycol Phenyl Ether 770-35-4	= 2830 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	-
Monoethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1 mL/kg ( Rabbit ) = 1000 mg/kg ( Rabbit )	-
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg ( Rat )	-	-
Alkylbenzenesulfonic Acid 68584-22-5	= 530 mg/kg ( Rat )	= 530 mg/kg ( Rat )	-
Bio-terge AS-40, Sodium Olefin Sulfonate 68439-57-6	= 2310 mg/kg ( Rat )	= 6300 mg/kg ( Rabbit )	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg ( Rat ) = 10 g/kg ( Rat )	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

Potassium hydroxide 1310-58-3	= 284 mg/kg ( Rat )	-	-
----------------------------------	---------------------	---	---

**Information on physical, chemical and toxicological effects****Symptoms**

Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 227: 96 h Pimephales promelas mg/L LC50 flow-through		65: 48 h Daphnia magna mg/L EC50
Alkylbenzenesulfonic Acid 68584-22-5		3: 96 h Oncorhynchus mykiss mg/L LC50 static		2.9: 48 h Daphnia magna mg/L EC50
Bio-terge AS-40, Sodium Olefin Sulfonate 68439-57-6		1.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 static 12.2: 96 h Brachydanio rerio mg/L LC50 semi-static		
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static		610: 24 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Potassium hydroxide 1310-58-3		80: 96 h Gambusia affinis mg/L LC50 static		

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Monoethanolamine 141-43-5	-1.91
Alkylbenzenesulfonic Acid 68584-22-5	2

Potassium hydroxide 1310-58-3	0.65 0.83
----------------------------------	--------------

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive
Potassium hydroxide 1310-58-3	Toxic Corrosive

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

UN/ID No UN1760  
 Proper Shipping Name Corrosive liquids, n.o.s. (ethanolamine)  
 Hazard Class 8  
 Packing Group II

**IATA**

UN/ID No UN1760  
 Proper Shipping Name Corrosive liquids, n.o.s. (ethanolamine)  
 Hazard Class 8  
 Packing Group II

**IMDG**

UN/ID No UN1760  
 Proper Shipping Name Corrosive liquids, n.o.s. (ethanolamine)  
 Hazard Class 8  
 Packing Group II

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Monoethanolamine	Present	X		Present		Present	X	Present	X	X
Alkylbenzenesulfonic Acid	Present	X		Present		Present	X	Present	X	X

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*  
*IECSC - China Inventory of Existing Chemical Substances*  
*KECL - Korean Existing and Evaluated Chemical Substances*  
*PICCS - Philippines Inventory of Chemicals and Chemical Substances*  
*AICS - Australian Inventory of Chemical Substances*

## **US Federal Regulations**

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			X
Potassium hydroxide	1000 lb			X

## **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Monoethanolamine 141-43-5	X	X	X
Sodium hydroxide 1310-73-2	X	X	X
Potassium hydroxide 1310-58-3	X	X	X



**16. OTHER INFORMATION****NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

3

0

0

Not determined

Not determined

Not determined

Not determined

Not determined

**Issue Date:** 27-Dec-2011**Revision Date:** 28-Jul-2015**Revision Note:** New format**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**