

Page 1 of 6 **WP-966**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

		1 [PRODIIC	T & COM	PANY	IDE	NTIE	IC A	TIOI	\I				
1.1	Product Name:			NTOFRO		IDLI	4111		1101	1				
1.2	Chemical Name:				31 ++									
1.3	Synonyms:		Glycol Mixtur	е										
1.4	Trade Names:		Ethanediol Pentofrost ++											
1.5	Product Use:													
1.6	Distributor's Name:		Engine Coolant Worldpac, Inc.											
1.7	Distributor's Address:			Newark, CA 94	560 USA									
1.8	Emergency Phone:			800) 535-505		252) 2	323-3	500 /	CON	TDA	CT Q	1261)		
1.9	Business Phone / Fax:			1 (510) 742-926		JJZ) (<u> </u>	300 (CON	IIIA	<u>C1 0.</u>	+201)		
			0 11	474BB01	DENT	FIO.	A TIC							
0.4	11114	T ·		AZARDS I									.	
2.2	Hazard Identification: Effects of Exposure:	the classi WARNIN THE UNE Hazard S or the unl Precautio handle ur exposed drink or s Use pers POISON P305+P3 contact le	ification criter G! HARMF BORN CHILD statements (Hoorn child. snary Statementil all safety skin areas w moke when u sonal protect CENTER 51+P338 - II enses, if prediction of the container to I	ents (P): P201 precautions ha ith soap and w using this produ ive equipment or doctor/phys F IN EYES: R sent and easy ical advice/atte icenses treatme	1088 (200 OWED. : If ul if swal Obtain Ve been r arm water ct. P280: as requii sician if inse cauti to do. Co ntion. P ent, storag	4)] and SUSPE lowed. special ead an thorou – Wear ed. P3 you fo busly wontinue 405 – e and o	H361 H361 I instructed under protection with war rinsing Store dispose	Code OF I d - Su actions erstood after ha ctive g 312 - nwell. ater fo g. P locke al facil	(Austra DAMA) uspected before d. P26 andling loves/e IF S\ P3: or seve 308+P id up. ity (TS	alia). GING ed of d e use. 64 – W J. P27 eye pro WALLO 30 – eral mi 313 – P50 DF).	P202 /ash h /0 – Do otection OWED Rinse inutes. IF ex 1 - Di	ng ferti Do ands a conot e conoc e co	lity not and eat, 1 – 1 a not not or of	iquid sprays or
		Skin: Ingestion Inhalation	May or allergi other swallor: If smaingest ingest effects	cause mild skir c skin reaction skin effects). wing. all amounts switch of large amining of vapor os on the nervous	(e.g., de Passage vallowed, ounts may r mist is p us system	no signossible and bl	skin ragh the gnificar seriou and r	ish wh skin nt adv us dam nay ca	may rerse hage to	ay be add to nealth o the ta	follow toxion effects arget of ory tra	ed by c effects s are rgans of ct irrita	blistering cts from anticipa or death ation. Po	may cause an ag, scaling and a breathing or ated. However, assible adverse to the lungs can
2.3	Symptoms of Overexposure:	_												
2.4	Acute Health Effects:		irritation to	eyes. Possible	irritation	to skir	near	affect	ed are	as or				oper respiratory
2.5	Chronic Health Effects:	Prolonged (dermatitis the follow	irritation, possible nervous system depression. Harmful or fatal is swallowed. Prolonged or repeated skin contact can cause mild irritation and inflammation characterized by drying, cracking, (dermatitis). Repeated or prolonged exposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals, and may aggravate pre-existing disorders of the organs in humans: kidneys, liver. May cause central nervous system effects, liver abnormalities, kidney damage or liver damage.											
2.6	Target Organs:	Kidneys, I	iver, central r	nervous system									-	
		3. CO	MPOSIT	TON & INC	GREDI	ENT	INF	ORN	//ATI	ON				
								1			MITS IN	I AIR (mg		1
						AC			NOHSC			OSHA		
						pp	om	ES-	ppm ES-	ES-		ppm		
СНЕМІ	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
ETH∨I	LENE GLYCOL	107-21-1	KW2975000	203-473-3	60-100	(100)	NA	NF	NF	NF	(50)	NA	NA	
LIMIT	LIVE GETOOL	Acute Tox. 4 *;												
ETHYI	_HEXANOIC ACID	149-57-5	NA	205-743-6	5-10	(5)	NA	NF	NF	NF	NA IOCA d	NA	NA	
		Acute Tox. (De	rmai) 4; Acute	Tox. (Oral) 5; Ser	ious Eye. D	am. 1; F	Kepr. 2;	H303,	н312,	н318, F	1361d			
NA -	Not Available: ND = Not Dete	rmined: NF - Not	Established: N	F = Not Found: C	= Ceiling I	mit: Se	e Sectio	n 16 fc	or Additi	onal De	efinition	s of Tor	me Head	1



Page 2 of 6

WP-966 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 4. FIRST AID MEASURES 4 1 First Aid: Ingestion: Do NOT induce vomiting. Contact Infotrac +1 (800) 535-5053 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 Eyes: minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists Skin: and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial Inhalation: respiration. Seek immediate medical attention. 4.2 Medical Conditions Aggravated by Persons with pre-existing central nervous system (CNS) HEALTH Exposure: disease, neurological conditions, skin disorders, chronic **FLAMMABILITY** 0 respiratory diseases, or impaired liver or kidney function should PHYSICAL HAZARDS 0 avoid exposure. PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: If involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx), smoke, hydrocarbons and their derivatives. Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical, low velocity water fog, Halon (if permitted), 53 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Treat as hot oil. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Spills Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a noncombustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., oxidizers, strong acids, alkalis) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION 7 1 Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean-up and decontaminate

containers. Use appropriate containment to avoid environmental contamination.

Empty containers may retain hazardous product residues.

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in closed containers. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10) and food/drink. Protect containers from physical damage. Do not store in unlabeled

any spills or residues.

Storage & Handling:

Special Precautions

7.2



Physician Recommendations:

Treat symptomatically.

11.9

SAFETY DATA SHEET

Page 3 of 6 **WP-966**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eve-wash station). No special respiratory protection is required under typical circumstances of use or handling. 8.2 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Eye Protection: Avoid eye contact. Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). 8.4 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene, nitrile) when using or handling this product. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. 8.5 Body Protection: Not required under normal conditions of use. A chemical resistant apron and/or protective clothing are recommended when handling or using large quantities (e.g., > 5 gallons (18.9 L)) of this product. Protective working garments should meet EU Standard EN 344 or equivalent. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9.1 Violet liquid 92 Odor: Sweet glycol odor 9.3 Odor Threshold: NA 9.4 NA Melting Point/Freezing Point: 9.5 NA 9.6 Initial Boiling Point/Boiling Range: 165.5 °C (330 °F) 9.7 Flashpoint > 110 °C (> 230 °F) 9.8 Upper/Lower Flammability Limits: NA 9.9 Vapor Pressure: 1.10 mm Hg @ 20 °C (68 °F) 9.10 Vapor Density: NA Relative Density: 9.11 1.1 @ 20 °C (68 °F) 9.12 Solubility: Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature: NA Decomposition Temperature 9.15 NA 9 16 Viscosity: NA Other Information: 9 17 NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable under normal storage and use conditions. 10.2 Hazardous Decomposition Products: Oxides of carbon (CO, CO₂), sulfur (SO_x), and nitrogen (NO_x). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, high heat and direct sunlight. 10.5 Incompatible Substances: Strong oxidizing agents, acids or alkalis. 11. TOXICOLOGICAL INFORMATION Inhalation: NO Absorption: YES Routes of Entry: 11 1 Ingestion: YES 11 2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the components in this mixture, found in scientific literature, are presented below: Ethylene Glycol: LD₅₀ (oral, rat): 4700 mg/kg; Ethylhexanoic Acid: LD₅₀ (oral, rat): 1142 mg/kg Acute Toxicity See section 2.4 11.4 Chronic Toxicity See section 2.5 Suspected Carcinogen: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. 11.6 Reproductive Toxicity This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenicity effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans. Teratogenicity This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. Irritancy of Product: 11.7 See Section 2.3 Biological Exposure Indices NA



Page 4 of 6 **WP-966**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 12. ECOLOGICAL INFORMATION Environmental Stability Do not allow product to reach ground water, water bodies or sewage system. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. Special Considerations: 13.2 Used coolant may be recyclable. Contact the federal, state or provincial environmental authority to determine suitability for recycling and or proper disposal requirements. European Waste Catalogue: 16 01 14 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGT, ADR and the CTDGR 14.1 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting Requirements: 15 1 This product contains Ethylene Glycol, a substance subject to SARA Title III, section 313 reporting requirements. SARA Threshold Planning Quantity: 15.2 15.3 TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt. 15.4 CERCLA Reportable Quantity (RQ): Ethylene Glycol: 5000 lbs (2270 kg) 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects) State Regulatory Information: 15.7 Ethylene Glycol is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA). Diethylene Glycol is found on the following state criteria lists: MN, PA. Sodium Hydroxide is found on the following state criteria lists: FL, MA, MN, NJ, PA, and WA. No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: The primary component of this product is listed in Annex I of EU Directive 67/548/EEC: Ethylene Glycol: Harmful (Xn). Risk Phrases (R): R22-63 - Harmful if swallowed. Possible risk of harm to the unborn child. Safety Phrases (S): S(2)-13-23-36-46 - Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Do not breathe mists/vapours/spray. Wear suitable protective clothing. If swallowed, seek medical advice immediately and show this container or label where possible.



Page 5 of 6 **WP-966**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013

		16. OTHER INFORMATION			
16.1	Other Information:	WARNING! HARMFUL IF SWALLOWED. Wash hands and exposed skin areas with soap and warm water thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection. If ingested, call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. KEEP OUT OF REACH OF CHILDREN.			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200 Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's 8 Worldpac's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	Worldpac, Inc. 37137 Hickory Street Newark, CA 94560 USA Tel: +1 (510) 608-5525 Fax: +1 (510) 742-9262 http://www.worldpac.com			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, OR 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com			



Page 6 of 6 WP-966

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists		
TLV Threshold Limit Value			
OSHA U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D			
Е			
F	T		





Splash Goggles



Full Face Respirator

Synthetic Apron

Dust & Vapor Half-Mask Respirator

(Cy Face Shield & Protective Eyewear





Dust Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature					
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that vexplode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

	.
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	L Canadian Domestic Substance List		
NDSL	Canadian Non-Domestic Substance List		
PSL	SL Canadian Priority Substances List		
TSCA	TSCA U.S. Toxic Substance Control Act		
EU	U European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	*	(2)		\odot	(18)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

I.		M	¥			×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment