

**PLASMA Injection Factor** is a near-anhydrous carrier fluid that substitutes for the dilution water in arterial embalming. **PLASMA** is a member of the **Millenium NEW ERA** line of high-tech formaldehyde-free embalming fluids by Champion. **PLASMA Injection Factor** is 95% water free and when used in arterial injection, virtually eliminates the water injected into the tissues. When used as a complete or partial replacement for dilution water in arterial embalming, a faster arterial embalming will occur with more firming evident, in addition to deeper saturation, penetration and infusing of the tissues.

**PLASMA Injection Factor** is a lower-exposure risk chemical with a medium molecular weight glycolic base as the carrier fluid with added buffers, surfactants, penetrants and glutaraldehyde for maximum sanitizing action and improved embalming results. The pH of **PLASMA Injection Factor** is essentially neutral for maximized embalming action and compatibility with all arterial fluids, co-injectants, humectants and other embalming additives.

#### **DIRECTIONS FOR USE**

Replace all or some of the dilution water in arterial injection with **PLASMA Injection Factor** (typically 4-6 bottles) for near-waterless embalming in all normal or usual cases. Use normal amounts of arterial chemical combined with Beta Factor co-injection and Aloe humectant in typical quantities. If ALL dilution water is replaced with **PLASMA Injection Factor**, then pHA is not necessary for injection, as there is essentially no water present.

For special or difficult cases such as jaundice, edema, decomposition, delayed embalming and others, use appropriate additive fluids to ensure good embalming results. XEROS should be used in recommended quantity for edema embalming. OMEGA DeComp Factor should be added to the arterial injection in cases of decomposition, putrefaction, infestation or seriously delayed embalming. Use ARTERIAL 24 or JAUNDIAL as the arterial chemical in cases of jaundice. In all these cases, eliminate ALL dilution water and replace with **PLASMA Injection Factor**.

Cavity treatment should be done as always with CAVITY 48 or DiCav45 recommended for the best results. Never use **PLASMA Injection Factor** as a cavity fluid substitute or for any surface treatment.

BEFORE USING, READ MATERIAL SAFETY DATA SHEET. FOR PROFESSIONAL EMBALMING USE ONLY.

### MATERIAL SAFETY DATA SHEET

THE CHAMPION COMPANY

400 Harrison Street Springfield, Ohio 45505 EMERGENCY TELEPHONE NO. (937) 324-5681

CHEMTREC: (800) 424-9300 (Spill, Leak, Fire, Exposure or Accident)

2 Health 2 Fire Reactivity 0

HAZARD RATING

Special 0

# I. PRODUCT INFORMATION

General Type:

**Embalming Fluid** 

Trade Name:

Plasma

### II. HAZARDOUS INGREDIENTS

		OSHA PEL	ACGIH TLV
MATERIAL (CAS)	<u>%</u>	TWA/STEL (15)	TWA/STEL (15)
Glutaraldehyde (111-30-8)	1	.2ppm (ceiling)	.05ppm (ceiling)
Isopropanol (67-63-0)	16	400ppm/NONE	200ppm/400ppm

### III. PHYSICAL DATA

**Boiling Point Specific Gravity**  180° F+ 1 (approx.) Freezing Point Vapor Pressure Solubility in Water N/A **UNKNOWN** COMPLETE

Vapor Density **Percent Volatiles**  1 (approx.)

**Evaporation Rate** 

1 (approx.)

(Butyl Acetate = 1)

Appearance and Odor

Clear solution with mild pleasant odor.

### IV. FIRE AND EXPLOSION HAZARD DATA

Flash Point

Flammable Limits In Air

**Extinguishing Media** 

Special Fire Fighting

**Procedures** 

Unusual Fire and Explosion Hazard

88° F (COC) Combustible Liquid

Upper Lower

Foam, Dry Chemical, Carbon Dioxide, Water Spray

Wear self-contained breathing apparatus, cool container with water

spray.

### V. HEALTH HAZARD DATA

Threshold Limit Value

See Part II

Effects of Overexposure

If swallowed may cause burns, nausea, vomiting, diarrhea, blindness or death. Skin contact may cause burns, dermatitis or serious skin injury. Eye contact may cause burns, inflammation, eye injury or blindness. Inhalation may cause burning of throat and lungs, difficult breathing and collapse, liver damage, nerve damage or blindness. Can be absorbed through skin.

**Emergency and First Aid** 

**Procedures** 

Contact physician immediately. If swallowed give milk or water and induce vomiting by sticking finger down throat and get medical attention. unconscious - give nothing. If eye or skin contact - flush with water for 15

minutes. Remove contaminated clothing, get medical attention. If inhaled remove to fresh air, give artificial respiration if not breathing, get medical

attention.

#### VI. REACTIVITY DATA

Stability Product is stable

Conditions to Avoid Sparks, heat and open flames Incompatibilities Strong acids and alkalis

Hazardous Decomposition Products At high temperatures may release carbon monoxide or carbon dioxide

Hazardous Polymerization Will not occur

## VII. SPILL OR LEAK PROCEDURES

If Material is Spilled Neutralize with sodium sulfite solution and flush to sewer with large

quantity of water - if allowed. Mop up with dry, non-reactive

absorbent and dispose of as solid waste as allowed.

Waste Disposal Method Flush to chemical sewer, incinerate, dispose in sanitary landfill - if

allowed or flush to waste treatment system - if allowed.

### VIII. SPECIAL PROTECTION INFORMATION

Respiratory Protection Unnecessary if area is adequately ventilated - use organic vapor mask

if necessary.

Local Ventilation Preferred

Mechanical Ventilation Acceptable if necessary
Special Ventilation Not normally required
Other Ventilation Not normally required

Protective Gloves Impervious vinyl or rubber type
Eye Protection Coverall goggles or full face shield

Other Protective Equipment Safety shower, eye wash and full protective clothing is required.

### IX. SPECIAL PRECAUTIONS

Maintain adequate ventilation and engineering controls to insure exposure levels below OSHA limits. Avoid prolonged inhalation or contact with skin or eyes.

Keep bottles tightly capped. Keep away from heat and flames. Store in cool, dry, well-ventilated area.

The information herein given is in good faith but no warranty, expressed or implied, is made, except that to the best of the Company's knowledge it is accurate. The Champion Company does not assume any legal responsibilities for use or dependence upon same. Customers may wish to conduct tests of their own. The user is urged to read the information provided on the label before using product.

PLASMA Date August 1, 2010