(000000-0000000--5388) DATE OF ISSUE 8/27/2001

SUPERSEDES 5/02/2001

SECTION I - GENERAL INFORMATION

Chemical Name & Synonyms

Trade Name & Synonyma P-O-W PLUS AEROSOL

al Family

Formula Mixture --> X

PETROLEUM DISTILLATE

CHEMSEARCH DIV. OF NCH CORP.

Address

BOX 152170 IRVING,

TX 75015

Prepared By: K Dickinson/Chemist Product Code Number

Emergency Phone Number

800-424-9300

SECTION II - HAZARDOUS INGREDIENTS

THE HAZARDS PRESENTED BELOW ARE THOSE OF THE INDIVIDUAL COMPONENTS

Chemical Name (Ingredients) PETROLEUM DISTILLATE, HYDROTREATED LIGHT CARBON DIOXIDE

Hazard COMB/IRR ASPHYX

TLV 100 PPM 1 5000 PPM 1 PEL 500 PPM 2 5000 PPM 2

N/E

64742-47-8 124-38-9

\$ DENOTES OIL MIST VALUES

SECTION III - PHYSICAL DATA

Boiling Point (F):	424	Specific Gravity (H20=1):	0.80
Vapor Pressure (MM HG):	<0.1	Color:	COLORLESS
Vapor Density (Air=1):	5.9	Odor:	PETROLEUM
PH @ 100% :	N/A	Clarity:	TRANSPARENT
% Volatile by Volume:	99	Evaporation Rate (BU A/C=1):	<0.01
nobility:	NEGLIGIBLE	Viscosity:	NON-AI2COR2

SECTION IV - FIRE AND EXPLOSION HAZARD

Flammable Limits Flash Point / SETA PETROLEUM DISTILLATES 0.7 5

Extinguishing Media

X <--Alcohol Foam

X <--CO2

X <-- Dry Chemical

X <--Water Spray

<--other

Special Fire Fighting Procedures:

firefighters should wear a self-contained breathing apparatus and full protective gear. Extinguishing media should be chosen based on the nature of THE SURROUNDING FIRE. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY TO PREVENT BURSTING.

Unusual Fire and Explosion Hazards:

FLAME EXTENSION IS >36 INCHES, BURNBACK IS O INCHES. THE USE OF WATER SPRAY (FOG) WHILE EFFECTIVE, MAY CAUSE FROTHING AND FOAMING. WATER JET AS THIS WILL JUST SPREAD THE FIRE. PRODUCT MAY PRODUCE A FLOATING FIRE HAZARD AS LIQUID FLOATS ON WATER.

Aerosol Level (NFPA 10B):

NFPA 704 Hazard Rating (0=Insignificant 1=Siignic 1 <--Health 2 <--Flammability 0 <--Instability (0=Insignificant 1=Slight 2=Moderate 3=Nigh 4=Extreme)

<--Special

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value:

NOT ESTABLISHED FOR MIXTURE. SEE SECTION II.

-Acute (Short Term Exposure)

SKIN CONTACT: MAY CAUSE IRRITATION SEEN AS ITCHING AND REDNESS. MAY CAUSE DERMATITIS AND ALLERGIC SKIN REACTION.

EYE CONTACT: CAUSES IRRITATION SEEN AS REDNESS, STINGING AND TEARING. MAY CAUSE CONJUNCTIVITIS.

INHALATION: CAUSES RESPIRATORY IRRITATION SEEN AS COUGHING AND SNEEZING. AT HIGH EXPOSURE LEVELS OF CONCENTRATION, INITIAL SYMPTOMS MAY INCLUDE HEADACHE, DIZZINESS, ANESTHESIA, DROWSINESS, UNCONSCIOUSNESS, CENTRAL NERVOUS SYSTEM DEPRESSION (INTOXICATION), CARDIAC ARRHYTHMIA AND POSSIBLE DEATH MAY OCCUR

INGESTION: INGESTION AND SUBSEQUENT VOMITING OF THIS PRODUCT CAN LEAD TO ASPIRATION OF THE PRODUCT INTO THE LUNGS WHICH CAN CAUSE DAMAGE AND MAY BE FATAL. MAY CAUSE GASTROINTESTINAL IRRITATION SEEN AS NAUSEA, VOMITING AND DIARRHEA.

-Chronic (Long Term Exposure)

CAUSE SKIN SENSITIZATION IN SOME INDIVIDUALS.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE ARE PRE-EXISTING HEART, CARDIOVASCULAR DISEASES AND RESPIRATORY AND SKIN CONDITIONS SUCH AS ASTHMA. EMPHYSEMA, AND DERMATITIS.

TARGET ORGANS: CENTRAL NERVOUS AND CARDIOVASCULAR SYSTEMS.

Primary Routes of Entry: X <--Inhalation <--Ingestion

Emergency and First Aid Procedures:

SECTION V - HEALTH HAZARD DATA (Continued) REMOVE FROM THE AREA TO FRESH AIR. SEEK MEDICAL ATTENTION IF FESPIRATOR IRRITATION DEVELOPS OR IF BREATHING BECOMES DIFFICULT. -Eye Contact: RINSE THE EYES WITH WATER, REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING WITH PLENTY OF WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS. -Skin Contact: wash affected areas with plenty of soap and water for several minutes. Seek medical attention if irritation develops GIVE 3 TO 4 GLASSES OF WATER, BUT DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON. Notes to Physician: INGESTION AND SUBSEQUENT VOMITING OF THIS PRODUCT CAN LEAD TO ASPIRATION OF THE PRODUCT INTO THE LUNGS WHICH CAN CAUSE DAMAGE AND MAY BE FATAL DEPENDING ON THE AMOUNT INGESTED AND RETAINED AS WELL AS THE TOXICITY OF THE PRODUCT, GASTRIC LAVAGE SHOULD BE CONSIDERED. KEEP PATIENT'S HEAD BELOW HIPS TO PREVENT PULMONARY ASPIRATION. IF COMATOSE, A CUFFED ENDOTRACHAEL TUBE WILL PREVENT ASPIRATION. SECTION VI - TOXICITY INFORMATION Product Contains Chemicals Listed as Carcinogen or Potential Carcinogen By: NTP--> No ACGIH--> No OTHER--> No LARC > No PETROLEUM DISTILLATES, HYDROTREATED LIGHT (BASED ON SIMILAR COMPOUNDS) ORL-RAT LD50: >5 G/M3 SKN-RBT LD50: >2 G/M3 3. CARBON DIOXIDE IHL RAT TCLO: 10000 PPM/24(S)-30 DAY(S) CONTINUOUS 4. IHL-HMN LCLO: 9 PPM/5M 4. SECTION VII - REACTIVITY DATA Stability: X <--Stable <---Unstable Conditions to Avoid: AVOID HEAT, HOT SURFACES, SPARKS AND OPEN FLAMES Incompatibility (Materials to Avoid): STRONG OXIDIZING AGENTS SUCH AS CHLORINE BLEACH AND CONCENTRATED HYDROGEN PEROXIDE. Hazardous Decomposition Products: OXIDES OF CARBON. <-- May Occur X <-- Will Not Occur Hazardous Folymerization: Conditions to Avoid: N/A. SECTION VIII - SPILL OR LEAK PROCEDURES Steps to be Taken if Material is Released or Spilled: DUE TO THE NATURE OF THE AEROSOL PACKAGING, A LARGE SPILL IS UNLIKELY. FOR A SMALL SPILL, VENTILATE THE AREA AND ABSORB WITH AN INERT MATERIAL AND TRANSFER ALL MATERIAL INTO A PROPERLY LABELED CONTAINER FOR DISPOSAL. WEAR APPROPRIATE PROTECTIVE CLOTHING. PREVENT PRODUCT FROM CONTAMINATING SOIL OR FROM ENTERING SEWAGE AND DRAINAGE SYSTEMS AND BODIES OF WATER. Waste Disposal Method(s): DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. TYPICAL DISPOSAL IS TO WRAP THE EMPTY AEROSOL CONTAINER IN SERVERAL LAYERS OF NEWSPAPER AND DISPOSE OF IN THE TRASH. AEROSOL RECYCLING PROGRAMS ARE AVAILABLE IN MANY AREAS. DO NOT PUNCTURE OR INCIDERATE THIS CONTAINER. Neutrallzing Agent: SECTION IX - SPECIAL PROTECTION INFORMATION Required Ventilation: LOCAL VENTILATION IS RECOMMENDED TO CONTROL EXPOSURE FROM OPERATIONS THAT CAN GENERATE MISTS OR VAPORS. Respiratory Protection: A MIOSH/MSHA APPROVED RESPIRATOR IN POORLY VENTILATED AREAS AND/OR FOR EXPOSURE ABOVE THE ACGIH TLV OR OSHA PEL OR WHERE MISTING EXISTS. Glove Protection: NEOPRENE OR NITRILE RUBBER GLOVES IF REPEATED OR PROLONGED SKIN CONTACT IS LIKELY. Eve Protection: SAFETY GLASSES WITH SIDE SHIELDS IF THE METHOD OF USE PRESENTS THE LIKELIHOOD OF EYE CONTACT. Other Protection: WEAR PROTECTIVE CLOTHING WHEN HANDLING. SECTION X - STORAGE AND HANDLING INFORMATION

Refrigerated-->

Minimum Temperature: 32 F Maximum Temperature: 120 F

Precautions to be Taken in Handling and Storing: DO NOT ALLOW PESTICIDE TO CONTAMINATE FOOD, FEED OR NATURAL BODIES OF WATER. USE WITH CAUTION AROUND HEAT, SPARKS, PILOT LIGHTS, STATIC ELECTRICITY AND OPIN FLAME.

Other Precautions:

Storage Temperature:

Indoors--> X

MATERIAL SAFETT DATA SHEET. F-V-# FECO REROSON

SECTION X - STORAGE AND HANDLING INFORMATION (Continued)

KOND OUT OF REACH OF CHILDREN. READ THE ENTIRE LABEL BEFORE USING THE PRODUCT.

SECTION XI - REGULATORY INFORMATION

Ch. al Name

CAS Number

Upper % Limit

Those ingredients listed above are subject to the reporting requirements of 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

Please call 1-800-527-9919 for additional information if you are a California customer. This MSDS is not intended for users in the state of California.

SECTION XII - REFERENCES

- 1. THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS AND BIOLOGICAL EXPOSURE INDICES, ACGIH, 2001.
- 2. OSHA PEL.
- 3. SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, EIGHTH EDITION, RICHARD J. LEWIS, SR.

4. VENDOR'S MSDS.

ALL COMPONENTS IN THIS PRODUCT CAN BE FOUND IN THE CURRENT TSCA INVENTORY.

IRR: IRRITANT, FLAM/FLAMM: FLAMMABLE, COMB: COMBUSTIBLE, CORR: CORROSIVE CARC: CARCINOGENIC, TOX: TOXIC, N/A: NOT APPLICABLE, N/E: NOT ESTABLISHED, COC: CLEVELAND OPEN CUP, PMCC: PENSKY-MARTIN CLOSED CUP, TCC: TAGLIABUE CLOSED CUP, LEL: LOWER EXPLOSION LIMIT, UEL: UPPER EXPLOSION LIMIT, NFPA: NATIONAL FIRE PROTECTION ASSOCIATION, LARC: INTERNATIONAL AGENCY FOR THE RESEARCH ON CANCER, NTP: NATIONAL TOXICOLOGY PROGRAM, OSHA: OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION, ARGHH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS, TLV: THRESHOLD LIMIT VALUE, PEL: PERMISSIBLE EXPOSURE LIMIT, STEL: SHORT-TERM EXPOSURE LIMIT, MID: HILD, MOD: MODERATE, SEV: SEVERE, MUT: MUTAGENIC, ASPHYX: ASPHYXLANT, PNOS: PARTICULATES (INSOLUBLE) NOT OTHERWISE SPECIFIED, SDT: STANDARD

DRAIZE TEST, ORL: ORAL, HMN: HUMAN, IHL: INHALATION

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CHEMSEARCH DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage, or disposal of the product.

•			.x.	49		0
						0
						C
	£	+0	8	6)		