Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Powerhold 050 Cleaning Solvent
- · CAS Number:

79-01-6

· EC number:

201-167-4

· Index number:

602-027-00-9

- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Floor Covering Distributor Alliance 6320 Airport Freeway, Suite A

Haltom City, TX 76117

- · Information department: Environment protection department.
- · Emergency telephone number: ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

## 2 Hazards identification

· Classification of the substance or mixture



GHS08 Health hazard

H341 Suspected of causing genetic defects.

H350 May cause cancer.



GHS07

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The substance is classified and labelled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard statements

Causes skin irritation.

(Contd. on page 2)

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 1)

Causes serious eye irritation.

Suspected of causing genetic defects.

May cause cancer.

May cause drowsiness or dizziness.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



\*2 *Health* = \*2

0 Fire = 0

PHYSICAL HAZARD  $\boxed{0}$  Physical Hazard = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

79-01-6 trichloroethylene

- · Identification number(s)
- · EC number: 201-167-4
- · Index number: 602-027-00-9
- · SVHC

79-01-6 trichloroethylene

## 4 First aid measures

- · Description of first aid measures
- · After inhalation:

Call a doctor immediately.

In case of unconsciousness place patient stably in side position for transportation.

Overexposure, remove to fresh air and seek medical attention.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Prevent formation of aerosols.

Open containers in a well ventilated area and avoid breathing headspace vapors.

Avoid contact with skin and eyes.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

TICA

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 3)

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

### · Components with limit values that require monitoring at the workplace:

### 79-01-6 trichloroethylene (50-100%)

PEL Short-term value: C 200; 300\* ppm

Long-term value: 100 ppm \*5-min peak in any 2 hrs

REL See Pocket Guide Apps. A and C

LV Short-term value: 135 mg/m³, 25 ppm Long-term value: 54 mg/m³, 10 ppm

BEI

### · Ingredients with biological limit values:

### 79-01-6 trichloroethylene (50-100%)

### BEI 15 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Trichloroacetic acid (nonspecific)

0.5 mg/L Medium: blood

Time: end of shift at end of workweek

Parameter: Trichloroethanol without hydrolysis (nonspecific)

Medium: blood

Time: end of shift at end of workweek

Parameter: Trichloroethylene (semi-quantitative)

Medium: end-exhaled air

Time: end of shift at end of workweek

Parameter: Trichloroethylene (semi-quantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

### · Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses with side shields.



Tightly sealed goggles

Face shield over protective glasses or goggles.

· Body protection: Protective work clothing

O DI	•	7	7			7.0
y Ph	veical	and	$\boldsymbol{c}$	nomical	proper	110S
	Bucui	unu	$ \omega_I$	iemila	ושעטוע	UCO

· Information on basic physical and chemical propertie	· Information of	n basic	physical and	chemical	propertie
--	------------------	---------	--------------	----------	-----------

· General Information

· Appearance:

Fluid Form: Color: Colorless · Odor: Characteristic · Odour threshold: Not determined. · pH-value: Not determined. · Change in condition

Melting point: -86.4 °C (-124 °F) 87 °C (189 °F) **Boiling point:** 

Not applicable. · Flash point:

· Flammability (solid, gaseous): Not applicable.

410 °C (770 °F) · Ignition temperature: Not determined.

· Decomposition temperature:

· Auto igniting: Not determined.

· Danger of explosion: Product does not present an explosion hazard.

· Flammable limits:

Lower: 7.9 Vol % 90 Vol % Upper:

· Vapor pressure at 20  $^{\circ}C$  (68  $^{\circ}F$ ): 77 hPa (58 mm Hg)

· Specific gravity at 20 °C (68 °F): 1.46 g/cm³ (12.184 lbs/gal)

· Relative density Not determined. · Vapour density Not determined. Not determined. · Evaporation rate

· Solubility in / Miscibility with

*Water at 20 °C (68 °F):* 1 g/l

· Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 6)

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 5)

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

Organic solvents: 99.0 %

• Other information California VOC Compliance:

Contains Solvent

SCAQMD Rule 1168: Not VOC Compliant

SCAQMD Rule 443.1: Grams per Liter of Material 1460 Grams per Liter of Coating 1460

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions not reactive, as supplied.
- · Conditions to avoid

heat, flames, sparks, hot surfaces, ignition sources.

Moisture

- · Incompatible materials: Reacts with catalysts, oxidizing agents and strong alkali.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Chlorine

Hydrogen chloride (HCl)

Phosgene

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

## 79-01-6 trichloroethylene

Oral LD50 2402 mg/kg (mouse) Dermal LD50 8450 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye:

May be severely irritating to the eyes.

Vapors may be irritating to the eyes.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

79-01-6 trichloroethylene

2A

(Contd. on page 7)

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 6)

· NTP (National Toxicology Program)

79-01-6 trichloroethylene

R

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

		ormai	

· UN-Number
-------------

· DOT, ADR, IMDG, IATA UN1710

· UN proper shipping name

· **DOT** TRICHLOROETHYLENE

· ADR
· IMDG, IATA

1710 TRICHLOROETHYLENE, solution

TRICHLOROETHYLENE, solution

(Contd. on page 8)

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 7)

· Transport hazard class(es)

 $\cdot DOT$ 



· Class 6.1 Toxic substances.

· Label 6.1

This product meets the criteria

· ADR, IMDG, IATA



· Class 6.1 Toxic substances

· Label 6...

· Packing group

· DOT, ADR, IMDG, IATA III

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Toxic substances

· Danger code (Kemler): 60 · EMS Number: F-A,S-A

· Segregation groups Liquid halogenated hydrocarbons

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN ''Model Regulation'': UN1710, TRICHLOROETHYLENE, solution, 6.1, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity:

Substance is not listed.

(Contd. on page 9)

Printing Date 06/03/2013 Revision Number 1 Revision Date 06/03/2013

Trade name: Powerhold 050 Cleaning Solvent

(Contd. of page 8)

#### · (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

79-01-6 trichloroethylene

A2

· MAK (German Maximum Workplace Concentration)

79-01-6 trichloroethylene

1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 3 (Assessment by list): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

- · Department issuing MSDS: Environment protection department.
- · Creation Date: 06/03/2013
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA