

MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: BH - Quietsleeve Manufacturer:

Products Federal-Mogul Corporation (wrapable) 26555 Northwestern Highway

Southfield, MI 48033

MSDS# TN-107 24hr Emerg # (Infotrac): 1-800-535-5053

International: 001-352-323-3500 Non-Emerg #: 248-354-9844

SECTION 2: COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

BH - Quietsleeve wrapable sleeving products are tough, lightweight oversleeves designed to suppress noise on tubes, hoses and wire harnesses. These products feature a combination of braided polyester monofilaments and polyester multifilaments with an adhesive closure that increase cut-through strength, noise suppression, abrasion resistance of thermal and electrical insulating surfaces, and is able to be installed after components are assembled.

The following information provides the minimum criteria for safe usage and handling of this product. Companies using this product should develop their own occupational health program to protect employees from injury or adverse health effects.

Ingredient	CAS No.	% Weight	OSHA PEL	ACGIH TLV
Polyester Monofilament Polyester Multifilament Inorganic Pigments 3M® Adhesive Tape	Not Established Not Established Not Established Not Established	58.7 40 0.3	None Established None Established None Established None Established	None Established None Established None Established None Established

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Shipped material is not considered hazardous, but operations (e.g., overheating, burning, machining, abrading, or riveting) that can create airborne dust should be avoided.

POTENTIAL HEALTH EFFECTS

Inhalation: Dust from abnormal abrasion and/or vapors caused by heating to greater than 300°C may cause respiratory irritation.

Skin: Molten material can cause thermal burns.

Eye: Dust particles may cause irritation due to mechanical action.

Ingestion: Not a probable route of entry.

Revised: 06/29/2005 Page 1 of 5

POTENTIAL HEALTH EFFECTS (continued)

Carcinogenicity:

COMPONENT

NTP IARC OSHA

Polyester Monofilament

No No No

Polyester Multifilament

No No No

Inorganic pigments

No No No

3M® Adhesive Tape

No No No

Symptoms and Effects of Exposure to Selected Individual Components

Exposure Hazards: None known

SECTION 4: FIRST AID MEASURES

Inhalation: Avoid vapors from re-melt operations. Move to fresh air. If irritation persists, seek

medical attention.

Eye Contact: Flush with water for 15 minutes. If irritation persists, seek medical attention.

Skin Contact: Wash thoroughly with soap and water. If molten material falls on skin, do not attempt to

remove the material from the skin; cool immediately with water. Seek medical attention.

Ingestion: Seek medical attention.

Revised: 06/29/2005 Page 2 of 5

SECTION 5: FIRE FIGHTING MEASURES

This product is inherently flame resistant, but may ignite at temperature exceeding 600°C in an oxygenenriched atmosphere.

Flashpoint: N/A LEL: N/A UEL: N/A Autoignition Temperature: N/A

Extinguishing Media: Use media suitable for surrounding fire.

Unusual Fire and Explosion Hazards: None

Special Fire-Fighting Procedure: Wear self-contained breathing apparatus when extinguishing.

Hazardous decomposition products are generated in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Scrap monofilament may present a slipping hazard, use good housekeeping practices. If dust is generated during machining, abrading, cutting or riveting, remove the dust by vacuuming or wet-mopping or place in an airtight polyethylene bag. Vacuums should be equipped with HEPA filters. Do not use compressed air to blow dust from surfaces.

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry place. Shipping and storage may result in accumulation of dust in shipping containers. If this occurs, remove dust by vacuuming or wet-mopping or place container in an airtight polyethylene bag. Vacuums used for this purpose should be equipped with HEPA filters. Do not use compressed air to blow dust from surfaces.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Protection: Any operation which may produce dust or fumes, including cutting, machining,

grinding, riveting, heating or abrading this product should be adequately exhausted

to prevent inhalation of dust.

Respiratory Protection: Use a NIOSH-approved respirator if there is a potential for exposure to dust, vapor,

or fume exceeding PELs or TLVs. (See 29 CFR 1910.134, OSHA Respiratory

Protection Standard.)

Skin Protection: If skin irritation occurs, gloves and other protective garments may be worn. Wear

gloves when handling monofilaments to prevent cuts.

Eyes: Wear safety glasses or goggles, as necessary, if dust exposure is possible.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: N/A N/A **Vapor Pressure:** Vapor Density (air = 1): **Melting Point:** N/A 250°C pH: N/A % Volatile: N/A Specific Gravity: 1.38 g/cc **Evaporation Rate:** N/A

Water Solubility: Insoluble Form, color and Odor: Solid, varied and odorless

Revised: 06/29/2005 Page 3 of 5

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable at normal temperatures and storage conditions.

Incompatibility Strong bases

(Materials/Conditions to Avoid):

Hazardous Polymerization: Will not polymerize

Decomposition Products: Avoid exposing to temperatures greater than 300°C for prolonged periods

of time. At this temperature, chemical decomposition starts to occur producing such by-products as carbon monoxide and small traces of

esters, alcohols, acids and acetaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation: Refer to Section 3

Skin: Refer to Section 3

Eye: Refer to Section 3

Ingestion: Refer to Section 3

Acute: None known

Chronic: None known

SECTION 12: ECOLOGICAL INFORMATION

N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Federal and state law regulates disposal of scrap material or dust as solid waste; disposal must be in accordance with federal and state laws. Contact local regulatory agencies for guidance.

SECTION 14: TRANSPORTATION INFORMATION

Proper Shipping Name: Not regulated

Hazard Class:NoneIdentification Number:NonePacking Group:N/AShipping Label:NoneAdditional Marking Requirement:None

Revised: 06/29/2005 Page 4 of 5

SECTION 15: REGULATORY INFORMATION

U.S. TSCA: All chemicals used in the manufacture of this product are listed on the

U.S. Toxic Substances Control Act (TSCA) Inventory

California Proposition 65: This product does not contain ingredients known to the State of

California to cause cancer, birth defects or other reproductive effects.

SARA Title III – Section 313

Supplier Notification:

This product does not contain chemicals subject to SARA Title III/CERCLA "reportable quantities" (RQs) and/or "threshold planning quantities" (TPQs) and/or are classified as "Toxic Chemicals" under

the Emergency Planning and Community Right-To-Know Act

(EPCRA) of 1986 and 40 CFR 372.

RCRA Hazardous Waste Code: Not Available

CERCLA Hazardous Substances: Not Available

OSHA: Not Available

WHMIS Classification: Not Available

SECTION 16: OTHER INFORMATION

Abbreviations:

CAS No.: Chemical Abstract Services Number

OSHA PEL: U.S. Occupational Safety and Health Administration Permissible Exposure Limit

ACGIH TLV: American Conference of Governmental Industrial Hygienists Threshold Limit Value (2004)

N/A: Not Applicable

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

NIOSH: National institute of Occupational Safety and Health

HEPA: High-efficiency particulate air

The information and recommendations stated above are taken from sources believed to be accurate as of the date of this revision. Federal-Mogul makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability, including direct, incidental or consequential damages for any reliance thereof.

This MSDS should not be used as a complete or accurate summary of the content of this product. For specific information on brand names, manufacturers, or quantities, please refer to product specification documents, wherever available.

Revised: 06/29/2005 Page 5 of 5