Material Safety Data Sheet

ECOLAB

QUIK FILL 530

Section 1. Chemical product and company identification

Trade name : QUIK FILL 530
Product use : Surface Cleaner

Supplier : Ecolab, Professional Products Division

370 Wabasha Street N St. Paul MN 55102 5105 Tomken Road Mississauga ON L4W 2X5

1-800-352-5326

Code : 903569

Date of issue : 14-October-2004

EMERGENCY HEALTH INFORMATION: 1-800-328-0026 Outside United States and Canada CALL 1-651-222-5352

Section 2. Composition, Information on Ingredients

<u>Name</u>	CAS number % by weight
2-Aminoethanol	141-43-5 10 - 30
alcohols, c10-14, ethoxylated	66455-15-0 3 - 7
xylenesulfonic acid, sodium salt	1300-72-7 3 - 7
Disodium metasilicate	6834-92-0 1 - 5
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	64-02-8 1 - 5

Section 3. Hazards identification

Physical state : Liquid. (Liquid.)

Emergency overview : Danger!

CAUSES SEVERE RESPIRATORY TRACT, EYE AND SKIN BURNS.

MAY BE HARMFUL IF SWALLOWED.

Do not ingest. Do not get in eyes, on skin or clothing. Do not breathe vapour or mist. Keep container closed. Use only with adequate ventilation. Wash thoroughly after

handling.

Routes of entry : Skin contact, Eye contact, Inhalation, Ingestion

Potential acute health effects

Eyes : Severely corrosive to the eyes.

Skin : Severely corrosive to the skin.

Inhalation: Severely corrosive to the respiratory system.

Ingestion: Harmful if swallowed. Causes burns to mouth, throat and stomach.

See toxicological Information (section 11)

Section 4. First aid measures

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact

lenses and continue flushing with plenty of water for at least 15 minutes. Obtain medical

attention immediately.

Skin Contact: In case of contact, immediately flush skin copiously with water for at least 15 minutes

while removing contaminated clothing and shoes. Wash clothing before reuse. Clean

shoes thoroughly before reuse. Obtain medical attention immediately.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Obtain medical attention immediately.

Ingestion: Rinse mouth; then drink one or two large glasses of water. Do NOT induce vomiting

unless directed to do so by medical personnel. Never give anything by mouth to an

unconscious person. Obtain medical attention immediately.

QUIK FILL 530 Page: 2/5

Section 5. Fire fighting measures

Flammability of the product: Combustible. **Auto-ignition temperature** Not available. : > 100°C Flash point

Flammable limits

Not available. Upper: Not available. Lower: **Products of combustion** : Not available.

various substances

Fire hazards in presence of : Because of the large amount of water contained in the product, the product might be

combustible only after partial or complete evaporation.

Fire-fighting media and instructions

: Use an extinguishing agent suitable for surrounding fires.

Dike area of fire to prevent product run-off.

No specific hazard.

Special protective equipment for fire-fighters : Fire fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Section 6. Accidental release measures

Personal Precautions : Ventilate area of leak or spill. Do not touch damaged containers or spilled material

unless wearing appropriate protective equipment (Section 8). Stop leak if without risk.

Prevent entry into sewers, water courses, basements or confined areas.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers.

Methods for cleaning up

: If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.--

Section 7. Handling and storage

Handling : Do not ingest. Do not get in eyes, on skin or on clothing. Keep container closed. Use only with adequate ventilation. Do not breathe vapour or mist. Wash thoroughly after

handling.

Keep out of the reach of children. Keep container tightly closed. Keep container in a **Storage**

cool, well-ventilated area.

Section 8. Exposure Controls, Personal Protection

Engineering controls : Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapours below their respective occupational exposure limits. Ensure

that eyewash stations and safety showers are close to the workstation location.

Personal protection

Eyes : Use chemical splash goggles. For continued or severe exposure wear a face shield over

the goggles.

Skin : Use synthetic apron, other protective equipment as necessary to prevent skin contact.

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved Respiratory

> standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

: Use chemical resistant, impervious gloves. Hands

Exposure limits Name

QUIK FILL 530 Page: 3/5

2-Aminoethanol ACGIH TLV (United States, 9/2004).

> STEL: 15 mg/m³ 15 minute(s). Form: All forms STEL: 6 ppm 15 minute(s). Form: All forms TWA: 7.5 mg/m³ 8 hour(s). Form: All forms TWA: 3 ppm 8 hour(s). Form: All forms

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

Physical state : Liquid. (Liquid.) Colour : fluorescent (Light.) Odour : Fragrance-like. Ha : 13.25 (100%)

Boiling/condensation point : 100 °C

Melting/freezing point : Not available. : 1.07 (Water = 1) Specific gravity Vapour pressure : Not applicable. Vapour density : Not available. : Not available. **Odour threshold Evaporation rate** : Not available. LogK_{ow} : Not available.

Section 10. Stability and reactivity

: The product is stable. **Stability**

Conditions of instability

: Not available.

substances

Incompatibility with various: Extremely reactive or incompatible with acids.

Reactive with metals.

Reactivity **Hazardous Decomposition**

: Not available. : Not available.

Products

Section 11. Toxicological information

Potential acute health effects

Eves : Severely corrosive to the eyes. Skin : Severely corrosive to the skin.

Inhalation : Severely corrosive to the respiratory system.

Ingestion : Harmful if swallowed. May cause burns to mouth, throat and stomach.

Irritancy of Product : Hazardous by WHMIS criteria.

Potential chronic health effects

Carcinogenic effects : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenic effects : No known significant effects or critical hazards. **Teratogenic effects** Reproductive effects : No known significant effects or critical hazards. Sensitization to Product : No known significant effects or critical hazards.

Synergistic Products

(Toxicologically)

: Not available.

Toxicity data

Ingredient name Test Result Route Species

QUIK FILL 530					Page: 4/5
2-Aminoethanol	LD50	1720 mg/kg	Oral	Rat	
	LD50	620 mg/kg	Oral	Guinea pig	
	LD50	700 mg/kg	Oral	Mouse	
	LDLo	1400 mg/kg	Oral	Mammal	
Disodium metasilicate	LD50	1153 mg/kg	Oral	Rat	
	LD50	770 mg/kg	Oral	Mouse	
	LDLo	250 mg/kg	Oral	Dog	
	LDLo	250 mg/kg	Oral	pig	

Target organs : Contains material which causes damage to the following organs: upper respiratory tract,

skin, central nervous system (CNS), eye, lens or cornea.

Section 12. Ecological information

Ecoloxicity data			
Ingredient name	Species	<u>Period</u>	Result
2-Aminoethanol	Oncorhynchus mykiss (LC50)	96 hour(s)	150 mg/l
	Oncorhynchus mykiss (LC50)	96 hour(s)	150 mg/l
	Oncorhynchus mykiss (LC50)	96 hour(s)	>200 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	300 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	>300 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	329.16 mg/l
acetic acid, (ethylenedinitrilo)tetra-,	Lepomis macrochirus (LC50)	96 hour(s)	486 mg/l
tetrasodium salt	Lepomis macrochirus (LC50)	96 hour(s)	1030 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	2070 mg/l
	Lepomis macrochirus (LC50)	96 hour(s)	3092 mg/l

Products of degradation: These products are carbon oxides (CO, CO₂) and water, nitrogen oxides (NO, NO_{2...}),

sulphur oxides (SO₂, SO₃, etc.). Some metallic oxides.

Toxicity of the products of

biodegradation

Ecotoxicity data

: The products of degradation are less toxic than the product itself.

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional Information
TDG Classification	UN2491	ETHANOLAMINE SOLUTION	8	III	Passenger Carrying Road or Rail Index 5

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

QUIK FILL 530 Page: 5/5

Section 15. Regulatory information

WHMIS (Canada): Class D-2B: Material causing other toxic effects (TOXIC).

Class E: Corrosive material.

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

Section 16. Other information

Date of issue : 14-October-2004.

Responsible name : Regulatory Affairs

Date of previous issue : No Previous Validation.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.