



Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Quik Stik Glue

Manufacture: Nail Systems International
2 Union Hill Road
W. Conshohocken, PA 19428

Version Number: 2

MSDS Number: 4250

Product Code: Accessory Liquid

Telephone Number: 610-825-1524

800-354-6741

www.nsinails.com

Fax Number: 610-825-2738

TELEPHONE NUMBERS – 24 HOUR EMERGENCY ASSISTANCE:

Infotrac Domestic - 800-535-5053

Infotrac International - 352-323-3500

2. COMPOSITIONAL INFORMATION

Ingredient Name	CAS Number	Concentration	Exposure Limits / Health Hazards	
Ethylcyanoacrylate	7085-85-0		OSHA PEL	Not Established
			ACGIH TLV	Not Established
Polymethylmethacrylate	9011-14-7		OSHA PEL	Not Established
			ACGIH TLV	Not Established

3. FIRE AND EXPLOSION HAZARD INFORMATION

Extinguishing Media

Use a water spray, dry chemical, alcohol foam or carbon dioxide to extinguish fire.

Basic Fire Fighting Procedures

Evacuate area and fight fire from a safe distance. Wear self-contained breathing apparatus and full protective clothing.

Unusual Fire & Explosion Hazards

Water will intense polymerization to the liquid.

NFPA Rating

Health – 1

Flammability – 1

Reactivity - 0

Flash Point: 181.4° F ° C

Auto Ignition Temperature: NE

Flammability Limits in Air, Lower % by Volume: NE

Flammability Limits in Air, Upper % by Volume: NE



Material Safety Data Sheet

4. HEALTH HAZARD INFORMATION

Potential Health Effects, Skin

Bonds skin instantly.

Potential Health Effects, Eye

Slightly irritating.

Potential Health Effects, Inhalation

NA

5. FIRST AID INFORMATION

Skin

In case of skin contact, DO NOT PULL APART. Use glue remover. Wash affected skin areas with soap and water. See a physician if irritation persists.

Eye

Hold eyelid open and flush eyes with a large amount of water for at least 15 minutes. See a physician if irritation persists.

Inhalation

Move subject to fresh air. If having difficulty breathing, administer oxygen. Give artificial respiration if breathing has stopped. Call a physician.

Ingestion

NA

In all of the above emergency cases, call a physician.

6. REACTIVITY INFORMATION

Stability / Incompatibility

Stable. Avoid contact with water. Avoid excessive heat. Incompatible with weak bases, alcohols.

Hazardous Reactions / Decomposition Products

May form carbon dioxide and carbon monoxide. May form cyanide compound, acid.

Hazardous Polymerization

Will not occur.

7. SPILL OR LEAK PROCEDURES INFORMATION

Emergency Action

Isolate hazard area and deny entry.

Spill or Leak Procedure

Shut off leak if safe to do so. Shut off and eliminate all ignition sources. Keep people away. Recover free product. Add sand, earth or other suitable absorbent to spill area. Minimize breathing vapors. Minimize skin contact. Ventilate confined spaces. Open all windows and doors.



Material Safety Data Sheet

8. SPECIAL PROTECTION INFORMATION

Skin Protection: Personal Protection Equipments (PPE)

If skin contact is anticipated, protective clothing, including impervious gloves, should be worn.

Eye Protection: Personal Protection Equipments (PPE)

Wear chemical safety goggles

Have eye-washing facilities readily available where eye contact can occur.

Respiratory Protection: Personal Protection Equipments (PPE)

None required if good ventilation is maintained under normal processing conditions.

9. STORAGE AND HANDLING EQUIPMENT

Handling

Wash hands thoroughly before eating, drinking or smoking.

Storage

Observe all label precautions.

Minimum: Ambient Maximum: Ambient. Store containers in a dry area, keeping containers closed to prevent absorption and contamination.

10. MISCELLANEOUS INFORMATION

Disclaimer

The above information is based on the data of which we are aware and is believed to be correct as the data hereof. Since this information may be applied under conditions beyond our control and which may be unfamiliar and since data made available subsequent to the data hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his or her own determination of the suitability of the material for his /her particular purpose.

Completed On: 03-12-01
Completed By: Kirby Slack
Replaces Sheet Dated: 12-16-98