Flammability 4-Extreme 3-High 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0							
Health Reactivity 2-Moderate * 0 Special 1-Slight Hazards 0-Insignificant 0-In	Rev. No.: 6 0		Celite.				
1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION							
Trade Name(s): CELITE®, CHROMOSORB-750							
Generic Name: FLUX CALCINED DIATOMACEOUS EARTH Chemical Name: SILICA Manufacturer: CELITE CORPORATION Address: P.O. BOX 519 City: LOMPOC State: CA Zip: 93438	CAS: 68855-54-9 EINECS: 272-489-0 Formula: SiO ₂ Telephone: (805) 737-1239 Emergency: CHEMTREC - USA: (800) 424-9300 International: (703) 527-3887 (collect)						
2. COMPOSITION/INFORMATION							
INGREDIENT NAME:	CAS NUMBER:	%	PEL AND TLV (except as noted)				
FLUX CALCINED DIATOMACEOUS EARTH (DE) SURFACE TREATED WITH DIMETHYLDICHLOROSILANE	68855-54-9	100	SEE BELOW				
THIS PRODUCT MAY CONTAIN UP TO 63% CRYSTALLINE SILICA:							
CRISTOBALITE	14464-46-1	< 60	.025mg/M ³ RESPIRABLE CRISTOBALITE, ACGIH				
QUARTZ	14808-60-7	< 3	.025mg/M³RESPIRABLE QUARTZ, ACGIH				
3. HAZARD IDENTIFIC	CATION						
Summary: THIS PRODUCT CONTAINS CRYSTALLINE SILICA (CS), WHICH IS CONSIDERED A HAZARD BY INHALATION. IARC HAS CLASSIFIED INHALATION OF CS AS CARCINOGENIC FOR HUMANS (GROUP 1). CS IS LISTED BY NTP AS A KNOWN HUMAN CARCINO- GEN. INHALATION OF CS IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE. Medical conditions which may be aggravated: PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS, BUT NOT LIMITED TO BRONCHITIS, EMPHYSEMA AND ASTHMA. Target Organ(s): LUNGS, EYES Acute Health Effects: TRANSITORY UPPER RESPIRATORY OR EYE IRRITATION. Chronic Health Effects: INHALATION OF CRYSTALLINE SILICA HAS BEEN CLASSIFIED BY IARC AS CARCINOGENIC FOR HUMANS (GROUP 1). INHALATION OF CRYSTALLINE SILICA IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE CAUSED BY EXCESSIVE EXPOSURE TO CRYSTALLINE SILICA IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE CAUSED BY EXCESSIVE EXPOSURE TO CRYSTALLINE SILICA. Primary Entry Route(s): INHALATION, DUST CONTACT WITH EYES. Inhalation: IRRITATION AND SORENESS IN THROAT & NOSE. IN EXTREME EXPOSURES SOME CONGESTION MAY OCCUR. Eyes: TEMPORARY IRRITATION OR INFLAMMATION. Skin Obsorption: NA Ingestion: NOT HAZARDOUS WHEN INGESTED.							
4. FIRST AID MEASURES							
4. FIRST AID MEASURES Inhalation: REMOVE TO FRESH AIR. DRINK WATER TO CLEAR THROAT AND BLOW NOSE TO EVACUATE DUST. Eyes: FLUSH EYES WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS CONSULT A PHYSICIAN. Skin Contact: NA Skin Absorption: NA Ingestion: NA							
5. FIRE FIGHTING MEASURES							
State Fighting MEASURES Flash Point (Method): NONFLAMMABLE NFPA Flammable/Combustible Liquid Classification: NA Flammable Limits: LEL: NA UEL: NA Auto-Ignition Temperature: NA Extinguishing Media: NA Unusual Fire or Explosion Hazards: NONE Special Fire-Fighting Procedures: NONE							
6. ACCIDENTAL RELEASE MEASURES Procedures for Spill/Leak: VACUUM CLEAN DUST WITH EQUIPMENT FITTED WITH HEPA FILTER. USE A DUST SUPPRESSANT SUCH AS WATER IF SWEEPING IS NECESSARY-							

"Copyright" 1980. National Fire Protection Assoc., Quincy, MA 02269. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety. MSD / 176-20: 12/00400"

7. HANDLING AND STORAGE							
MINIMIZE DUST GENERATION AND ACCUMULATION. AVOID BREATHING DUST, AVOID CONTACT WITH EYES. SEAL BROKEN BAGS IMMEDIATELY. CONTINUE TO FOLLOW ALL MSDS/LABEL WARNINGS WHEN HANDLING EMPTY CONTAINERS.							
	8. E	EXPOSURE CONTROLS/PE	RSONAL PROTE	CTION			
Goggles: GOGGLES OR SAFETY GLASSES WITH SIDESHIELDS ARE RECOMMENDED. Gloves: NOT NORMALLY REQUIRED. Respirator: <10X PEL, USE AN N95 QUARTER OR HALF MASK RESPIRATOR; <50X PEL, USE A FULL FACE RESPIRATOR EQUIPPED WITH N95 FILTERS; <200X PEL, USE A POWERED AIR PURIFYING RESPIRATOR (POSITIVE PRESSURE) WITH N95 FILTERS; >200X PEL, USE A FULL FACE, TYPE C SUPPLIED AIR RESPIRATOR (CONTINUOUS FLOW MODE). Ventilation: USE SUFFICIENT NATURAL OR MECHANICAL VENTILATION TO KEEP DUST LEVEL BELOW PEL. Other: Special Considerations for repair/maintenance of contaminated equipment: INSURE PROPER RESPIRATORY PROTECTION.							
		9. PHYSICAL AND CHEM	/ICAL PROPERTI	ES			
Appearance and Odor:	FINE WHITE POWDE						
Boiling Point: Vapor Pressure: Water Solubility (%):	NA NA NEGLIGIBLE	Evaporation Rate (Melting Point: Vapor Density (Air=1) :	= 1): NA ND NA	Specific Gravity (water = 1) % Volatile by Volume: pH:	: 2.3 NIL ND		
		10. STABILITY AND					
		TU. UTADILITT ANL			ID		
MATERIAL IS STABLE. HAZARDOUS POLYMERIZATION CANNOT OCCUR. Chemical Incompatibilities: HYDROFLUORICACID. Conditions to Avoid: NONE IN DESIGNED USE.							
		11. TOXICOLOGICAL	INFORMATION				
Summary: THIS PRODUCT CONTAINS CRYSTALLINE SILICA (CS), WHICH IS CONSIDERED A HAZARD BY INHALATION. IARC HAS CLASSIFIED CS AS CARCINOGENIC FOR HUMANS (GROUP 1). CS IS LISTED BY NTP AS A KNOWN HUMAN CARCINOGEN. CS IS ALSO A KNOWN CAUSE OF SILICOSIS, A NONCANCEROUS LUNG DISEASE.							
12. ECOLOGICAL INFORMATION GENERALLY CONSIDERED CHEMICALLY INERT IN THE ENVIRONMENT. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANT AND SHOULD BE EVALUATED ACCORDINGLY.							
13. DISPOSAL CONSIDERATIONS							
WASTE IS NOT HAZARDOUS AS DEFINED BY RCRA (40 CFR 261). OTHER STATE AND LOCAL REGULATIONS MAY VARY, CONSULT LOCAL AGENCIES AS NEEDED. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT CHARACTERISTICS BASED ON THE CONTAMINANTS AND SHOULD BE EVALUATED ACCORDINGLY.							
		14. TRANSPORTATIO	NINFORMATION				
D.O.T. Proper Shipping Name: EARTH, DIATOMACEOUS, CRUDE OR GROUND Hazard Classification: NOT CLASSIFIED Reportable Quantities: NOT APPLICABLE UN (United Nations), NA(North America) Number: NOT APPLICABLE							
		15. REGULATORY	INFORMATION				
OSHA Hazard Communications Standard, 29 CFR 1910.1200: MATERIAL IS CONSIDERED HAZARDOUS, SEE SECTION 3. RCRA: THIS MATERIAL IS NOT DEFINED AS HAZARDOUS WASTE PER 40 CFR 261. TSCA: THIS MATERIAL IS LISTED IN THE TSCA INVENTORY, AND IS NOT OTHERWISE REGULATED BY TSCA SEC. 4, 5, 6, 7 OR 12. CERCLA: MATERIAL IS NOT REPORTABLE UNDER CERCLA, LOCAL REQUIREMENTS MAY VARY. SARA: 311/312 HAZARD CATAGORIES -IMMEDIATE AND DELAYED HEALTH, 313 REPORTABLE INGREDIENTS - NONE. Canada: THIS PRODUCT IS LISTED ON THE DSL.							
California Proposition 65: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.							
16. OTHER INFORMATION							
Storage Segregation Hazard Classes: NA Special Handling/Storage: REPAIR ALL BROKEN BAGS IMMEDIATELY. Special Workplace Engineering Controls: ADEQUATE VENTILATION TO KEEP DUST LEVEL BELOW PEL.							
Prepared/Revised by: R. Bruce Coggin, Manager Health & Safety Services, World Minerals, Inc. (805) 737-1239							
As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given.							