

# MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2

DATE PRINTED: 11/11/2008 PREPARED BY: Walter Friedlander

1. CHEMICAL PRODUCT

PRODUCT NAME: RC-0088, Alkalinity Rgt. B

PRODUCT CODE: 10011

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

 Health:
 1/1
 Fire:
 0/0

 Reactivity:
 0/0
 Special/Protective Equipment:
 Acid/B

NAME OF THE Rochester Midland Corporation Information: 585-336-2200

**MANUFACTURER:** 333 Hollenbeck Street Emergency Phone:

Rochester, New York 14621 INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

**EFFECTS FROM ACUTE EXPOSURE:** 

INGESTION: Harmful if swallowed. SKIN CONTACT: Causes burns.

**INHALATION:** May cause damage to nasal and respiratory passages.

EYE CONTACT: Causes eye burns. CHRONIC EFFECTS: None known.

**EFFECTS/CARCINOGENICITY:** None listed under OSHA, IARC, or NTP.

**ROUTES OF ENTRY:** Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Sulfuric acid 7664-93-9	0.1	0.2 mg/m <sup>3</sup>	1 mg/m³

#### 4. FIRST AID MEASURES

**INGESTION:** DO NOT INDUCE VOMITING. Drink promptly two glasses of milk, egg whites, or gelatin

solution.

**SKIN:** Remove contaminated clothing. Wash skin with water, using soap if available.

**INHALATION:** Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

get immediate medical attention.

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate

medical attention.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): Nonflammable (C): NA

METHOD: TCC

FLAMMABLE LIMITS IN AIR

### RC-0088, Alkalinity Rgt. B

- LOWER (%): NE - UPPER (%): NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

**SUITABLE EXTINGUISHING MEDIA:** Dry chemical.

FIRE FIGHTING PROCEDURES: Fire-fighters should wear self-contained breathing apparatus and

full protective clothing when fighting chemical fires.

#### **ACCIDENTAL RELEASE MEASURES**

**SPILL PROCEDURES:** 

Pick up with absorbant material. **SMALL SPILLS:** 

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

**PERSONAL PRECAUTIONS:** NA **ENVIRONMENTAL PRECAUTIONS:** NA **METHODS FOR CLEANING UP:** NA

#### HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN Keep container closed. Store in a cool, dry location away from incompatible materials. Wash IN HANDLING AND STORAGE:

thoroughly after handling. Emptied containers may retain hazardous properties. Do not cut,

puncture or weld on or near the container. **OTHER PRECAUTIONS:** No other spill procedures necessary.

SPECIFIC USE(S): NA

### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### PROTECTIVE EQUIPMENT:

**EXPOSURE CONTROLS:** Exhaust ventilation.

**RESPIRATORY PROTECTION:** If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following

respiratory protection: Wear self-contained breathing apparatus.

**PROTECTIVE GLOVES:** Rubber gloves. **EYE PROTECTION:** Goggles. OTHER PERSONAL PROTECTION None known.

**EQUIPMENT:** 

**VENTILATION:** Use local exhaust ventilation as needed if spill occur.

## PHYSICAL AND CHEMICAL PROPERTIES

Clear, colorless liquid. APPEARANCE AND ODOR:

**BOILING POINT (F):** NA (C) NA

**VAPOR PRESSURE:** NA **VAPOR DENSITY (AIR=1):** NA **SOLUBILITY IN WATER:** NA **SPECIFIC GRAVITY:** 1.00 NE VOC Content (%): **VOV Content (%):** NE **EVAPORATION RATE:** NE PH: NE

#### 10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE POLYMERIZATION: Will Not Occur. HAZARDOUS DECOMPOSITION: Oxides of Sulfur.

### RC-0088, Alkalinity Rgt. B

10. STABILITY AND REACTIVITY

INCOMPATIBILITY (MATERIALS TO Bases, such as caustic soda, bleach, ammonia, etc. Metals. Oxidizing materials. Reducing

AVOID): agents.

CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame. Contact with certain metals produces hydrogen gas.

## 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE EFFECTS OF CHRONIC EXPOSURE: NE OTHER TOXIC EFFECTS: NE

## 12. ECOLOGICAL INFORMATION

**ECOTOXICOLOGICAL** No data at this time

INFORMATION:

No data at this time.

CHEMICAL FATE INFORMATION: MOBILITY:

NA

PERSISTENCE/DEGRADABILITY: NA

BIOACCUMULATIVE POTENTIAL: NA OTHER ADVERSE EFFECTS: NA

#### 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

#### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

## 15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Sulfuric acid 7664-93-9	0.1	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Sulfuric acid	0.1	1000 lb	1000 lb RQ	Listed
7664-93-9		454 ka	Listed	

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Sulfuric acid 7664-93-9	0.1	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Sulfuric acid 7664-93-9	0.1	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Sulfuric acid 7664-93-9	0.1	Listed

# RC-0088, Alkalinity Rgt. B

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels

PRODUCT COMPOSITION	%	PARTK:
CAS#		
Sulfuric acid	0.1	Listed
7664-93-9		

# **16. OTHER INFORMATION**

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

\*\*\* END OF MSDS \*\*\*