

MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2

DATE PRINTED: 11/11/2008 PREPARED BY: Walter Friedlander

1. CHEMICAL PRODUCT

PRODUCT NAME: RC-0562, Molybdenum Ind.

PRODUCT CODE: 10054

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

 Health:
 1/1
 Fire:
 3/3

 Reactivity:
 0/0
 Special/Protective Equipment:
 None/B

NAME OF THE Rochester Midland Corporation Information: 585-336-2200

MANUFACTURER: 333 Hollenbeck Street Emergency Phone:

Rochester, New York 14621 INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Central Nervous System Depression: signs/symptoms can include headache, dizziness,

drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision,

slurred speech, giddiness, tremors and convulsions.

Causes intoxication Nausea.

SKIN CONTACT: Causes moderate skin irritation.
INHALATION: Causes moderate respiratory irritation.
EYE CONTACT: Product contact causes irritation.

CHRONIC EFFECTS: None known.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
ETHANOL 64-17-5	99	1000 ppm	1000 ppm 1900 mg/m ³
s-Diphenylcarbazone 538-62-5	1	NA	NA

4. FIRST AID MEASURES

INGESTION: If swallowed, dilute with water and immediately induce vomiting. Contact Physician.

SKIN: Remove contaminated clothing. Wash skin with water, using soap if available. Get medical

attention.

INHALATION: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

get immediate medical attention.

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate

medical attention.

NOTES TO PHYSICIAN: None.

RC-0562, Molybdenum Ind.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): 55 deg F ethyl alc. (C): NA

METHOD: TCC

FLAMMABLE LIMITS IN AIR

- **LOWER (%):** NE - **UPPER (%):** NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE:Sensitivity to static discharge is not expected. **SUITABLE EXTINGUISHING MEDIA:**Dry chemical. Carbon dioxide. Alcohol foam.

FIRE FIGHTING PROCEDURES: Fire-fighters should wear self-contained breathing apparatus and

full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Pick up with absorbant material.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS: NA
ENVIRONMENTAL PRECAUTIONS: NA
METHODS FOR CLEANING UP: NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKENIN HANDLING AND STORAGE: Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Keep container closed. Store in a cool, dry location away from incompatible

materials. Wash thoroughly after handling.

OTHER PRECAUTIONS: No other spill procedures necessary.

SPECIFIC USE(S): NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS: Exhaust ventilation.

RESPIRATORY PROTECTION: If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following

respiratory protection: Wear self-contained breathing apparatus.

PROTECTIVE GLOVES: Rubber gloves. EYE PROTECTION: Goggles. OTHER PERSONAL PROTECTION None known.

EQUIPMENT:

VENTILATION: Use local exhaust ventilation as needed if spill occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Red. Liquid. Alcohol scent.

BOILING POINT (F): NA (C) NA

VAPOR PRESSURE: NA **VAPOR DENSITY (AIR=1):** NA **SOLUBILITY IN WATER:** NA **SPECIFIC GRAVITY:** N/A VOC Content (%): NE **VOV Content (%):** NE **EVAPORATION RATE:** NE PH: NE

RC-0562, Molybdenum Ind.

10. STABILITY AND REACTIVITY

STABILITY DATA:

POLYMERIZATION:
HAZARDOUS DECOMPOSITION:
INCOMPATIBILITY (MATERIALS TO

STABLE
Will Not Occur.
Oxides of Carbon.
Oxidizing materials.

AVOID):

CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame. Acids.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION: No data at this time.

MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
ETHANOL 64-17-5	99	Listed	Listed	Listed	Developmental
s-Diphenylcarbazone 538-62-5	1	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
ETHANOL 64-17-5	99	Not Listed	Not Listed	Not Listed
s-Diphenylcarbazone 538-62-5	1	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
ETHANOL 64-17-5	99	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

RC-0562, Molybdenum Ind.

PRODUCT COMPOSITION CAS#	%	MARTK:
ETHANOL 64-17-5	99	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:	
ETHANOL 64-17-5	99	Listed	

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

17 T T T T T T T T T T T T T T T T T T T				
PRODUCT COMPOSITION	%	PARTK:		
CAS#				
ETHANOL	99	Listed		
64-17-5				

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***