



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2
DATE PRINTED: 11/11/2008 PREPARED BY: Walter Friedlander

1. CHEMICAL PRODUCT

PRODUCT NAME: **RC-6246, pH Wide Range Ind.**
PRODUCT CODE: 10074

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 3/3
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Nausea. Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

SKIN CONTACT: Causes moderate skin irritation.
INHALATION: May irritate the lungs.
EYE CONTACT: May irritate eyes.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
ETHANOL 64-17-5	53	1000 ppm	1000 ppm 1900 mg/m ³
Methanol 67-56-1	3	200 ppm	200 ppm 260 mg/m ³

4. FIRST AID MEASURES

INGESTION: If swallowed, induce vomiting immediately by giving two glasses of water and sticking fingers down throat; never give anything to an unconscious person. Get medical attention.
SKIN: Remove contaminated clothing. Wash skin with water, using soap if available.
INHALATION: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.
EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.
NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): 52 deg F (tcc) for methanol **(C):** NA
METHOD: TCC

FLAMMABLE LIMITS IN AIR

- LOWER (%): NE
 - UPPER (%): NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

Carbon Dioxide, Dry Chemicals, Foam.

FIRE FIGHTING PROCEDURES:

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES**SPILL PROCEDURES:**

SMALL SPILLS:

Pick up with absorbant material.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS:

NA

ENVIRONMENTAL PRECAUTIONS:

NA

METHODS FOR CLEANING UP:

NA

7. HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:**

Keep container closed when not in use. Store in a cool, dry location away from incompatible materials. Use only in a well ventilated area. Wash thoroughly after handling. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container.

OTHER PRECAUTIONS:

No other spill procedures necessary.

SPECIFIC USE(S):

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**PROTECTIVE EQUIPMENT:**

EXPOSURE CONTROLS:

Exhaust ventilation. Localized ventilation should be used to control dust levels.

RESPIRATORY PROTECTION:

Use in a well ventilated area. If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following respiratory protection: Wear self-contained breathing apparatus.

PROTECTIVE GLOVES:

Chemical resistant gloves.

EYE PROTECTION:

Goggles.

**OTHER PERSONAL PROTECTION
EQUIPMENT:**

Wear eye protection and protective clothing.

VENTILATION:

Local exhaust ventilation recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Green liquid. Alcohol scent.

BOILING POINT (F):

NA

(C) NA

VAPOR PRESSURE:

NA

VAPOR DENSITY (AIR=1):

Heavier than air

SOLUBILITY IN WATER:

NA

SPECIFIC GRAVITY:

NA

VOC Content (%):

NE

VOV Content (%):

NE

EVAPORATION RATE:

NA

9. PHYSICAL AND CHEMICAL PROPERTIES

PH: NA

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Oxides of Carbon.
INCOMPATIBILITY (MATERIALS TO AVOID): Acids. Strong oxidents, such as nitric acid, or hypochlorites.
CONDITIONS/HAZARDS TO AVOID: Avoid any source of ignition. Do not expose to heat or store at temperatures above 120F.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
ETHANOL 64-17-5	53	Listed	Listed	Listed	Developmental
Methanol 67-56-1	3	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
ETHANOL 64-17-5	53	Not Listed	Not Listed	Not Listed
Methanol 67-56-1	3	2270 kg 5000 lb	Not Listed	Listed

RC-6246, pH Wide Range Ind.

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
ETHANOL 64-17-5	53	Listed
Methanol 67-56-1	3	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
ETHANOL 64-17-5	53	Listed
Methanol 67-56-1	3	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
ETHANOL 64-17-5	53	Listed
Methanol 67-56-1	3	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
ETHANOL 64-17-5	53	Listed
Methanol 67-56-1	3	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***