

# Part of Thermo Fisher Scientific

# SAFETY DATA SHEET

Creation Date 16-Apr-2014 Revision Date 16-Apr-2014 Revision Number 1

## 1. Identification

Product Name Filling Solution: 4M KCl saturated with AgCl

Cat No.: SP135-500

Synonyms Electrode Refill Solutions for Single Junction Silver/Silver Chloride.

Recommended Use Laboratory chemicals

Uses advised against No Information available

Details of the supplier of the safety data sheet

CompanyEmergency Telephone NumberFisher ScientificCHEMTREC®, Inside the USA: 800-

One Reagent Lane 424-9300

Fair Lawn, NJ 07410 CHEMTREC®, Outside the USA: 001-

Tel: (201) 796-7100 703-527-3887

# 2. Hazard(s) identification

### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

#### **Label Elements**

None required

## Hazards not otherwise classified (HNOC)

None identified

# 3. Composition / information on ingredients

## Haz/Non-haz

Component	CAS-No	Weight %
Water	7732-18-5	73.8
Potassium chloride	7447-40-7	26.0
Silver chloride	7783-90-6	0.15
Hydrogen chloride	7647-01-0	0.05

Filling Solution: 4M KCl saturated with AgCl

## 4. First-aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur..

**Skin Contact** Rinse with plenty of water. Get medical attention if symptoms occur..

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.

**Ingestion** Do not induce vomiting. Get medical attention if symptoms occur.

Most important symptoms/effectsNo information availableNotes to PhysicianTreat symptomatically.

## 5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire..

Unsuitable Extinguishing Media No information available.

Flash Point
Method No information available
No information available
No information available.

Autoignition Temperature

**Explosion Limits** 

UpperNo data availableLowerNo data available

Sensitivity to Mechanical

**Impact** 

No information available

Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Hazardous Combustion Products Thermal decomposition can lead to release of irritating gases and vapors.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**NFPA** 

HealthFlammabilityInstabilityPhysical hazards100N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid contact with skin, eyes

and clothing.

**Environmental Precautions** Avoid release to the environment. See Section 12 for additional ecological Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Up

# 7. Handling and storage

## 7. Handling and storage

Handling Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with skin and

eyes. Avoid ingestion and inhalation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen chloride	Ceiling: 2 ppm	Ceiling: 5 ppm	IDLH: 50 ppm
		Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		(Vacated) Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		(Vacated) Ceiling: 7 mg/m <sup>3</sup>	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Hydrogen chloride	Ceiling: 5 ppm	Ceiling: 5 ppm	CEV: 2 ppm
, ,	Ceiling: 7.5 mg/m <sup>3</sup>	Ceilina: 7 ma/m <sup>3</sup>	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and

safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN

149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

# 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorOdorless

Odor Threshold No information available.

nH

Melting Point/Range -10°C / 14°F
Boiling Point/Range 100°C / 212°F

Flash Point

Evaporation Rate

No information available.

> 1 (Ether = 1.0)

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure 14 mmHg
Vapor Density 0.7
Relative Density 1.2

\_\_\_\_\_

Filling Solution: 4M KCl saturated with AgCl

# 9. Physical and chemical properties

Solubility
Partition coefficient; n-octanol/water

Autoignition Temperature Decomposition temperature Viscosity

No data available
No information available.
No information available.

No information available.

Soluble in water

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available.

**Stability** Stable under normal conditions.

Conditions to Avoid Excess heat.

Incompatible Materials None known

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur

Hazardous Reactions None under normal processing

# 11. Toxicological information

### **Acute Toxicity**

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	Not listed	Not listed
Potassium chloride	2600 mg/kg (Rat)	Not listed	Not listed
Silver chloride	>5.11 g/kg (rat)	Not listed	Not listed
Hydrogen chloride	700 mg/kg ( Rat )	5010 mg/kg ( Rabbit )	3124 ppm (Rat) 1 h

**Toxicologically Synergistic** 

**Products** 

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information available.SensitizationNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Potassium chloride	7447-40-7	Not listed				
Silver chloride	7783-90-6	Not listed				
Hydrogen chloride	7647-01-0	group 3	Not listed	Not listed	Not listed	Not listed

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

\_\_\_\_\_

Filling Solution: 4M KCl saturated with AgCl

Mutagenic Effects No information available.

Reproductive Effects No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known.

STOT - repeated exposure None known.

Aspiration hazard No information available.

Symptoms / effects, both acute and delayed

No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Do not empty into drains

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium chloride	EC50: 2500 mg/L/72h	1060 mg/L LC50 96 h	Not listed	EC50: 825 mg/L/48h
	_	750 - 1020 mg/L LC50 96 h		_
Silver chloride	-	Pimephales promelas:	=	-
		LC50=1.93 mg/L 96h		
Hydrogen chloride	Not listed	282 mg/L LC50 96 h	Not listed	Not listed

Persistence and Degradability

No information available.

Bioaccumulation/ Accumulation

No information available

No information available

# 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national

hazardous waste regulations to ensure complete and accurate classification

## 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

# 15. Regulatory information

# 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	<b>EINECS</b>	<b>ELINCS</b>	NLP	PICCS	ENCS	AICS	IECSC	KECL
Water	X	X	-	231-791-2	-		Х	-	Χ	X	Χ
Potassium chloride	X	Х	-	231-211-8	-		Х	Χ	Х	Χ	Х
Silver chloride	X	X	-	232-033-3	-		Х	Х	Х	X	Х
Hydrogen chloride	Х	Х	_	231-595-7	-		Х	Х	Х	X	Х

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

**TSCA 12(b)** 

Not applicable

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Silver chloride	7783-90-6	0.15	1.0
Hydrogen chloride	7647-01-0	0.05	1.0

#### SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### **Clean Water Act**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Silver chloride	-	-	X	-
Hydrogen chloride	X	5000 lb	-	-

### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrogen chloride	X		-

## **OSHA** Occupational Safety and Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrogen chloride	-	TQ: 5000 lb

### **CERCLA**

Filling Solution: 4M KCl saturated with AgCl Revision Date 16-Apr-2014

Component	Hazardous Substances RQs	CERCLA EHS RQs
Hydrogen chloride	5000 lb	5000 lb

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

#### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silver chloride	-	X	X	-	=
Hydrogen chloride	X	X	X	X	X

#### **U.S.** Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard	
Hydrogen chloride	0 lb STQ (anhydrous); 11250 lb STQ (37% concentration or greater)	

### **Other International Regulations**

Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class Non-controlled

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 16-Apr-2014

 Revision Date
 16-Apr-2014

 Print Date
 16-Apr-2014

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### **Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

## **End of SDS**