# Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : Renown® Foam Disinfectant Cleaner

Material number : A00250

Manufacturer or supplier's details

Company : Interline Brands

Address : 701 San Marco Blvd.

Jacksonville, FL 32207

Telephone : 1-866-412-6726

**Emergency telephone numbers** 

For SDS Information : 1-866-412-6726 For a Medical Emergency : 1-800-424-9300

For a Transportation : Chemtrec 1-800-424-9300

**Emergency** 

#### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour     | white                              |
| Odour      | characteristic                     |

### **GHS Classification**

Gases under pressure : Liquefied gas Eye irritation : Category 2A

**GHS Label element** 

Hazard pictograms :





Signal word : Warning

Hazard statements : H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

Precautionary statements : **Prevention:** 

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention. **Storage:** 

P410 + P403 Protect from sunlight. Store in a well-ventilated

place.

## Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

Disposal:

P501 Dispose of contents/container in accordance with local

regulation.

**Potential Health Effects** 

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH Confirmed animal carcinogen with unknown relevance to

humans

2-butoxyethanol 111-76-2

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# **Hazardous components**

| Chemical Name                           | CAS-No.  | Concentration [%] |
|---|----------|-------------------|
| butane                                  | 106-97-8 | >= 1 - < 5        |
| 2-butoxyethanol                         | 111-76-2 | >= 1 - < 5        |
| 2-(2-ethoxyethoxy)ethanol               | 111-90-0 | >= 1 - < 5        |
| tetrasodium ethylenediaminetetraacetate | 64-02-8  | >= 1 - < 5        |
| propane                                 | 74-98-6  | >= 1 - < 5        |

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical

advice.

Consult a physician after significant exposure.

Move to fresh air.

In case of skin contact : If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15

minutes.

If on clothes, remove clothes.

Wash contaminated clothing before re-use.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

# Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Water spray

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2)

Carbon monoxide

Smoke

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use water spray to cool unopened containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

# Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Always replace cap after use.

Avoid exposure - obtain special instructions before use.

Do not breathe vapours or spray mist.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Observe label precautions.

Keep in a dry, cool and well-ventilated place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Strong oxidizing agents

Storage temperature : 4.4 - 49 °C

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

| Components                | CAS-No.  | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis     |
|---------------------------|----------|-------------------------------------|--|-----------|
| butane                    | 106-97-8 | TWA                                 | 800 ppm<br>1,900 mg/m3                         | NIOSH REL |
|                           |          | TWA                                 | 800 ppm<br>1,900 mg/m3                         | OSHA P0   |
| 2-butoxyethanol           | 111-76-2 | TWA                                 | 20 ppm   | ACGIH     |
|                           |          | TWA                                 | 5 ppm<br>24 mg/m3                              | NIOSH REL |
|                           |          | TWA                                 | 50 ppm<br>240 mg/m3                            | OSHA Z-1  |
|                           |          | TWA                                 | 25 ppm<br>120 mg/m3                            | OSHA P0   |
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | TWA                                 | 25 ppm   | US WEEL   |
| propane                   | 74-98-6  | TWA                                 | 1,000 ppm                                      | ACGIH     |
|                           |          | TWA                                 | 1,000 ppm<br>1,800 mg/m3                       | NIOSH REL |
|                           |          | TWA                                 | 1,000 ppm<br>1,800 mg/m3                       | OSHA Z-1  |

# Renown® Foam Disinfectant Cleaner

# (REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

TWA 1,000 ppm OSHA P0 1,800 mg/m3

### **Biological occupational exposure limits**

| Component           | CAS-No.  | Control      | Biological | Sampling  | Permissible   | Basis     |
|---------------------|----------|--------------|------------|-----------|---------------|-----------|
|                     |          | parameters   | specimen   | time      | concentration |           |
| 2-BUTOXYETHANOL     | 111-76-2 | Butoxyacetic | Urine      | End of    | 200 mg/g      | ACGIH BEI |
|                     |          | acid (BAA)   |            | shift (As |               |           |
|                     |          |              |            | soon as   |               |           |
|                     |          |              |            | possible  |               |           |
|                     |          |              |            | after     |               |           |
|                     |          |              |            | exposure  |               |           |
|                     |          |              |            | ceases)   |               |           |
| Pomarka: Croatinina |          |              |            |           |               |           |

Remarks: Creatinine

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : white

Odour : characteristic
Odour Threshold : no data available
pH : no data available
Melting point/freezing point : no data available
Boiling point : no data available

Flash point

not applicable

## Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

Evaporation rate : no data available

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available
Relative vapour density : no data available
Density : no data available

Solubility(ies)

Water solubility : completely soluble Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : not determined

Thermal decomposition : no data available

Viscosity

Viscosity, kinematic : no data available

Heat of combustion : 4.59 kJ/g

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Vapours may form explosive mixture with air.

No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

# Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

 Version 1.0
 Revision Date 04/23/2015
 Print Date 05/28/2015

Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

**Components:** 

butane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 1,355 mg/l

propane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

**Product:** 

Remarks: Eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

butane:

2-butoxyethanol:

2-(2-ethoxyethoxy)ethanol:

tetrasodium ethylenediaminetetraacetate:

propane:

STOT - single exposure

# Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

no data available

STOT - repeated exposure

no data available

**Aspiration toxicity** 

no data available

**Further information** 

**Product:** 

Remarks: no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

no data available

### Persistence and degradability

no data available

# Bioaccumulative potential

**Product:** 

Partition coefficient: n-

: Remarks: no data available

octanol/water Components:

butane:

Partition coefficient: n- : Pow: 2.89

octanol/water

2-(2-ethoxyethoxy)ethanol:

Partition coefficient: n- : Pow: 0.54

octanol/water

Mobility in soil

no data available

### Other adverse effects

no data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to

aquatic life.

# Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air):

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada):

UN1950, AEROSOLS, NON-FLAMMABLÉ, 2.2, - Limited quantity

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

## **CERCLA Reportable Quantity**

| Components       | CAS-No.   | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------------|-----------|--------------------|-----------------------------|
|                  |           | (103)              | (103)                       |
| sodium hydroxide | 1310-73-2 | 1000               | *                           |

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Sudden Release of Pressure Hazard

Acute Health Hazard

## Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

**SARA 302** : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

**SARA 313** : SARA 313: This material does not contain any chemical

> components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA

Title III. Section 313.

California Prop 65 WARNING: This product contains a chemical known to the

State of California to cause birth defects or other reproductive

harm.

2-ethoxyethanol 110-80-5

### The components of this product are reported in the following inventories:

On TSCA Inventory

DSL This product contains one or several components that are not on the

Canadian DSL nor NDSL.

Not in compliance with the inventory **AICS** Not in compliance with the inventory **NZIoC PICCS** Not in compliance with the inventory **IECSC** Not in compliance with the inventory


### **Inventory Acronym and Validity Area Legend:**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**





Special hazard.

### HMIS III:

| HEALTH          | 3 |
|-----------------|---|
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 2 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### **OSHA GHS Label Information:**

# Renown® Foam Disinfectant Cleaner

(REN05014-AM / 880271)

Version 1.0 Revision Date 04/23/2015 Print Date 05/28/2015

Hazard pictograms





Signal word Hazard statements Precautionary statements Warning:

Contains gas under pressure; may explode if heated. Causes serious eye irritation.

**Prevention:** Wash skin thoroughly after handling. Wear eye protection/ face protection. **Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Storage: Protect from sunlight. Store in a well-ventilated place.

**Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

1000918