

GRACE CONSTRUCTION & PACKAGING

Page 1/10

Safety Data Sheet

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

1 Identification

Product identifier

Trade name: **DARASET 200**

SDS ID Number: 60042

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if swallowed.

Causes serious eye damage.

Label elements:

Hazard pictograms





GHS05

GHS07

Danger

Hazard statements

Harmful if swallowed.

Causes serious eye damage.

Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

Do not eat, drink or smoke when using this product.

(Cont. on page 2)

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

(Cont. from page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Immediately call a POISON CENTER/doctor.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & \text{Health} = 2 \\ & \text{Fire} = 1 \\ & \text{Reactivity} = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



Health = *2 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous components:			
10124-37-5	Calcium nitrate	30-50%	
13780-06-8	Calcium nitrite	5.0-10.0%	
111-46-6	Diethylene glycol	5.0-10.0%	
102-71-6	Triethanolamine	1.0-2.0%	

Note:

Preservatives may vary. Product contains one or two of the following substances:

CAS Numbers 533-74-4, 3586-55-8, 26172-55-4, 55965-84-9.

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: Take affected persons into fresh air and keep quiet.

After skin contact: If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water.

Rinse cautiously with water for several minutes.

Seek immediate medical advice.

After swallowing:

Wash out mouth with water

(Cont. on page 3)

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

(Cont. from page 2)

Rinse mouth.

Do not induce vomiting; immediately call for medical help.

Never give anything by mouth to an unconscious person.

Information for doctor:

Most important symptoms and effects, both acute and delayed Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

This material, if dried to a solid powder-like form, will become an oxidizer, which may provide oxygen to combustible materials.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

USGHS

(Cont. on page 4)

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

(Cont. from page 3)

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Open and handle receptacle with care.

Prevent formation of aerosols.

Ensure good interior ventilation.

Do not mix directly with acidic materials. Do not mix directly with other admixtures. Hazardous gas may form.

Store in original containers.

Information about protection against explosions and fires: Protect from heat.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Protect from heat.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep receptacle tightly sealed.

Protect from frost.

Store in cool, dry conditions in well sealed original receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

111-46-6 Diethylene glycol

WEEL (USA) Long-term value: 10 mg/m³

102-71-6 Triethanolamine

TLV (USA) Long-term value: 5 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

(Cont. on page 5)

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

(Cont. from page 4)

Do not add amines to this product. Cancer-causing nitrosamines may be formed. Direct contact with other admixtures, washwater and any other material causing the pH to fall below specification can result in the formation of NOx gas creating a hazardous situation. Nitric oxide (NO) is a colorless, ordorless gas. Nitrogen dioxide (NO2) is a reddishbrown gas with a highly pungent, bleach-like odor. Exposure can cause irritation to eyes and respiratory system and effect the central nervous and cardiovascular systems. Severe overexposure can be fatal. This hazard does not exist when mixed with other admixtures in concrete.

Breathing equipment:

Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (consult exposure guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

Protection of hands:

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Rubber or other impervious gloves should be worn to prevent skin contact.

Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing.

Information on basic physical and chemical properties					
General Information					
Appearance:					
Form:	Liquid				
Color:	According to product specification				
Odor:	Characteristic				
Odor threshold:	Not determined.				
pH-value (~) at 20 $^{\circ}$ C (68 $^{\circ}$ F):	9				
Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	Undetermined.				
Flash point:	Not applicable.				
Flammability (solid, gaseous):	Not applicable.				

Cont. on page 6

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

	(Cont. from page 5)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
VOC Content (max):	Not determined.
Vapor pressure:	Not determined.
Density: (~) at 20 °C (68 °F)	1.4 g/cm ³ (11.683 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

While not classified as oxidising, if allowed to dry out and come into contact with combustible material, this product may cause fire.

Conditions to avoid No further relevant information available.

Incompatible materials:

Avoid direct contact with other admixtures and any other material which could cause the pH of this product to fall below 8.0. Those conditions can result in the formation of Nitrogen oxide (NO, NO2) gas, creating a hazardous situation.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

(Cont. from page 6)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC	LD/LC50 values relevant for classification:				
10124-3	10124-37-5 Calcium nitrate				
Oral	LD50	302 mg/kg (rat)			
13780-0	13780-06-8 Calcium nitrite				
Oral	LD50	283 mg/kg (rat)			
111-46-	111-46-6 Diethylene glycol				
Oral	LD50	1120 mg/kg (human)			
102-71-	102-71-6 Triethanolamine				
Oral	Oral LD50 5300 mg/kg (guinea pig)				
	6400 mg/kg (rat - male)				
Dermal	LD50	>10000 mg/kg (rabbit)			
	LC50, 96h	11800 mg/l (fish)			

Primary irritant effect:

on the skin: No irritating effect expected

on the eye: Irritating to eyes.

inhalation: No irritating effect expected

Ingestion: Harmful if swallowed.

Additional toxicological information:

102-71-6 Triethanolamine

NOEC/NOEL 16 mg/l (crustaceans) (Chronic NOEC)

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

102-71-6 Triethanolamine

3

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:		
102-71-6 T	102-71-6 Triethanolamine	
EC50, 48h	609.88 mg/l (daphnia magna)	
EC50, 72h	512 mg/l (algae)	

Persistence and degradability No further relevant information available.

(Cont. on page 8)

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

(Cont. from page 7)

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

4 Transport information	
UN-Number DOT, ADR, ADN, IMDG, IATA	Not applicable.
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable.
Packing group DOT, ADR, IMDG, IATA	Not applicable.
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport/Additional informati	ion: Not classified as a dangerous good for transport by road, rail or air.
DOT Remarks:	Not Regulated.
	(Cont. on p

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

(Cont. from page 8)

UN "Model Regulation": Not applicable.

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

10124-37-5 | Calcium nitrate

34.1%

SARA Section 312/Tier I & II Hazard Categories:

Health Immediate (acute) Yes Health Delayed (chronic) No Flammable No Reactive No Pressure No

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

7732-18-5 Water

California Proposition 65

Chemicals known to cause cancer:

Diethanolamine

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Triethanolamine A3

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to

Printing date 05/09/2016 Version Number 1.0 Reviewed on 05/09/2016

Trade name: DARASET 200

safety, occupational health, right-to-know and environmental protection.

(Cont. from page 9)

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue

Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 05/09/2016 / -

The first date of preparation 03/29/2012

Number of revision times and the latest revision date 1.0 / 05/09/2016