# Henkel

# SAFETY DATA SHEET

# 1. Identification

Product identifier Hi-Flow 300P (1.0, 1.5, 2.0)

Other means of identification None.

**Recommended use** Electrical insulation and heat conduction.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier The Bergquist Company

Address: 18930 West 78th Street

Chanhassen, MN. 55317

**Non-Emergency calls:** 1-800-347-4572

Contact person: AEHMSDS@henkel.com

1.4. Emergency telephone

number

Chemical Emergency
Call CHEMTREC Day or

Night

**Within USA and Canada:** 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal wordNot applicable.Hazard statementNot applicable.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash thoroughly after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

# 3. Composition/information on ingredients

# **Mixtures**

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

# 4. First-aid measures

**Inhalation** Move to fresh air. Get medical attention if symptoms occur.

**Skin contact** Wash skin with soap and water. Get medical attention if irritation persists after washing.

**Eye contact** Flush thoroughly with water. If irritation occurs, get medical assistance. **Ingestion** Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

Hi-Flow 300P (1.0, 1.5, 2.0)

906942 Version #: 01 Revision date: - Issue date: 30-September-2015

Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special

Treat symptomatically.

treatment needed **General information** 

Get medical attention if any discomfort develops.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards This product is not flammable.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see Section 8 of the SDS.

Under normal conditions of intended use, this material does not pose a risk to health.

Methods and materials for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see section 13 of the SDS.

**Environmental precautions** 

Environmental Manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid inhalation of dust and contact with skin and eves. Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See Section

8).

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.

## **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Aluminum oxide (CAS	TWA	1 mg/m3	Respirable fraction.
1344-28-1)			

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

**Exposure guidelines** Follow standard monitoring procedures.

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin protection

Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the Hand protection

glove supplier.

Other If prolonged or repeated contact is likely, chemical resistant clothing is recommended.

Hi-Flow 300P (1.0, 1.5, 2.0) SDS US **Respiratory protection** In case of inadequate ventilation, use respiratory protection. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

#### cicarica.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Solid.
Color Green.
Odor Slight.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable.

range

Flash point Not applicable.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

None.

None.

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor pressureNot available.Vapor densityNot available.

**Relative density** (1.0=2.83), (1.5=2.18), (2.0=2.15)

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient

Not relevant.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot applicable.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

None.

Hi-Flow 300P (1.0, 1.5, 2.0)

# 11. Toxicological information

#### Information on likely routes of exposure

Elevated temperatures or mechanical action may form dust and fumes which may be irritating to Inhalation

the mucous membranes and respiratory tract.

Skin contact Prolonged skin contact may cause temporary irritation.

Elevated temperatures or mechanical action may form dust and fumes which may be irritating to Eye contact

the eye.

Ingestion Not likely, due to the form of the product.

Symptoms related to the physical, chemical and toxicological characteristics Under normal conditions of intended use, this material does not pose a risk to health.

# Information on toxicological effects

**Acute toxicity** Under normal conditions of intended use, this material does not pose a risk to health.

Not classified. Skin corrosion/irritation Not classified. Serious eve damage/eve

irritation

Respiratory or skin sensitization

Not classified. Respiratory sensitization Skin sensitization Not classified. Not classified. Germ cell mutagenicity Carcinogenicity Not classified.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### NTP Report on Carcinogens

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Not classified. Not classified. Specific target organ toxicity single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified. **Aspiration hazard Further information** None known.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous.

Persistence and degradability No data available. No data available. Bioaccumulative potential

Mobility in soil The product is insoluble in water.

Other adverse effects None known.

## 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations. Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Since emptied containers retain product residue, follow label warnings even after container is Contaminated packaging

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

Hi-Flow 300P (1.0, 1.5, 2.0) SDS US

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

# 15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	20 - < 30

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

# **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Aluminum oxide (CAS 1344-28-1)

#### US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

## US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

#### **US. Rhode Island RTK**

Aluminum oxide (CAS 1344-28-1)

#### **US. California Proposition 65**

Not Listed.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Hi-Flow 300P (1.0, 1.5, 2.0)

Country(s) or region Inventory name On inventory (yes/no)\* China Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Europe Yes Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date 30-September-2015

Revision date - 01

NFPA ratings



References ESIS (European chemical Substances Information System)

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

**Disclaimer** The data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

including lost profits.

Hi-Flow 300P (1.0, 1.5, 2.0)

Yes