

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 05/31/15 Date of Issue: 05/31/15

Version: 1.0

## **SECTION 1: IDENTIFICATION**

**Product Identifier** 

**Product Form:** Substance **Product Name:** Agua Ammonia

**Product Name:** Ammonium Hydroxide Solution

CAS No: 1336-21-6 Formula: NH<sub>4</sub>OH (aq)

Synonyms: Ammonia, aqueous solution

Ammonium hydroxide (NH<sub>4</sub>OH)

Ammonia aqueous Ammonia solution

AMMONIUM HYDROXIDE Ammonia, aqueous Ammonia solutions

Ammonia...%

#### **Intended Use of the Product**

Fertilizer; extracting metals from their ores; manufacturing of plastics, fibres, resins, explosives, detergents, pesticides, pharmaceuticals, ammonium compounds, and other chemicals.

#### Name, Address, and Telephone of the Responsible Party

#### Manufacturer

CHEMTRADE LOGISTICS INC.

155 Gordon Baker Road

Suite 300

Toronto, Ontario M2H 3N5 For MSDS Info: (416) 496-5856 www.chemtradelogistics.com Emergency Telephone Number

- '

Emergency number : Canada: CANUTEC +1-613-996-6666 / US: CHEMTREC +1-800-424-9300

Chemtrade Emergency Contact: (866) 416-4404

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

## **SECTION 2: HAZARDS IDENTIFICATION**

#### **Classification of the Substance or Mixture**

#### Classification (GHS-US)

Acute Tox. 4 (Oral) H302 Skin Corr. 1A H314 Eye Dam. 1 H318 STOT SE 3 H335 Aquatic Acute 1 H400

# Label Elements GHS-US Labeling

Hazard Pictograms (GHS-US)







Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

Revision Date: 05/31/15 EN (English US) SDS#: CHE-5042S 1/8

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary Statements (GHS-US) : P260 - Do not breathe gas, vapors, fume, mist, spray

P261 - Avoid breathing fume, mist, spray, vapors

P264 - Wash clothing thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear eye protection, face protection, protective gloves, protective clothing

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P312 - Call a POISON CENTER/doctor/physician if you feel unwell

P321 - Specific treatment (see Section 4)

P330 - If swallowed, rinse mouth

P363 - Wash contaminated clothing before reuse

P391 - Collect spillage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to local, regional, national, and international

regulations

#### Other Hazards

Other Hazards Not Contributing to the Classification: Not applicable

Unknown Acute Toxicity (GHS-US) Not available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substances**

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	65 - 90	Not classified
*Ammonium hydroxide	(CAS No) 1336-21-6	10 – 30 15 - 40	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 STOT SE 3, H335
			Aquatic Acute 1, H400

<sup>\*</sup>More than one of the ranges of concentration prescribed by Controlled Products Regulations has been used where necessary, due to varying composition.

Full text of H-phrases: see section 16

## Mixture

Not applicable

## **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

General: IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Using proper respiratory protection, immediately move the exposed person to fresh air. Keep at rest and in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Seek immediate medical advice. Symptoms may be delayed.

Revision Date: 05/14/14 EN (English US) SDS#: CHE-5042S 2/8

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Skin Contact:** Remove/Take off immediately all contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Seek medical attention immediately if exposure is severe. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse. Do not apply salves or ointments to the affected area.

**Eye Contact:** Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## Most Important Symptoms and Effects Both Acute and Delayed

General: Harmful if swallowed. Corrosive. Causes burns.

**Inhalation:** Contact may cause immediate severe irritation progressing quickly to chemical burns. Danger of serious damage to health by prolonged exposure through inhalation. May cause pulmonary edema. Symptoms may be delayed.

Skin Contact: Contact may cause immediate severe irritation progressing quickly to chemical burns.

Eye Contact: Contact may cause immediate severe irritation progressing quickly to chemical burns. Can cause blindness.

**Ingestion:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in serious health hazard.

**Chronic Symptoms:** Repeated or prolonged inhalation may damage lungs. Prolonged and repeated contact will eventually cause permanent tissue damage. Repeated or prolonged exposure may damage kidneys.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand. Acute respiratory effects, including pulmony edema, may be delayed. Pneumonitis should be anticipated after inhalation or ingestion. If severe exposure is suspected, observe for 48-72 hours for delayed pulmonary edema.

## **SECTION 5: FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

Suitable Extinguishing Media: Water spray.
Unsuitable Extinguishing Media: Not available

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not flammable. Under conditions of fire this material may produce: Nitrogen oxides. Nitrogen. Ammonia.

Explosion Hazard: Ammonia vapor concentrations between 16% and 25% can explode on contact with an ignition source.

**Reactivity:** Ammonium hydroxide reacts with many heavy metals and their salts forming explosive compounds. It attacks many metals forming flammable/explosive gas. The solution in water is a strong base, it reacts violently with acids.

#### **Advice for Firefighters**

Precautionary Measures Fire: Not available

**Firefighting Instructions:** Keep upwind. Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Firefighters must use full bunker gear including NIOSH-approved positive-pressure self-contained

breathing apparatus to protect against potential hazardous combustion and decomposition products.

Hazardous Combustion Products: Not available

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

**Reference to Other Sections** 

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures Not available

#### For Non-Emergency Personnel

**Protective Equipment:** Use recommended respiratory protection. Wear suitable protective clothing, gloves and eye/face protection. **Emergency Procedures:** Stop leak if safe to do so. Eliminate ignition sources. Evacuate unnecessary personnel. Ventilate area. Keep upwind.

#### **For Emergency Personnel**

**Protective Equipment:** Use recommended respiratory protection. Wear suitable protective clothing, gloves and eye/face protection. **Emergency Procedures:** Stop leak if safe to do so. Eliminate ignition sources. Evacuate unnecessary personnel. Ventilate area.

#### **Environmental Precautions**

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

### Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Revision Date: 05/14/14 EN (English US) SDS#: CHE-5042S 3/8

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Methods for Cleaning Up:** Eliminate all ignition sources. Ventilate area. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Collect absorbed material and place into a sealed, labelled container for proper disposal. Practice good housekeeping - spillage can be slippery on smooth surface either wet or dry.

#### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

#### **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Wash contaminated clothing before reuse.

## **Conditions for Safe Storage, Including Any Incompatibilities**

Storage Conditions: Detached outside storage is preferable. Store away from oxygen and oxidizers.

**Storage Area:** Store in dry, cool area. Store in a well-ventilated place. Keep away from combustible materials. Keep away from sources of ignition - No smoking. Protect from high temperatures.

### Specific End Use(s)

Fertilizer; extracting metals from their ores; manufacturing of plastics, fibres, resins, explosives, detergents, pesticides, pharmaceuticals, ammonium compounds, and other chemicals.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

#### **Exposure Controls**

**Appropriate Engineering Controls:** Provide sufficient ventilation to keep ammonia vapors below the permissible exposure limit. Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Face shield. Protective clothing. Gloves. Insufficient ventilation: wear respiratory protection.

Materials for Protective Clothing: Not available

Hand Protection: Impermeable protective gloves.

Eye Protection: Face shield.

Skin and Body Protection: Wear suitable protective clothing. Chemical resistant suit. Rubber apron, boots.

**Respiratory Protection:** For exposures at or below 300 ppm use a NIOSH-approved, full-face, negative-pressure respirator fitted with ammonia vapor cartridges. For exposure concentrations above 300 ppm, use a full-face, positive-pressure, self-contained breathing apparatus.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on Basic Physical and Chemical Properties**

Physical State: LiquidAppearance: ClearOdor: Ammonia

 Odor Threshold
 : 0.043 - 5 ppm @ 30% (w/w).

 pH
 : 13 @ 10%/ 11.6 @ 1N.

**Relative Evaporation Rate (butylacetate=1)** : Not available **Melting Point** : Not applicable

Freezing Point : -72.4°C (-98.3°F) @ 30% (w/w).

-73°C (-100°F) @ 10 - 35% (w/w). -77°C (-107°F) @ 27 - 30% (w/w).

**Boiling Point** : 27.2°C (81°F) @ 30% (w/w).

38°C (100°F) @ 10 - 35% (w/w).

Flash Point: Not availableAuto-ignition Temperature: Not availableDecomposition Temperature: Not availableFlammability (solid, gas): Not applicableLower Flammable Limit: Not available

Revision Date: 05/14/14 EN (English US) SDS#: CHE-5042S 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Upper Flammable Limit : Not available

Vapor Pressure : 63.3 kPa (475 mm Hg) (at 20°C) @ 30% (w/w).

48 kPa (360 mm Hg) (at 20°C) @ 10 - 35% (w/w).

Relative Vapor Density at 20 °C : 0.618 @ 15°C (59°F) (Air=1) @ 30% (w/w).

0.6 - 1,2 (Air = 1) @ 10 - 35% (w/w). 0.59 (Air = 1) @ 27 - 30% (w/w).

**Relative Density** : 0.895 (Water = 1) @ 30% (w/w).

1.9 @ 10 - 35% (w/w). 0.9 @ 27 - 30% (w/w). 0.898 @ 28% (w/w). 0.8974 @ 29.4% (w/w).

 Specific Gravity
 : 0.895 g/cm³

 Solubility
 : Water: Miscible

 Partition coefficient: n-octanol/water
 : Not available

 Viscosity
 : Not available

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact.

Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge.

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Ammonium hydroxide reacts with many heavy metals and their salts forming explosive compounds. It attacks many metals forming flammable/explosive gas. The solution in water is a strong base, it reacts violently with acids.

**Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Keep away from heat. Avoid ignition sources.

Incompatible Materials: Oxidizers. Avoid contact with: halogens (F, Cl, Br, I), gold, silver, mercury, hypochlorites, copper and its

alloys, aluminum alloys, galvanized surfaces. May form shock sensitive compounds that may explode when dry.

Hazardous Decomposition Products: Under conditions of fire this material may produce: Ammonia. Nitrogen oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects - Product

Acute Toxicity: Harmful if swallowed. LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

pH: 13 @ 10%/ 11.6 @ 1N.

**Serious Eye Damage/Irritation:** Causes serious eye damage.

pH: 13 @ 10%/ 11.6 @ 1N.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

**Teratogenicity:** Not available **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Contact may cause immediate severe irritation progressing quickly to chemical burns. Danger of serious damage to health by prolonged exposure through inhalation. May cause pulmonary edema. Symptoms may be delayed. Symptoms/Injuries After Skin Contact: Contact may cause immediate severe irritation progressing quickly to chemical burns. Symptoms/Injuries After Eye Contact: Contact may cause immediate severe irritation progressing quickly to chemical burns. Can cause blindness.

**Symptoms/Injuries After Ingestion:** May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in serious health hazard.

Revision Date: 05/14/14 EN (English US) SDS#: CHE-5042S 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Chronic Symptoms:** Repeated or prolonged inhalation may damage lungs. Prolonged and repeated contact will eventually cause permanent tissue damage. Repeated or prolonged exposure may damage kidneys.

## Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

Ammonium hydroxide (1336-21-6)		
LD50 Oral Rat	350 mg/kg	
Water (7732-18-5)		
LD50 Oral Rat	> 90000 mg/kg	

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **Toxicity** Not classified

Ammonium hydroxide (1336-21-6)		
LC50 Fish 1	8.2 mg/l (Exposure time: 96 h - Species: Pimephales promelas)	
EC50 Daphnia 1	0.66 mg/l (Exposure time: 48 h - Species: water flea)	
EC50 Daphnia 2	0.66 mg/l (Exposure time: 48 h - Species: Daphnia pulex)	

#### **Persistence and Degradability**

Aqua Ammonia (1336-21-6)	
Persistence and Degradability	Product is biodegradable.

## **Bioaccumulative Potential**

Aqua Ammonia (1336-21-6)	
Bioaccumulative Potential	Not expected to bioaccumulate.

Mobility in Soil Not available

**Other Adverse Effects** Not available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways. **Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

## **SECTION 14: TRANSPORT INFORMATION**

14.1 In Accordance with DOT

Proper Shipping Name : AMMONIA SOLUTIONS, relative density between 0.880 and 0.957 at 15 degrees C in water, with

more than 10 percent but not more than 35 percent ammonia

Hazard Class : 8

**Identification Number** : UN2672

Label Codes : 8
Packing Group : III
ERG Number : 125

**Additional Information** : Ammonium hydroxide is not listed as a marine pollutant by DOT.

14.2 In Accordance with IMDG

Proper Shipping Name : AMMONIA SOLUTION, relative density between 0.880 and 0.957 at 15 degrees C in water, with

more than 10 percent but not more than 35 percent ammonia

Hazard Class : 8

Identification Number: UN2672Packing Group: IIILabel Codes: 8EmS-No. (Fire): F-AEmS-No. (Spillage): S-B

**Additional Information** : Ammonium hydroxide is not listed as a marine pollutant by IMDG.

14.3 In Accordance with IATA

Proper Shipping Name : AMMONIA SOLUTION

Revision Date: 05/14/14 EN (English US) SDS#: CHE-5042S 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing Group : III

Identification Number : UN2672

Hazard Class : 8 Label Codes : 8 ERG Code (IATA) : 8L

14.4 In Accordance with TDG

Proper Shipping Name : AMMONIA SOLUTION, relative density between 0.880 and 0.957 at 15 °C in water, with more than

10 per cent but not more than 35 per cent ammonia

Packing Group : III
Hazard Class : 8

Identification Number: UN2672Label Codes: 8

**Additional Information** : Ammonium hydroxide is not listed as a marine pollutant by TDG.



## **SECTION 15: REGULATORY INFORMATION**

## **US Federal Regulations**

Aqua Ammonia (1336-21-6)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

#### Ammonium hydroxide (1336-21-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### **US State Regulations**

### Ammonium hydroxide (1336-21-6)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

#### **Canadian Regulations**

#### Aqua Ammonia (1336-21-6)

WHMIS Classification Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects

Class E - Corrosive Material





#### Ammonium hydroxide (1336-21-6)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

WHMIS Classification Class E - Corrosive Material

Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects

## Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 05/14/14

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

Revision Date: 05/14/14 EN (English US) SDS#: CHE-5042S 7/8

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

#### Party Responsible for the Preparation of This Document

CHEMTRADE LOGISTICS, INC. For MSDS Info: (416) 496-5856

Handle product with due care and avoid unnecessary contact. This information is supplied under U.S. OSHA'S "Right to Know" (29 CFR 1910.1200) and Canada's WHMIS regulations. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The information contained herein is based on data available to us and is believed to be true and accurate but it is not offered as a product specification. No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof, is made and Chemtrade and its affiliates assume no responsibility. Chemtrade is a member of the CIAC (Chemistry Industry Association of Canada) and adheres to the codes and principles of Responsible Care $^{TM}$ .



North America GHS US 2012 & WHMIS 2

Revision Date: 05/14/14 EN (English US) SDS#: CHE-5042S 8/8