

 Product name:
 CALDOFIX-2 HARDENER
 Page:
 1/9

 Revision Date:
 2016-12-01
 Print date:
 2016-12-01

 Document No.:
 M0169
 SDS-ID:
 GB-EN/11.1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: CALDOFIX-2 HARDENER

Cat. No.40200086, 40200084

<u>CAS-No.:</u> 1761-71-3 <u>EC No.:</u> 217-168-8

REACH Reg. No: 01-2119541673-38-xxxx

Container size: 300ml; 500ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: For embedding and impregnation of materialographic specimens (*)

1.3. Details of the supplier of the safety data sheet

Supplier: Struers ApS

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for safety data Responsible for safety data sheet authoring: DHI

sheet authoring:

Any questions to the contents of this safety data sheet should be sent to:

struers@struers.dk

1.4. Emergency telephone number

Emergency telephone: NHS Direct: 0845 46 47 (England or Wales)

NHS 24: 08454 24 24 24 (Scotland) (*)

+45 44 600 800

(Only during office hours)

 Product name:
 CALDOFIX-2 HARDENER
 Page:
 2/9

 Revision Date:
 2016-12-01
 Print date:
 2016-12-01

 Document No.:
 M0169
 SDS-ID:
 GB-EN/11.1

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

<u>CLP:</u> Acute Tox. 4;H302 - Skin Corr. 1B;H314 - Eye Dam. 1;H318 - Skin Sens. 1;H317

- STOT RE 2;H373 - Aquatic Chronic 2;H411

2.2. Label elements



Danger

<u>Contains:</u> 4,4'-Methylenebis(cyclohexylamine)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

Vapours are corrosive. After 24-36 hours, injured persons may develop serious shortness of breath and lung oedema.

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

The product contains: amine compound

Product name:CALDOFIX-2 HARDENERPage:3/9Revision Date:2016-12-01Print date:2016-12-01Document No.:M0169SDS-ID:GB-EN/11.1

CLP:

<u>%: CAS-No.: EC No.: REACH Reg. Chemical name: Hazard classification: Notes:</u>

No:

100 1761-71-3 217-168-8 01-2119541673- 4,4'-Methylenebis Acute Tox. 4;H302

38-xxxx (cyclohexylamine) Skin Corr. 1B;H314

Eye Dam. 1;H318 Skin Sens. 1;H317 STOT RE 2;H373 Aquatic Chronic 2;H411

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move injured person into fresh air immediately. Call an ambulance. Be aware that

symptoms of lung oedema (shortness of breath) may develop up to 24 hours

after exposure. Bring these instructions.

Skin contact: Flush immediately with plenty of water and remove contaminated clothing. Call

an ambulance, continue to rinse during transportation to hospital and bring these

instructions.

Eye contact: Immediately flush with plenty of water. Remove any contact lenses and open

eyes wide apart. Call an ambulance and continue flushing during transportation

to hospital. Bring these instructions.

<u>Ingestion:</u> Immediately rinse mouth and drink plenty of water or milk. Keep person under

observation. Do not induce vomiting. If vomiting occurs, keep head low.

Transport immediately to hospital and bring along these instructions.

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire- Use air-supplied respirator, gloves and protective goggles.

fighters:

Product name:CALDOFIX-2 HARDENERPage:4/9Revision Date:2016-12-01Print date:2016-12-01Document No.:M0169SDS-ID:GB-EN/11.1

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

<u>Environmental</u> Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Dam and absorb spillages with sand, earth or other non-combustible material.

6.4. Reference to other sections

<u>References:</u> For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of vapours and contact with skin and eyes. Observe good

chemical hygiene practices.

<u>Technical measures:</u> Wash hands before breaks and before smoking, eating or drinking.

<u>Technical precautions:</u> Local exhaust is recommended. First-aid equipment, including eye wash bottle,

must be available at the work site.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe No special precautions.

storage:

Storage conditions: Store in tightly closed original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific use(s): Not relevant.

Product name:CALDOFIX-2 HARDENERPage:5/9Revision Date:2016-12-01Print date:2016-12-01Document No.:M0169SDS-ID:GB-EN/11.1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

Engineering measures: Local exhaust is recommended. Mix and prepare in a place with efficient

exhaust ventilation. An eye wash bottle must be available at the work site. Provide access to washing facilities including soap, skin cleanser and fatty

cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable

respiratory equipment. Use respiratory equipment with gas filter, type A2.

<u>Hand protection:</u> Wear protective gloves. Butyl rubber gloves are recommended, but be aware

that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier,

who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

<u>Skin protection:</u> Wear apron or protective clothing in case of splashes.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work. When using do not eat, drink or smoke.

Environmental Exposure

Controls:

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: colourless liquid

Odour: ammonia

<u>pH:</u> 12

Boiling point: 320°C
Flash point: > 100°C

Explosive limits Not available.

Vapour pressure: <0,1 mmHg (21°C)

Relative density: 0.96

Solubility: insoluble in water

9.2. Other information

Other data: Volatile Organic Compound (VOC): 0 g/l

Product name:CALDOFIX-2 HARDENERPage:6/9Revision Date:2016-12-01Print date:2016-12-01Document No.:M0169SDS-ID:GB-EN/11.1

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reacts violently with strong oxidising substances.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Strong oxidising substances. Acids and metals (e.g. aluminium and zinc).

10.5. Incompatible materials

Incompatible materials: None known.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> When heated, toxic and corrosive vapours/gases may be formed.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral): Harmful if swallowed.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes severe burns.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin

May cause an allergic skin reaction.

sensitisation:

<u>Germ cell mutagenicity:</u>

<u>Carcinogenicity:</u>

Based on available data, the classification criteria are not met.

<u>Reproductive Toxicity:</u>

Based on available data, the classification criteria are not met.

<u>STOT - Single exposure:</u>

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT - Repeated exposure: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Vapours are corrosive. After 24-36 hours, injured persons may develop serious

shortness of breath and lung oedema.

Ingestion: Strongly corrosive. Even small amounts may be fatal. Symptoms are severe

burning pains in mouth, throat and stomach.

Specific effects: None known.

Toxicological data: LD50 (Oral, Rat): 625 mg/kg

LD50 (Dermal, Rabbit): 2110 mg/kg

Product name:CALDOFIX-2 HARDENERPage:7/9Revision Date:2016-12-01Print date:2016-12-01Document No.:M0169SDS-ID:GB-EN/11.1

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> Toxic to aquatic life with long lasting effects.

LC50 96 hours, fish, mg/l(Leuciscus idus): 46 - 100

EC50 48 hours, Daphnia, mg/l(Magna): 6,84

12.2. Persistence and degradability

<u>Degradability:</u> The product is slowly degradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 08

Product name:CALDOFIX-2 HARDENERPage:8/9Revision Date:2016-12-01Print date:2016-12-01Document No.:M0169SDS-ID:GB-EN/11.1

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

<u>UN-No:</u> 2735

14.2. UN proper shipping name

Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Methylenebiscyclohexanamine)

Additional IMDG information:

EmS: F-A, S-B MFAG: 1

Segregation Group: Alkali

14.3. Transport hazard class(es)

Class: 8

14.4. Packing group

PG:

14.5. Environmental hazards

Marine pollutant: Yes.
Environmentally Hazardous Yes.

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with

this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of

16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006 with amendments.

Statutory Instruments 2008 No. 2852 - The REACH Enforcement Regulations

2008.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

The Management of Health and Safety at Work Regulations 1999 (SI 1999 No.

3242), with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: Not relevant.

 Product name:
 CALDOFIX-2 HARDENER
 Page:
 9/9

 Revision Date:
 2016-12-01
 Print date:
 2016-12-01

 Document No.:
 M0169
 SDS-ID:
 GB-EN/11.1

SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.

The following sections contain revisions or new statements: 1.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of R-phrases/H-

statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.