

Product name: REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUE Page: 1/7

Revision Date: Print date: 2016-12-09 2016-12-09 Document No.: M0178 SDS-ID: GB-EN/6.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUE Product name:

Cat. No. 40900084, 40900086

Yellow/Blue: 250 g Container size:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Replication system for materialographic surfaces.

1.3. Details of the supplier of the safety data sheet

Supplier: Struers ApS

> Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for safety data Responsible for safety data sheet authoring: DHI

sheet authoring: Any questions to the contents of this safety data sheet should be sent to:

struers@struers.dk

1.4. Emergency telephone number

Emergency telephone: NHS Direct: 0845 46 47 (England or Wales)

NHS 24: 08454 24 24 24 (Scotland) (*)

+45 44 600 800

(Only during office hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is not classified.

2.2. Label elements

The substance/mixture does not meet the criteria for classification and labelling.

2.3. Other hazards

May cause minor irritation on skin contact. May cause minor irritation on eye contact.

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: Organopolysiloxane mixture.

CLP:

%: CAS-No.: EC No.: REACH Reg. Chemical name: Hazard classification: Notes:

No:

70 14808-60-7 238-878-4 Quartz

Product name:REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUEPage:2/7Revision Date:2016-12-09Print date:2016-12-09Document No.:M0178SDS-ID:GB-EN/6.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Not likely, due to the form of the product.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring along these instructions.

<u>Ingestion:</u> Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards: Not known.

5.3. Advice for firefighters

Protective equipment for fire-Selection of respiratory protection for fire fighting: follow the general fire

<u>fighters:</u> precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes. Avoid inhalation of dust.

6.2. Environmental precautions

<u>Environmental</u> Avoid discharge into water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Scrape up spillage or absorb with absorbing material.

6.4. Reference to other sections

<u>References:</u> For personal protection, see section 8. For waste disposal, see section 13.

Product name:REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUEPage:3/7Revision Date:2016-12-09Print date:2016-12-09Document No.:M0178SDS-ID:GB-EN/6.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of dust and contact with skin and eyes. Observe good chemical

hygiene practices.

<u>Technical measures:</u> Work practice should minimise contact. Use work methods which minimise dust

production.

<u>Technical precautions:</u> Local exhaust is recommended.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container. Store at room temperature.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

<u>CAS-No.:</u> <u>Chemical name:</u> <u>As:</u> <u>Exposure limits:</u> <u>Type:</u> <u>Notes:</u> <u>References:</u>

14808-60-7 Silica crystalline, - 0.1 mg/m3 TWA - EH40

respirable

8.2. Exposure controls

Engineering measures: Dust-raising handling: Provide adequate ventilation. Observe occupational

exposure limits and minimise the risk of inhalation of dust.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of dust, use suitable

respiratory equipment with particle filter (type P2).

<u>Hand protection:</u> Risk of contact: Wear protective gloves.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: No special precautions.

<u>Hygiene measures:</u> Wash hands after handling. When using do not eat, drink or smoke. Personal

protection may not be worn during meal breaks. Personal protection must be

kept separate from other clothes.

Environmental Exposure

Controls:

Not available.

Product name:REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUEPage:4/7Revision Date:2016-12-09Print date:2016-12-09Document No.:M0178SDS-ID:GB-EN/6.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: yellow paste

blue paste

Odour:slight odourpH:Not available.Boiling point:Not available.

Flash point: >150°C

Explosive limits Not available.

Relative density: 1,8 (25°C)

Solubility: insoluble in water

9.2. Other information

Other data: Volatile Organic Compound (VOC): 0 g/l

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Yellow:Unstable.

Blue:Stable.

Curing time:

REPLIFIX-2: 10 min. (25°C/77°F) REPLIFIX-20: 60 min. (25°C/77°F)

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Strong acids and strong bases. Oxidizing agents.

10.5. Incompatible materials

<u>Incompatible materials:</u> None known.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None known.

products:

Product name: REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUE Page: 5/7 Revision Date: 2016-12-09 2016-12-09 Print date: Document No.: M0178 SDS-ID: GB-EN/6.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met. Acute Toxicity (Dermal): Based on available data, the classification criteria are not met. Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met. Skin Corrosion/Irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory or skin

Based on available data, the classification criteria are not met.

sensitisation:

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive Toxicity: Based on available data, the classification criteria are not met. STOT - Single exposure: Based on available data, the classification criteria are not met. STOT - Repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

Dust-raising handling: Dust may irritate throat and respiratory system and cause Inhalation:

coughing.

Prolonged contact may cause redness and irritation. Skin contact:

May cause temporary eye irritation. Eye contact:

No harmful effects expected in amounts likely to be ingested by accident. Ingestion:

Specific effects: None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

Degradability: The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

Product name:REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUEPage:6/7Revision Date:2016-12-09Print date:2016-12-09Document No.:M0178SDS-ID:GB-EN/6.0

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Waste from residues: EWC-code: 16 05 09

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

<u>UN-No:</u>

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

<u>Class:</u> -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

Product name:REPLIFIX-2 & REPLIFIX-20, YELLOW AND BLUEPage:7/7Revision Date:2016-12-09Print date:2016-12-09Document No.:M0178SDS-ID:GB-EN/6.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: Not relevant.

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1. -

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Additional information:

Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Allan Vorup

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.