

 Product name:
 VIAFIX LIQUID
 Page:
 1/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: VIAFIX LIQUID

Cat. No. 40200069, 40200067

Container size: 500 ml, 1 l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: For embedding and impregnation of materialographic specimens

1.3. Details of the supplier of the safety data sheet

Supplier: Struers ApS

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for safety data Responsible for safety data sheet authoring: DHI

sheet authoring: Any questions to the contents of this safety data sheet should be sent to:

struers@struers.dk

1.4. Emergency telephone number

Emergency telephone: NHS Direct: 0845 46 47 (England or Wales)

NHS 24: 08454 24 24 24 (Scotland) (*)

+45 44 600 800

(Only during office hours)

 Product name:
 VIAFIX LIQUID
 Page:
 2/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: Flam. Liq. 3;H226

Skin Irrit. 2;H315 Eye Irrit. 2;H319 Skin Sens. 1;H317 STOT SE 3;H335 Aquatic Acute 1;H400 Aquatic Chronic 2;H411

2.2. Label elements



Warning

Contains: Isobutyl methacrylate

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective clothing, gloves, eye and face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures.

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: acrylates and additives.

 Product name:
 VIAFIX LIQUID
 Page:
 3/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	97-86-9	202-613-0	-	Isobutyl methacrylate	Flam. Liq. 3;H226 Eye Irrit. 2;H319 STOT SE 3;H335 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Acute 1;H400	D
10-30	3290-92-4	221-950-4	-	1,1,1-Trimethylolpropan- trimethacrylate	Aquatic Chronic 2;H411	
1-<5	99-97-8	202-805-4	-	N,N-Dimethyl-p-toluidine	Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT RE 2;H373 Aquatic Chronic 3;H412	С

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of eczema or other skin disorders: Seek medical attention and bring

these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Continue flushing during

transport to hospital. Bring these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

 Product name:
 VIAFIX LIQUID
 Page:
 4/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog. Cool containers

exposed to heat with water spray and remove container, if no risk is involved.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> When heated and in case of fire, toxic vapours/gases may be formed.

5.3. Advice for firefighters

Protective equipment for fire- Use air-supplied respirator during fire fighting.

fighters:

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not smoke or use open fire, or other sources of ignition. Avoid inhalation of

vapours and contact with skin and eyes.

6.2. Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Remove sources of ignition. Dam and absorb spillages with sand, earth or other

non-combustible material.

6.4. Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of vapours and contact with skin and eyes. Observe good

chemical hygiene practices.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> Local exhaust is recommended.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> Follow rules for flammable liquids.

storage:

Storage conditions: Store in tightly closed original container in a well-ventilated place. Avoid contact

with oxidising agents.

7.3. Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 VIAFIX LIQUID
 Page:
 5/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

<u>Engineering measures:</u> Provide adequate ventilation. Minimize the risk of inhalation of vapours.

Provide easy access to water supply and eye wash facilities.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation: Use respiratory equipment with gas filter,

type A2.

<u>Hand protection:</u> Wear protective gloves. Laminate (PE/EVOH) gloves are recommended. Be

aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

Skin protection: Risk of contact: Wear apron or protective clothing in case of splashes.

Environmental Exposure

Controls:

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: colourless liquid

Odour: Ester.

pH: Not available.

Boiling point:155°CFlash point:43°CExplosive limits2-8 vol%

Vapour pressure: 47 hPa (20°C)

Relative density: 0,89

Solubility: insoluble in water

Partition coefficient (n- log Pow = 1,38

octanol/water):

9.2. Other information

Other data: Volatile Organic Compound (VOC): 778 g/l (calculated)

 Product name:
 VIAFIX LIQUID
 Page:
 6/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Avoid exposure to high temperatures or direct sunlight. Avoid contact with

oxidising agents.

10.5. Incompatible materials

<u>Incompatible materials:</u> None known.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> When heated and in case of fire, toxic vapours/gases may be formed.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin Ma

May cause an allergic skin reaction.

sensitisation:

<u>Germ cell mutagenicity:</u>

<u>Carcinogenicity:</u>

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

<u>STOT - Single exposure:</u> May cause respiratory irritation.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

<u>Inhalation:</u> Vapours have a narcotic effect and may cause headache, fatigue, dizziness and

nausea.

Ingestion: Irritating. May be absorbed in the body and cause dizziness, nausea and

vomiting.

<u>Specific effects:</u> Frequent inhalation of even small concentrations may cause irritability, fatigue

and memory failure and eventually permanent damage to the nervous system,

including the brain.

 Product name:
 VIAFIX LIQUID
 Page:
 7/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

<u>Degradability:</u> The product is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code:16 05 08

 Product name:
 VIAFIX LIQUID
 Page:
 8/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

<u>UN-No:</u> 1866

14.2. UN proper shipping name

Proper Shipping Name: RESIN SOLUTION, flammable (Isobutyl methacrylate)

Additional IMDG information:

EmS: F-E, S-E MFAG: 1

14.3. Transport hazard class(es)

Class: 3

14.4. Packing group

PG:

14.5. Environmental hazards

Marine pollutant: Yes.
Environmentally Hazardous Yes.

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

 Product name:
 VIAFIX LIQUID
 Page:
 9/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with

this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of

18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and

2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

The Management of Health and Safety at Work Regulations 1999 (SI 1999 No.

3242), with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: Not relevant.

 Product name:
 VIAFIX LIQUID
 Page:
 10/10

 Revision Date:
 2016-12-08
 Print date:
 2016-12-08

 Document No.:
 M0145
 SDS-ID:
 GB-EN/14.0

SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.

The following sections contain revisions or new statements: 1.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of R-phrases/H-

statements:

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.