

# **Safety Data Sheet**

Issue Date: 27-Jul-2000 Revision Date: 14-Oct-2014 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Fresh & Clean Liquid Deodorant

Other means of identification

SDS # CARROLL-163

Product Code 793 UN/ID No UN1993

Recommended use of the chemical and restrictions on use

Recommended Use Air Freshener.

Details of the supplier of the safety data sheet

**Supplier Address** 

Carroll Co.

2900 W. Kingsley Road Garland, TX 75041

**Emergency Telephone Number** 

Company Phone Number 1-800-527-5722

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Light red liquid Physical State Liquid Odor Fresh & clean

# Classification

Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 3

# Signal Word Warning

# **Hazard Statements**

Causes serious eye irritation Flammable liquid and vapor



Revision Date: 14-Oct-2014

### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment Use only non-sparking tools

Take precautionary measures against static discharge

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse If skin irritation persists: Get medical advice/attention

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	15-20
Trade Secret	Proprietary	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

### **First Aid Measures**

**Eye Contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash

it before reuse. If irritation persists, seek medical attention.

Inhalation Remove to fresh air. Get medical attention if symptoms occur.

Ingestion Give large quantities of water. Do not induce vomiting. Get medical attention.

### Most important symptoms and effects

**Symptoms** Causes eye irritation. Prolonged or repeated skin contact may cause irritation. May be

irritating to the mouth, throat and stomach.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable Extinguishing Media Not determined.

# **Specific Hazards Arising from the Chemical**

Flammable liquid and vapor.

**Sensitivity to Static Discharge** Take precautionary measures against static discharge.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protection recommended in Section 8.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Revision Date: 14-Oct-2014

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Flood area with water and then mop up. Dispose of in accordance with federal, state and

local regulations.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Do not destroy or deface the label.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store

containers upright.

**Incompatible Materials**None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 14-Oct-2014

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	_
Trade Secret	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	_

### **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Goggles.

**Skin and Body Protection** Wear suitable protective clothing.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical StateLiquidAppearanceLight red liquidOdorFresh & cleanColorLight redOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 6.0

Melting Point/Freezing Point

Not applicable

Boiling Point/Boiling Range

Not determined

Flash Point 35 °C / 95 °F Pensky-Martens Closed Cup (PMCC)

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density

Not determined
Not applicable
Not applicable
Not determined

Specific Gravity 0.98 (Water = 1)

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined Kinematic Viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

Revision Date: 14-Oct-2014

### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to Avoid**

Keep out of reach of children.

# **Incompatible Materials**

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Do not ingest.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870	= 72.6 mg/L (Rat) 4 h
67-63-0		mg/kg (Rabbit)	
Trade Secret	= 20000 mg/kg ( Rat )	= 20800 mg/kg ( Rabbit )	-
Trade Secret	= 15000 mg/kg ( Rat )	= 22460 mg/kg ( Rabbit )	-
Trade Secret	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Trade Secret	= 426 mg/kg (Rat)	-	-

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Carcinogenicity

The ingredient in this product is only classified as a carcinogen when consumed as an alcoholic beverage in long-term studies.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		X
Trade Secret	A3	Group 1	Known	X

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Presen

# **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	microorganisms	13299: 48 h Daphnia magna mg/L EC50
Trade Secret	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50		10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
Trade Secret		56200 - 63700: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static 61000: 96 h Lepomis macrochirus mg/L LC50 flow-through		42426: 48 h Daphnia magna mg/L EC50

Trade Secret

12.0 - 16.0: 96 h
Oncorhynchus mykiss mL/L
LC50 static 100: 96 h
Pimephales promelas mg/L
LC50 static 13400 - 15100:
96 h Pimephales promelas mg/L LC50 flow-through

12.0 - 16.0: 96 h
EC50 = 34634 mg/L 30 min magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Revision Date: 14-Oct-2014

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

### **Mobility**

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Trade Secret	-0.32

### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	
Trade Secret	Toxic	
	Ignitable	

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN1993

Proper Shipping Name Flammable liquids, n.o.s. (isopropanol)

Hazard Class 3
Packing Group III

**IATA** 

UN1993

**Proper Shipping Name** Flammable liquid, n.o.s. (isopropanol)

Hazard Class 3
Packing Group III

PC 793 - Fresh & Clean Liquid Deodorant

Revision Date: 14-Oct-2014

**IMDG** 

UN/ID No UN1993

Proper Shipping Name Flammable liquid, n.o.s. (isopropanol)

Hazard Class 3
Packing Group III

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

# US Federal Regulations

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	15-20	1.0

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	X
Trade Secret	X		X
Trade Secret			X
Trade Secret	X	X	X

Revision Date: 14-Oct-2014

# **16. OTHER INFORMATION**

NFPAHealth Hazards<br/>Not determinedFlammability<br/>Not determinedInstability<br/>Not determinedSpecial Hazards<br/>Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection230A = Goggles

Issue Date:27-Jul-2000Revision Date:14-Oct-2014Revision Note:New format

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**