Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: DuraTray II Powder Green

Company Identification:

Reliance Dental Mfg., Co. 5805 W. 117th Place P.O. Box 38 Worth, IL 60482

For Product Information, call: 708-597-6694 For Medical Information, call: 800-535-5053

Section 2 - Composition, Information on Ingredients

FOR POLYMER:

| Item | Chemical Name | CAS # | WT/WT% |
|------|---------------------------------------|-----------|------------|
| 01 | Particulates Not Otherwise Classified | NE | 60.0-100.0 |
| 02 | Residual Monomers | NA | 0.5-50 |
| 03 | Calcium Carbonate (CI 77220) | 1317-65-3 | 30.0-60.0 |
| 04 | Synthetic Organic Colorant | NE | 0.5-1.5 |

| | ACGIH | | OSH | | | | |
|------|----------|----------|------------------|-------------|----------------|------|--|
| ITEM | TLV-TWA | TLV-STEL | PEL TWA | PEL CEILING | Recommendation | SKIN | |
| 01 | 10 mg/m₃ | NE | 15 mg/m ₃ | NE | NE | NE | |
| 02 | NA | NA | NA | NA | NA | NA | |
| | | | , | — | | | |

15 mg/m₃ 03 10 mg/m₃ ΝE ΝE 10 mg/m₃ NE ΝE NE NE ΝE 04 NE NE

FOR DECOMPOSITION PRODUCTS:

| Item | Chemical Name | CAS # | WT/WT% |
|------|-----------------------------|----------|-----------|
| 05 | Methyl Methacrylate Monomer | 80-62-6 | 40.0-70.0 |
| 06 | Ethyl Acrylate Monomer | 140-88-5 | 5.0-10.0 |

ACGIH **OSHA Company**

PEL TWA TLV-TWA TLV-STEL PEL CEILING Recommendation **SKIN** ITEM 100 ppm NE 100 ppm NE 100 ppm NE 05 5 ppm skin 25 ppm skin 5 ppm skin 06 25 ppm ΝE 5 ppm skin

Section 3 - Hazards Identification

EMERGENCY OVERVIEW:

WARNING:

For Polymer: OSHA classifies this material as Particulates, Not Otherwise Classified.

May be irritating to the eyes by gross overexposure, no matter how generated. Eyes:

Symptoms of overexposure may include redness, itching, irritation, burning pain

and watering. Keep dust out of eyes.

Respiratory Tract: May be irritated by gross overexposure, no matter how generated.

> Skin: May be irritated by gross overexposure, no matter how generated. May cause

> > dryness.

For Calcium Carbonate:

Eves: May cause mild irritation including watering.

If the quantity is large, it may cause intestinal obstruction and/or constipation. Ingestion:

Respiratory Tract: Can be irritating, with symptoms including sneezing and nasal irritation.

For Synthetic Organic Colorant:

Acute Hazards:

Eyes: May cause slight irritation.

Section 3 - Hazards Identification Continued

Skin: May cause slight Irritation.

Chronic Hazards:

Skin: Long term exposure may result in dermatitis for sensitive individuals.

Inhalation: Respiratory allergies and diseases may be aggravated by extreme exposures.

For Decomposition Products: Methyl Methacrylate Monomer:

Acute Hazards:

Eyes: May irritate. Respiratory Tract: May irritate.

Skin: May cause rashes.

Symptoms: Headaches, nausea, staggering gait, confusion, drowsiness and

unconsciousness.

Chronic Hazards:

Eyes: May cause eye corrosion and permanent injury.

Liver and Kidneys: May cause changes in liver and kidney function or damage.

Nervous System: Repeated and prolonged over exposure may cause permanent damage.

Skin: May cause allergic skin rashes.

For Ethyl Acrylate Monomer:

Acute Hazards: Eyes: Causes severe irritation or chemical burns. Permanent damage if not treated

promptly.

Ingestion: Causes severe gastrointestinal irritation and lethargy.

Inhalation: High concentrations of vapors or mists may cause headaches, nausea or severe

irritation to the mucous membranes and the respiratory tract. Also causes

cyanosis. Possibly fatal in high concentrations.

Skin: Can be absorbed through the skin in harmful amounts. Causes severe irritations

or chemical burns. Permanent damage if not treated promptly.

Chronic Hazards:

Inhalation: Prolonged or repeated exposure can cause drowsiness, headache and nausea.

Repeated exposure may cause liver and kidney damage.

Skin: May cause skin sensitization to acrylic monomers.

CARCINOGENICITY: Ethyl Acrylate is listed as a suspected human carcinogen by IARC, NTP, and

ACGIH based on animal studies. NIOSH lists Ethyl Acrylate as a carcinogen without comment. Calcium Carbonate contains crystalline silica as a minor impurity. Crystalline silica is listed by IARC as a pulmonary carcinogen in humans. None of the other components of this material are listed by IARC NIT.

humans. None of the other components of this material are listed by IARC, NTP,

OSHA, or ACGIH as carcinogens.

PRIMARY ROUTES OF ENTRY: Inhalation, Skin or Eyes.

Section 4 - First Aid Measures

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Flush with water for 15 minutes, including under eyelids. Get medical help if

discomfort persists.

INGESTION: Rinse mouth out with water. Call doctor if amount was large. INHALATION: Remove to fresh air. Get medical help if discomfort persists.

SKIN: Wash with soap and water. Get medical help if discomfort persists.

CLOTHING: Remove contaminated clothing, wash thoroughly before reuse.

TREATMENT: Treat symptoms conventionally, after thorough decontamination.

Section 5 - Fire Fighting Measures

FLASH POINT: STANDARD STREET304 °C, 580 °F

LOWER: NA

UPPER: NA

AUTOIGNITION TEMPERATURE: NE

EXTINGUISHER METHOD: Water, carbon dioxide, dry chemical.

FIRE AND EXPLOSION HAZARDS: Polymer dust is combustible. The explosive limits of the polymer particles

suspended in air are approximately those of coal dust.

SPECIAL FIRE FIGHTING PROCEDURES: Avoid extinguishing methods, which may generate dust clouds. Water

stream can disperse dust into air producing a fire hazard and possible

explosion hazard if exposed to ignition source.

EXPLOSION HAZARD: Firefighters should wear self-contained breathing apparatus.

SENSITIVE TO MECHANICAL IMPACT: No. SENSITIVE TO STATIC DISCHARGE: Yes

Section 6 - Accidental Release Measures

ACCIDENTAL RELEASE: Isolate hazard area and deny entry to unnecessary or un protected

personnel. Sweep up to avoid slipping hazard. Keep airborne

particulates at a minimum when cleaning up spills.

Section 7 - Handling and Storage

PRECAUTIONS FOR HANDLING: Use in well ventilated areas. Avoid contact with skin, eyes and clothing.

Avoid breathing dust. Use good personal hygiene and housekeeping.

PRECAUTIONS FOR STORAGE:

Store containers in a cool, dry place away from incompatible materials.

Keep container closed to prevent water absorption and contamination.

INDUSTRIAL HYGIENE PRACTICES: Wash face and hands thoroughly with soap and water after use and

before eating, drinking, smoking or applying cosmetics.

Section 8 - Exposure Controls, Personal Protection

VENTILATION:Use good local exhaust at processing equipment, including buffers,

sanders, grinders and polishers.

RESPIRATORY PROTECTION: Use type for Particulates Not Otherwise Classified, if needed.

EYE PROTECTION: Safety glasses or chemical splash goggles. **PROTECTIVE GLOVES:** Impervious, nitrile, if hot plastic is handled.

OTHER PROTECTIVE EQUIPMENT: Provide eyewash, safety shower and impervious clothing are

recommended. High temperature processing equipment should be well

ventilated

INDUSTRIAL HYGIENE PRACTICES: Wash face and hands thoroughly with soap and water after use and

before eating, drinking, smoking or applying cosmetics.

Section 9 - Physical and Chemical Properties

APPEARANCE: Fine fluorescent green powder.

ODOR: Faint odor in bulk.

 pH:
 ND

 ODOR THRESHOLD:
 ND

 BOILING POINT:
 NA

 FREEZING POINT:
 NA

 VISCOSITY:
 NA

 SPECIFIC GRAVITY (H₂O=1):
 1.25

3 of 8

Section 9 - Physical and Chemical Properties Continued

VAPOR PRESSURE:
PERCENT VOLATILE W/W%:
NA
VAPOR DENSITY (AIR=1):
VAPORATION RATE (BuAc =1):
SOLUBILITY IN WATER:
COEFFICIENT OF WATER/OIL DISTRIBUTION:
ND

Section 10 - Stability and Reactivity

CONDITIONS TO AVOID: INCOMPATIBILITY (MATERIALS TO AVOID):Heating above 240 °C, 464 °F.
Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Methacrylate Monomer and Oxides of Carbon when burned.

HAZARDOUS POLYMERIZATION: MAY OCCUR: WILL NOT OCCUR: X

STABILITY: UNSTABLE: STABLE: X

Section 11 - Toxicological Information

TARGET ORGANS:

For Polymer:

For Calcium Carbonate:

None Listed.

None Listed.

None Listed.

None Listed.

None Listed.

For Decomposition Products:

Methyl Methacrylate Monomer: Nose, Liver, Kidneys.

Ethyl Acrylate Monomer: Skin, Eyes, Respiratory System.

SENSITIVITY DATA:

For Ethyl Acrylate Monomer:

Skin Rabbit: Corrosive.

Eye Rabbit: Corrosive.

Eye Rabbit: Irritant.

Skin Human: Corrosive.

MUTAGENICITY DATA:

For Polymer: None Listed.

For Decomposition Products:

Methyl Methacrylate Monomer:

Ovary Hamster

Cytogenetic Analysis:

Inhalation Rat

Cytogenetic Analysis:

Cytogenetic Analysis:

4 mg/m³/16W.

Cymphocyte Mouse

Gene Mutation in Mammalian Cells:

Lymphocyte Mouse

Microsomal Assay:

Ovary, Hamster

Sister Chromatid Exchange:

1600 mg/L.

4 mg/m³/16W.

500 mg/L.

Ethyl Acrylate Monomer:

Lung Hamster Cytogenetic Analysis: 9800µg/L. Lymphocyte Mouse Cytogenetic Analysis: 20 mg/L. Lymphocyte Mouse Gene Mutation in Mammalian Cells: 20 mg/L. Intraperitoneal Mouse Micronucleus Test: 225 mg/kg. Lymphocyte Mouse 20 mg/L. Microsomal Assay: S. Typhimurium Microsomal Assay: 100 μg/plate.

Section 11 - Toxicological Information Continued

REPRODUCTIVE TOXICITY DATA:

For Polymer: None Listed.

For Decomposition Products:

Methyl Methacrylate Monomer:

Inhalation Rat TCLo: 109 gm/m₃/17M.

Inhalation RatTCLo:109 gm/m3/54M,6-15 days of pregnancy.Inhalation RatTCLo:54 mg/m3/24H,8 weeks of pregnancy.Inhalation RatTCLo:4480 mg/m3/2H,6-18 days of pregnancy.

Ethyl Acrylate Monomer:

Inhalation Rat TC_{Lo}: 135 ppm/6H 6-15D preg

TUMOROGENIC DATA:

For Polymer: None Listed.

TOXICITY DATA:

For Polymer: None Listed.

For Synthetic Organic Colorant:

For Decomposition Products:

Methyl Methacrylate Monomer:

Acute Oral RatLD50:7990 mg/kg.Acute Oral RatLD50:>5000 mg/kg.Acute Dermal RabbitLD50:35,500 mg/kg.Acute Dermal RabbitLD50:>5000 mg/kg.

Acute Inhalation Rat LD50: >12,500 to 16,500 ppm/0.5H. Inhalation Human TCLo: 125 ppm. Inhalation Human TCLo: 60 mg/m_3 .

Inhalation Rat LD_{50:} 7094 ppm/4H.
Epidemiology Data: In a retrospective study of the effects of exposure to ethyl acryl ate

and methyl Methacrylate on workers in one plant between 1933 and 1945, a higher-than-expected incidence of colorectal cancer mortality was observed. A study on workers hired after 11945 in the same plant, and a study on workers hired after 1942 in a second plant, did

not show an increased risk of colorectal cancer mortality.

Human Patch Test: Approximate one-third of subjects developed mild redness at the site

of application. Twenty percent showed sensitivity when tested 10

days later.

Ethyl Acrylate Monomer:

Inhalation Guinea Ping LC_{Lo}: 1204 ppm/7H. Inhalation Human TC_{Lo}: 50 ppm. Inhalation Mouse LCLo: 25 ma/m3/2H. 21870 ppm/4H. Inhalation Rat LC50: 2000 ppm/4H. LC50: Inhalation Rat LCLo: 1204 ppm/7H. Inhalation Rabbit 599 mg/kg. Intraperitoneal Mouse LD50: Intraperitoneal Rat LD50: 4550 mg/kg. Oral Mouse LD50: 1779 mg/kg. Oral Rat LD50: 800 mg/kg.

Section 11 - Toxicological Information Continued

Oral Rat LD50: 1120 mg/kg. Oral Rabbit 400 mg/kg. LD50: 1800 mg/kg. Skin Rat LDLo: Skin Rat 3976 mg/kg. LD_{Lo}: >5000 mg/kg. LD_{Lo}: Skin Rat Skin Rabbit LD50: 1834 mg/kg. 1800 mg/kg. Skin Rabbit LD50:

Section 12 - Ecological Information

AQUATIC TOXICITY:

For Polymer: None Listed.

For Decomposition Products:

Methyl Methacrylate Monomer:

Flathead Minnows TLm_{96H}: 100-1000 ppm. Gold Fish TLm₂₄H: 420 ppm. Bluegills TLm₂₄H: 368 ppm. Rainbow Trout TLm_{96H}: >79 mg/L.69 mg/L. Daphnia Magna LC50: Algae LC50: 170 mg/L.

Ethyl Acrylate Monomer:

Rainbow Trout LC50-96H: 5 mg/L. Daphnia Magna LC50-48H: 8 mg/L. Algae LC50-96H: 5 mg/L.

ECOLOGICAL TOXICITY:

For Polymer: Not Known.

For Synthetic Organic Colorant: No studies have been conducted.

ENVIRONMENTAL FATE:

For Decomposition Products:

Methyl Methacrylate Monomer: 28 Day Biodegradation Study: Ultimately biodegradable

(88% within 28 days) under

aerobic conditions.

Adsorption/Desorption: Very Highly mobile, not

absorbed to soil.

Hydrolysis: Rapidly hydrolyze at alkaline pH. Soil Metabolism: MMA is rapidly dissipated,

t½<1 day.

Ethyl Acrylate Monomer: Biodegradable: Readily hydrolyzes under

alkaline conditions.

OXYGEN DEMAND DATA:

For Ethyl Acrylate Monomer:

COD: 1.6 g/G. BOD: 0.9 g/G/5D.

Section 13 - Disposal Considerations

WASTE DISPOSAL METHOD: Dispose in landfill or incinerate according to Federal, State, and Local

regulations.

DISPOSAL OF EMPTY CONTAINERS:

Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards due to residual material, associated with empty containers. It is our policy to discourage the reuse of empty containers and to dispose of all empty containers properly in accordance with Federal,

6 of 8 DuraTray II Powder Green

Section 14 - Transport Information

DOT/UN SHIPPING NAME: SYNTHETIC GUM RESIN GRANULAR, NOIBN

DOT/UN CLASS: NA/UN NUMBER: PACKING GROUP:

LABEL:

NMFC ITEM#: 46030

SCHEDULEB: 3906.90.6000

IMDG CLASS: IMDG PG: CERCLA RQ:

For Decomposition Products

Methyl Methacrylate Monomer: 1000 lb.

Ethyl Acrylate Monomer: 1000 lbs.

Section 15 - Regulatory Information

| ITEM 03 | TSCA X | EINEC X | s | CERC | LA | CAA | CWA | RCRA | SARA 3 | 313 | MAK |
|------------------|-------------|----------------|--------------|--------|--------------|--------------|---------|----------------|--------------|--------|-----------------|
| 04 05 06 | X X X | X X | | X X | | X X | X X | U 162 U 113 | X X X | | 50 ppm 5 PPM |
| ITEM 05 06 | AUSTRALIA | CANA X X | DA | CHINA | \ | JAPAI | N | KORE | Α | PHILIF | PINE |
| ITEM 05 06 | CA65 X | FL X X | MA X X | MI | MN X X | NJ X X | NY X | PA X X | WA X X | | |

TSCA: FOR USE IN FDA REGULATED PRODUCTS ONLY

FDA: This Synthetic Organic Colorant is not listed by the FDA for use under 21 CFR since

potential applications are so numerous that specific applications must be submitted to

the FDA for inclusion in the 21 CFR listing.

CANADIAN WHMIS: This product has been classified in accordance with the hazardous criteria of the CPR

and the MSDS contains all the information required by the CPR.

RISK STATEMENTS: R36/37/38 - Irritating to eyes, respiratory system and skin.

R43 - May cause sensitization by skin contact.

SAFETY STATEMENTS: S3 - Keep in a cool place.

S7 - Keep container tightly closed.

S9 - Keep container in a well ventilated place.

S20 - When using do not eat or drink.

S37/39 - Wear suitable gloves and eye/face protection.

Section 16 - Additional Information

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS) RATING:

HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0

7 of 8

Section 16 - Additional Information Continued

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:

HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: Gloves and Safety Glasses or Chemical Splash Goggles.

NATIONAL FIRE PORTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:

HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0

ABBREVIATIONS:

NA: Not Applicable ND: Not Determined NE: Not Established ppm: parts per million G: Gallon Milligram mg: Liter Gram Mole L: mol: gm:

kg: Kilogram µ: Micro mm: Millimeter p Pico Pa: Pascals LC: Lethal Concentration LD: Lethal Dose

TC: Toxic Concentration TD: Toxic Dose BOD: Biological Oxygen Demand

COD: Chemical Oxygen Demand Lo: Lowest

ThOD: Theoretical Oxygen Demand Tlm: Threshold Limit

H: Hours M: Months D: Days

Y: Years W: Weeks

ACGIH: American Conference of Governmental Industrial Hygienist

CPR: Controlled Product's Regulation
DSL: Canadian Domestic Substances List
NDSL: Canadian Non-domestic Substance List
IARC: International Agency for Research for Cancer

NOEL: No Observed Effect Level

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit
TLV: Threshold Limit Value

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200), THE COMMONWEALTH OF PENNSYLVANIA REGULATIONS (TITLE 34. CHAPTERS 301-323) AND CANADIAN WHMIS REGULATIONS, ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.