

Compilation date: 01/06/2015 Revision date: 28/10/2016

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name	Trademans Gap Filler
Other means of identification	53TGF (300ml)

1.2 Relevant identified uses of the substance or mixture

Relevant identified uses	Silicone Sealant

1.3 Details of manufacturer/ Importer

Company name	Macsim Fastenings Pty Ltd
Address	10 Wonderland Drive Eastern Creek NSW 2766 Australia
Telephone	+61 2 9881 2400
Fax	+61 2 9881 2444
Website	www.macsim.com.au
Email	info@macsim.com.au

1.4 Emergency telephone number

Association/ Organisation	Poisons Information Centre (Australia)
Emergency telephone	13 11 26 (Australia) 0800 764 766 (New Zealand)

2. HAZARDS IDENTIFICATION

2.1 GHS Classification

Skin irritation (category 2); Eye irritation (category 2A)

2.2 Label elements

Label elements	<u>(!</u>)
Hazard pictograms	GHS07: Exclamation Mark
Signal word	Warning
Hazard statement(s)	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
Precautionary	P102: Keep out of reach of children.
statement(s) prevention	P202: Do not handle until all safety precautions have been read and understood.
	P264: Wash contaminated skin thoroughly after handling.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.





Compilation date: 01/06/2015 Revision date: 28/10/2016

Precautionary	
statement(s) response	P362: Take off contaminated clothing.
	P302+P352: IF ON SKIN: Wash with plenty of soap and water.
	P332+P313: If skin irritation occurs: Get medical advice/attention.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313: If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Other hazards No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

CAS No	%(weight)	Name	Classification
1317-65-3	15-30	calcium carbonate	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Eye Dam. 1: H318
13463-67-7	0-5	titanium dioxide	Carc. 2: H351; STOT SE 3: H335; Eye Irrit. 2: H319; Acute Tox. 4: H332
28553-12-0	0-5	diisonoyl phyhalate	Aquatic Acute 1: H400; Acute Tox. 4: H332

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

4. FIRST AID MEASURES

4.1 Description of first aid measures

Skin contact	Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately and wash before reuse. Consult a doctor.
Eye contact	Flush eyes continuously with running water immediately. Consult a doctor if eye irritation develops and persists.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Consult a doctor.
Inhalation	Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

5. FIRE-FIGHTING MEASURES

Fire hazard	Not flammable.	
Extinguishing media	Water Alcohol resistant foam Carbon dioxide Dry chemical powder	
Special person protection equipment for fire-fighters	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate the area.	
Specific hazards arising from fire-fighting Exposure to combustion products may be a hazard to health		
Hazardous combustion products	Irritating organic vapours may be formed.	
Protective equipment for fire-fighters	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.	



Compilation date: 01/06/2015

Revision date: 28/10/2016

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions | Use recommended personal protective equipment. Keep unprotected persons away.

6.2 Environmental precautions

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated clean up water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Wipe or soak with inert liquid binding material (sand, sawdust, etc.). Scrape away cured material. Dispose the spilt material according to local or national regulations. Section 13 of the safety data sheet provides information regarding certain local or national requirements.

6.4 Additional information

Prevent spillage from entering drainage/sewer systems. Spillages or uncontrolled discharges into watercourses must be immediately alerted to the environmental agency or other appropriate regulatory body.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

» Use in well ventilated area.
» Avoid contact with skin and eyes.
» Do not swallow.
» Do not eat, drink or smoke when using the product.
» Keep away from water, fire, heat and oxide.
» Protect from moisture.
» Take care to prevent spills, waste and minimise release into the environment.
» For more information see section 8.

7.2 Conditions for safe storage, including incompatibilities

Suitable container	 Must only be kept in original packaging. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Safe Storage	 Store in a cool, dry, well ventilated area away from direct sunlight. Recommended storage temperature: +5°C to +25°C.
	» Keep away from incompatibles. Refer to section 10 for incompatibles materials.
Materials to avoid	 » Strong oxidising agents » Organic peroxides » Acids » Explosives » Heat

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No further relevant information available.

8.2 Exposure controls

Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates
	that exposures are within recommended exposure guidelines. In case of brief exposure use respiratory filter device. In
	case of longer exposure use self-contained respiratory protective device.



Compilation date: 01/06/2015 Revision date: 28/10/2016

Industrial hygiene	Remove immediately all contaminated clothing. Do not inhale vapour. Wash hands and contaminated areas with water and soap before leaving the work site. Change clothing before leaving the workplace and wash before reuse. Do not eat, drink or smoke while using product.
Hand protection	Wear suitable gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the protective gloves with the glove manufacturer. Wash hands before and after use of product.
Eye protection	Wear protective goggles/ safety glasses.
Skin protection	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc)

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Paste		
Colour	Grey	Lower Explosive Limit (%)	Not available
Odour	Slight	Relative density (g/ml)	1.44
Odour threshold	Not available	Solubility in water (g/L)	<1
рН	7	Vapour pressure (kPa)	Not available
Melting point (°C)	Not available	Specific gravity (Water=1)	Not available
Boiling point (°C)	Not applicable	Oxidising properties	Not classified as oxidising
Flash point (°C)	>90°C	Viscosity (cSt)	Not available
Evaporation rate	Not applicable	Flammability	Not classified as flammable
Decomposition temperature	Not available	Explosive properties	Not classified as explosive
Auto ignition temperature (°C)	Not available	pH as a solution (1%)	Not available
Upper Explosive Limit (%)	Not available	VOC (g/L)	

10. STABILITY AND REACTIVITY

Reactivity	Not classified as a reactive hazard.
Stability	Stable under recommended handling and storage conditions.
Possibility of hazardous reactions	No data available.
Conditions to avoid	Exposure to moisture.
Incompatible materials	Material starts to cure in the presence of humid air or moisture.
Hazardous decomposing products	During fire this material may foam carbon dioxide, carbon monoxide and nitrogen oxide.

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

- » Skin contact
- » Ingestion
- » Eye contact

11.2 Potential health effects/symptoms

Inhalation	May cause cough, headache, sore throat and passing out.
Skin contact	Causes skin irritation. May cause allergic skin reaction.
Eye contact	Causes serious eye irritation.





Compilation date: 01/06/2015

Revision date: 28/10/2016

Ingestion	Not expected to be harmful by ingestion.	
11.3 Acute toxicity		
	Not classified based on available data	
12. ECOLOGICAL INFORMATION		
	Not classified based on available information.	

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste from residues	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not pierce or burn after use. If not otherwise specified dispose of as unused product.

14. TRANSPORT INFORMATION

ADR	Not regulated as dangerous goods.
UNRTDG	Not regulated as dangerous goods.
IATA-DGR	Not regulated as dangerous goods.
IMDG-Code	Not regulated as dangerous goods.
Transport in bulk according to Annex II or MARPOL 73/78 and the IBC Code	Not applicable for product as supplied.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information | Safety, health and environmental regulation/legislation specific for the substance or mixture.

16. OTHER INFORMATION

Other information	All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The details contained herein are based on our present state of knowledge and experience in characterising our product with regard to any possible safety requirement at the date of its publication.
Definitions	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
	IATA: International Air Transport Association
	IMDG: International Maritime Dangerous Goods
	UNRTDG: United Nations Recommendations on the Transport of Dangerous Goods
Source	Internal technical data, data from raw materials SDSs, OECD eChem Portal search results and European Chemicals Agency
Other hazard statements used in	H303: May be harmful if swallowed.
section 3	H317: May cause an allergic skin reaction.
	H336: May cause drowsiness or dizziness.
	H351: Rinse cautiously with water for several minutes.
	H372: Explosion risk in case of fire.



SAFETY DATA SHEET

TRADESMAN GAP FILLER

Compilation date: 01/06/2015

Revision date: 28/10/2016

Legal disclaimer

The information in this safety data sheet is correct to the best of our knowledge, information and belief at the data of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transport, disposal and release and shall not be considered as a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the users end product, if applicable.



SAFETY DATA SHEET

TRADESMAN GAP FILLER

Compilation date: 01/06/2015

Revision date: 28/10/2016