

WYO-BEN, INC.

SAFFTY DATA SHFFT

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: BENFLOC 216G

Chemical Family: Mineral

Application: Water Treatment

Manufacturer/Supplier: Wyo-Ben, Inc. For: Aquarian Chemicals Inc.

1345 Discovery Drive 8-768 Westgate Road

Billings, MT 59102 USA Oakville, ON L6L 5N2 CANADA Telephone: 800.548.7055 Telephone: 905.825.3711

Facsimile: 406.656.0748

SECTION 2 — HAZARD IDENTIFICATION

Hazard Classification: Carcinogenicity

Signal Word: Danger

Hazard Statements:: Breathing respirable crystalline silica can cause lung disease, including silicosis and lung cancer.

May cause eye irritation May cause skin irritation

May cause respiratory irritation

Hazard Symbol: Health Hazard

Precautionary Statements: Promptly clean up spills to avoid creating airborne dust. Avoid breathing airborne dust. Use only

outdoors or in a well-ventilated area. Wear a NIOSH/MSHA European Standard En149 respirator, or equivalent certified for silica bearing dust, when using this product. Wash thoroughly after

handling. Product is slippery when wet.

If skin or respiratory irritation occurs seek medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Hazards Not Otherwise

Classified: None known.

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	Percent
Crystalline Silica, quartz	14808-60-7	≤6%
Trade Secret*	Proprietary*	≤4%
Trade Secret*	Proprietary*	≤5%

^{*} The specific identity and/or percentage of composition has been withheld as a trade secret.

SECTION 4 — FIRST AID MEASURES

Inhalation: If inhaled, remove to a dust free area. Get medical attention if respiratory irritation develops

or if breathing becomes difficult. Inhalation may aggravate existing respiratory illness.

Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin: Wash with soap and water until clear. Seek medical attention if irritation persists.

Ingestion: Do Not induce vomiting. First aid measures not normally required.

Notes to Physician: Treat symptomatically

SECTION 5 — FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Does not burn. All standard firefighting media may be used for packaging fires.

Unsuitable Extinguishing Media: None

Special Exposure Hazards: None known. Product is not combustible.

Special Protective Equipment and None for product. Use protective equipment appropriate for packaging fire.

Precautions for Firefighters: Caution, slippery when wet.

NFPA Ratings: Health 1, Flammability 0, Reactivity 0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures: Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary Measures: Keep from entering sewers or water ways.

Procedure for Cleaning/Absorption: Avoid generating dust. Collect using appropriate dustless method. Dispose in

licensed landfill according to local, state and federal regulations.

SECTION 7 — HANDLING AND STORAGE

Handling Precautions: This product contains quartz which may become airborne. Avoid breathing dust. Avoid

creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH/MSHA European Standard En 149, or equivalent certified for silica bearing dust, respirator when using this product. Material is slippery when

wet. Promptly clean up spills to avoid breathing airborne dust.

Storage Information: Use good housekeeping in storage and work areas to prevent accumulation of dust. Close

container when not in use. Do not reuse empty container.

SECTION 8 — EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Substances	CAS Number	ACGIH TLV-TWA*	OSHA PEL-TWA*
Crystalline Silica, quartz	14808-60-7	0.025 mg/m ³	10 mg/m³ %SiO2 + 2

Trade Secret **	Proprietary **	Not established	15 mg/m3 ***
Trade Secret **	Proprietary **	Not established	15 mg/m3 ***

^{*} More restrictive exposure limits may be enforced by some states, agencies, or other authorities.

Engineering Controls: Use approved industrial ventilation and local exhaust as required to maintain exposures below

applicable exposure limits.

Personal Protective Equipment: If engineering controls and work practices cannot prevent excessive exposures, the selection

and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection: Not normally needed. If significant exposures exceeding occupational exposure limit are

possible use NIOSH/MSHA respirator approved for silica bearing dust.

Hand Protection: Standard work gloves.

Skin Protection: Wear clothing appropriate for the work environment. Dusty clothing should be laundered

before reuse. Use precautionary measures to avoid creating dust when removing or

laundering clothing.

Eye Protection: Wear safety glasses, goggles or full face shield to protect against exposure.

Other Precautions: None known.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Granular Solid

Color: Light tan to gray as dry powder

Odor: Odorless

pH: 5.0 (5% aqueous suspension)

Specific Gravity @ 20 C (Water=1): 2.45 – 2.55

Density @ 20 C (lbs/gallon): Not determined

Bulk Density @ 20 C (lbs/ft³): 60 - 66

Boiling Point/Range (F/C):

Freezing Point/Range (F/C):

Vapor Pressure @ 20 C (mmHg):

Vapor Density (Air=1):

Percent Volatiles:

Evaporation Rate (Butyl Acetate=1):

Not applicable

Not applicable

Solubility in Water (g/100ml): Insoluble, forms colloidal suspension

Solubility in Solvents (g/100ml):

VOCs (lbs/gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistrokes):

Not applicable

Not determined

BENFLOC 216G Page 3 of 6

^{**} The specific identity and/or percentage of composition has been withheld as a trade secret.

^{***} For particles not otherwise regulated

Partition Coefficient/n-Octanol/Water:
Molecular Weight (g/mole):
Not applicable
Flash Point/Range (F/C):
Not applicable
Flash Point Method:
Not applicable
Autoignition Temperature (F/C):
Flammability Limits in Air – Lower (%):
Not applicable
Flammability Limits in Air – Upper (%):
Not applicable

SECTION 10 — STABILITY AND REACTIVITY

Reactivity: Nonreactive

Chemical Stability: Stable

Possibility of Hazardous Reactions: Will not occur.

Conditions to Avoid: None

anticipated Incompatibility (Materials to Avoid): None known

Hazardous Decomposition Products: None

Additional Guidelines: Not applicable

SECTION 11 — TOXICOLOGICAL INFORMATION

Principle Route of Exposure: Eye or skin contact, inhalation.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Inhalation: Inhaled crystalline silica in the form or quartz from occupational sources is

carcinogenic to humans (IARC, Group 1). May cause respiratory irritation.

Skin Contact: May cause skin irritation due to drying.

Eye Contact: May cause eye irritation.

Ingestion: None known

Aggravated Medical Conditions: Individuals with respiratory disease, including but not limited to asthma and

bronchitis, or subject to eye irritation, should not be exposed to respirable

quartz-bearing dust.

Chronic Effects/Carcinogenicity: Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a

progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC, 1997) concludes that there is sufficient evidence in humans for carcinogenicity of inhaled crystalline silica from occupational sources (IARC Group 1), that carcinogenicity was not detected in all industrial circumstances studied and that carcinogenicity may depend on characteristics of the crystalline silica or on external factors affecting its biological activity. See IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997). The National Toxicology Program (NTP) classifies respirable crystalline silica as "Known to be a human

BENFLOC 216G Page 4 of 6

carcinogen" (NTP 9th Report on Carcinogens, 2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica,

quartz, as a suspected human carcinogen (A2).

Other Information: See "Adverse Effects of Crystalline Silica Exposure" published by the American

Thoracic Society Medical Section of the American Lung Association, American Journal of Respiratory and Critical Care Medicine, Volume 155, pages 761-768

(1997).

Toxicity Tests

Oral Toxicity:

Dermal Toxicity:

Inhalation Toxicity:

Primary Irritation Effect:

Not classified

Not classified

Carcinogenicity: Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres

(June 1997).

Genotoxicity: Not classified

Reproductive/Developmental Toxicity: Not classified

SECTION 12 — ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air): Not determined. Based upon ingredients mobility in water and soil should be

minimal.

Persistence/Degradability: Not determined Bio-accumulation: Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined
Acute Crustaceans Toxicity: Not determined
Acute Algae Toxicity: Not determined
Chemical Fate Information: Not determined

Other Information: Not applicable

SECTION 13 — DISPOSAL CONSIDERATIONS

Disposal Method: If product should become a waste dispose in a licensed landfill according to

federal, state and local regulations.

Contaminated Packaging: Do not reuse. Follow all applicable national or local regulations.

SECTION 14 — TRANSPORT INFORMATION

Land Transportation

DOT - Not regulated as dangerous goods

Canadian TDG – Not regulated as dangerous goods

ADR - Not regulated as dangerous goods

BENFLOC 216G Page 5 of 6

Air Transportation

ICAO/IATA - Not regulated as dangerous goods

Sea Transportation

IMDG - Not regulated as dangerous goods

Other Transportation Information

Labels: None

SECTION 15 — REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311, 312)

Hazard Class Chronic Health Hazard

EPA SARA (313) Chemicals This product does not contain a toxic chemical for routine annual "Toxic

Chemical Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous

waste as defined by the US EPA.

California Proposition 65 This product contains crystalline silica (respirable) which is a substance known

to the State of California to cause cancer.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class This product contains crystalline silica (respirable) and is classified as a Class D,

Division 2, Subdivision A substance.

SECTION 16 — OTHER INFORMATION

Prepared 03/18/2015 Last Revision 08/29/2015

DISCLAIMER

All information presented herein is believed to be accurate; however, it is the user's responsibility to determine in advance of need that the information is current and suitable for their circumstances. No warranty or guarantee, expressed or implied is made by WYO-BEN, INC. as to this information, or as to the safety, toxicity or effect of the use of this product.