

Product name: SILICONE OIL  
Revision Date: 2015-01-07  
Document No.: M0143

Page: 1/8  
Print date: 2015-01-07  
SDS-ID: US-EN/11.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product name: SILICONE OIL  
Cat. No. 40300076  
Container size: 100 ml

### Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricant.

### Details of the supplier of the safety data sheet

Supplier: Struers A/S  
Pederstrupvej 84  
DK-2750 Ballerup  
Tel:+45 44 600 800

Responsible for material safety data sheet authoring: Responsible for material safety data sheet authoring: DHI  
Any questions to the contents of this material safety data sheet should be sent to:  
Chemical.info@struers.dk

### Emergency telephone number

Emergency telephone: Infotrac:  
1-800-535-5053  
Struers US:  
1-440-871-0071

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the substance or mixture

The product is not classified.

67/548/EEC / 1999/45/EC: -

GHS: -

### Label elements

The substance/mixture does not meet the criteria for classification and labelling.  
(\*)

NFPA Rating: Health:1 Fire:1 Reactivity:0 Other:-

### Other hazards

May irritate eyes. Prolonged contact may cause redness, irritation and dry skin. Oil spills are generally hazardous to the environment. (\*)

PBT/vPvB: Not relevant.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures

The product contains: mineral oil and polydimethyl siloxanes.

# SAFETY DATA SHEET

Product name:	SILICONE OIL	Page:	2/8
Revision Date:	2015-01-07	Print date:	2015-01-07
Document No.:	M0143	SDS-ID:	US-EN/11.0

67/548/EEC:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	8042-47-5	232-455-8	-	Paraffin oil	-	L
5-10	63148-62-9	-	-	Polydimethyl siloxane	-	

Notes: L: DMSO-content < 3%  
Kinematic viscosity at 40°C: >7 mm<sup>2</sup>/s

GHS:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	8042-47-5	232-455-8	-	Paraffin oil	-	L
5-10	63148-62-9	-	-	Polydimethyl siloxane	-	

Notes: L: DMSO-content < 3%  
Kinematic viscosity at 40°C: >7 mm<sup>2</sup>/s

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

Inhalation: Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

### Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

### Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

# SAFETY DATA SHEET

Product name:	SILICONE OIL	Page:	3/8
Revision Date:	2015-01-07	Print date:	2015-01-07
Document No.:	M0143	SDS-ID:	US-EN/11.0

---

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

Extinguishing media: Water spray, dry powder or carbon dioxide. Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

Specific hazards: During fire, health hazardous gases may be formed.

### Advice for firefighters

Protective equipment for fire-fighters: Use air-supplied respirator, gloves and protective goggles.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of vapors and contact with skin and eyes.

### Environmental precautions

Environmental precautions: Avoid release to the environment.

### Methods and material for containment and cleaning up

Spill Cleanup Methods: Absorb spillage with non-combustible, absorbent material.

### Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices.

Technical measures: Avoid smoking and use of open fire.

Technical precautions: Mechanical ventilation may be required.

### Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store frostfree in closed original container.

### Specific end use(s)

Specific use(s): Not relevant.

---

# SAFETY DATA SHEET

Product name:	SILICONE OIL	Page:	4/8
Revision Date:	2015-01-07	Print date:	2015-01-07
Document No.:	M0143	SDS-ID:	US-EN/11.0

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>
-	Kerosene, vapor	total hydrocarbons	200 mg/m3	TWA	Skin; A4	ACGIH
-	Petroleum distillates	-	500 ppm 2000 mg/m3	TWA	-	OSHA

Notes: Skin: Danger of cutaneous absorption. (ACGIH)  
X: Skin absorption. (OSHA)  
A4: Not Classifiable as a Human Carcinogen.

### Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment with gas filter (type A2).

Hand protection: Risk of contact: Wear protective gloves. Polyethylene gloves are recommended. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: No special precautions.

Environmental Exposure Controls: Not available.

# SAFETY DATA SHEET

Product name:	SILICONE OIL	Page:	5/8
Revision Date:	2015-01-07	Print date:	2015-01-07
Document No.:	M0143	SDS-ID:	US-EN/11.0

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance: Colorless liquid.

Odor: Petroleum.

pH: Not available.

Boiling point: 270-380°C

Flash point: >100°C

Explosion limits: 0,6-7,0 vol%

Vapor pressure: Not available.

Relative density: 0,82-0,84

Solubility: insoluble in water

Viscosity: Kinematic viscosity: 7,8 cSt (40°C)

### Other information

Other data: Volatile Organic Compound (VOC): 708 g/l (calculated)

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

Reactivity: None known.

### Chemical stability

Stability: Stable under normal temperature conditions.

### Possibility of hazardous reactions

Hazardous Reactions: None known.

### Conditions to avoid

Conditions/materials to avoid: None specific.

### Incompatible materials

Incompatible materials: None known.

### Hazardous decomposition products

Hazardous decomposition products: None under normal conditions.

# SAFETY DATA SHEET

Product name:	SILICONE OIL	Page:	6/8
Revision Date:	2015-01-07	Print date:	2015-01-07
Document No.:	M0143	SDS-ID:	US-EN/11.0

---

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on toxicological effects

Inhalation: In high concentrations, vapors are narcotic and may cause headache, fatigue, dizziness and nausea.

Skin contact: Prolonged contact may cause redness, irritation and dry skin.

Eye contact: May irritate and cause redness and pain.

Ingestion: May irritate and cause malaise.

Specific effects: None known.

Carcinogenicity:  
National Toxicology Program (NTP): No.  
I.A.R.C. Monographs: No.  
OSHA: No.

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

Ecotoxicity: Oil spills are generally hazardous to the environment.  
LC50 (Fish: *Lepomis macrochirus*): > 10g/l

### Persistence and degradability

Degradability: The product is moderately biodegradable.  
(53% 28 days)

### Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

### Mobility in soil

Mobility: No data available.

### Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

### Other adverse effects

Other adverse effects: None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 16 05 08

---

# SAFETY DATA SHEET

Product name:	SILICONE OIL	Page:	7/8
Revision Date:	2015-01-07	Print date:	2015-01-07
Document No.:	M0143	SDS-ID:	US-EN/11.0

---

## SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

### UN number

UN-No: -

### UN proper shipping name

Proper Shipping Name: -

### Transport hazard class(es)

Class: -

### Packing group

PG: -

### Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

### Special precautions for user

Special precautions: None known.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: TSCA: Listed.

National regulation: Europe/USA:  
This Material Safety Data Sheet has been prepared according to the EU-regulation.  
Threshold Limit Values (2014), ACGIH, by the American Conference on Governmental Industrial Hygienists.  
The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and Health Standards, Air contaminants (OSHA), with amendments.

### Chemical Safety Assessment

CSA status: Not relevant.

---

# SAFETY DATA SHEET

Product name:	SILICONE OIL	Page:	8/8
Revision Date:	2015-01-07	Print date:	2015-01-07
Document No.:	M0143	SDS-ID:	US-EN/11.0

---

## SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.



---

<u>Additional information:</u>	Classification according to Regulation (EC) No. 1272/2008:
	Calculation method.

---

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.  
[www.dhigroup.com](http://www.dhigroup.com).

---