Material Safety Data Sheet



Section 1. Chemical Product and Company Identification	Section 1.	. Chemical	Product and	Company	/ Identification
--	------------	------------	--------------------	---------	------------------

Product Name	Product Code			
Margin Marker	SL662XX (XX=color)			
Manufacturer's Name	Emergency Telephone Number			
StatLab Medical Products, Inc.	800-424-9300			
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Informatior			
407 Interchange st.	800-442-3573 x 2			
	Date Preparec			
McKinney Tx 75071	4/13/2005			
	Signature of Prepare (optional			

Section 2. Composition/Information on Ingredients

Component	CAS#	OSHA PEL	ACGIH TLV	Other Limits Recommended	Percent
Isopropyl Alcohol**	67-63-0	n/a	400 ppm		3-3.35%
Ammonia**	7664-41-7	n/a	35 ppm		0.8-1.6%

*This chemical is subject to S.A.R.A. Title III section 313 part 372 reporting

Section 3. Hazards Identification

Emergency Overview

Eye	May cause redness or irritation					
Skin	Prolonged contact with skin may cause irritation or defatting.					
Ingestion	may cause damage to central nervous system.					
Inhalation	Breathing of vapors may cause nasal and respiratory irritation,					
nausea, headaches,	dizziness, pulmonary edema and pneumonitis.					
Carcinogenicity	Does not meet current definition of carcinogen in 26CFR 1910.1200					

Material Safety Data Sheet

Material Safety	/ Data Sheet								
Product Name Margin Mar	1 2 3 4 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5								
Teratology									
Reproduction									
NA. to consists.									
Mutagenicity									
Section 4. First Aid Meas	ures								
Eye	Flush thoroughly with copius amounts of water for at least								
	15 minutes. If irritation persists consult a physician.								
Skin	Wash affected area with soap and water								
	Launder clothes before wearing again.								
Ingestion	Induce vomiting and call a physician immediately.								
Inhalation	Remove to clean, fresh air and treat symptomatically.								
All Other Means of Exposure	CONTACT POISON CONTROL CENTER IMMEDIATELY. Be prepared to								
provide hazardous in	ngredient information from Section 2.								
Section 5. Fire Fighting N	Measures								
Flammable Properties	Flash Point over 200°F Method								
Flammable Limits	Lower <u>n/a</u> Upper <u>n/a</u>								
Auto-ignition Temperature									
Hazardous Combustion Products	None								
Hazardous Combustion Froducts	None								
Extinguishing Media	Carbon Dioxide, Alcohol foam, Dry chemical.								
Fire Fighting Instructions	Use of self contained breathing apparatus and full protective								
	equipment is recommended.								
Section 6. Accidental Rel	ease Measures								
Small Spill	Small spills may be absorbed with an appropriate absorbent.								
Large Spill	Flush with water into a suitable retaining area.								
	Dispose of in accordance with all federal, state, an local laws								
Section 7. Handling and	Storage								
Handling	If use conditions generate vapor in area where adequate								
	ventilation is not available, NIOSH-approved vapor respirator								
	should be worn. Good ventilation is required to keep vapors								
	below recommended levels								
Storage	Keep container closed when not in use.								

Material Safety Data Sheet

SL662XX (XX=color) Product Name Margin Marker Product Code

Product Name Margin Mar	ker		Product Code	SL662XX (X	X=color)			
Section 8. Exposure Cont	rols, Personal Pr	otection						
Engineering Controls								
Respiratory Protection	If use conditions generate vapor in area where adequate							
	ventilation is not available, NIOSH-approved vapor respirator							
	should be worn. Good ventilation is required to keep vapors							
	below recommended levels							
Skin Protection	Use chemical resistant gloves							
Eye Protection	Use protective goggles.							
Permissible Exposure Levels (se	ee also Section 2)							
Component		CAS#	OSHA PEL	ACGIH TLV	Other Limits Recommended	Percent		
Isopropyl Alcohol**		67-63-0	n/a	400 ppm		3-3.359		
Ammonia**		7664-41-7	n/a	35 ppm		0.8-1.69		
*This chemical is su	bject to S.A.I	R.A. Title	III section	n 313 part 3	372 reporting			
Section 9. Physical and C	hemical Properti	es						
Boiling Point		over 200°	Specific Gravity (H	I2O = 1)		1.02-1.14		
Vapor Pressure (mm Hg)		unknown	Melting Point			n/a		
Vapor Density (AIR = 1)		unknown	Evaporation rate (Butyl Acetate = 1)			n/a		
Solubility in Water Dispersible			Physical State	Liquid		1		
Appearance and Odor colored liquid with ammoniacal odor		or	рН	8.5-10				
Section 10. Stability and F								
Chemical Stability	<u> </u>	Stable						
Incompatibility		None						
•								

Material Safety Data Sr	ieet				(Ancpeth)
Product Name Margin Marker		Product Code	SL662XX (XX=color)	
Hazardous Decomposition Products	<u>n/a</u>				
Hazardous Polymerization	Will not	occur			
Section 11. Toxicological Information					
Ocadian 40. Ecolomical Information					
Section 12. Ecological Information					
Section 13. Disposal Considerations					
Dispose of in accordance with al	1 fodomal	gtate and	logal wagu	lations	
Dispose of in accordance with a	.i lederal,	state, and	iocai regu	LACIONS	
Section 14. Transport Information					
Section 14. Transport information					
Section 15. Regulatory Information					
<u> </u>					
Section 16. Other Information					

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, finess fo any particular purpose, or any other warranty is expressed or is to be implied regarding accuracy or completeness of this information of the product, the safety of the product, or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.