

# **Safety Data Sheet**

**SDS No. 480A** 

# **Section 1 - Chemical Product and Company Identification**

Product/Chemical Name: Part A for Crystal Clear®; Clear Flex 30, 50 and 95; SMASH! Plastic®;

Task 12<sup>®</sup>

**General Use:** Polyurethane elastomer

Manufacturer: Smooth-On, Inc.,

5600 Lower Macungie Rd., Macungie, PA 18062 Phone (610) 252-5800, FAX (610) 252-6200

**Emergency Contact**: Chem-Tel

Domestic: 800-255-3924 International: 813-248-0585

#### **Section 2 - Hazards Identification**

### Classification of the substance or mixture

Acute toxicity, inhalation – Category 3

Skin irritation – Category 2 Eye irritation – Category 2A

Respiratory sensitization - Category 1

Skin sensitization – Category 1

Specific target organ toxicity – single exposure – Category 3 (respiratory system)

# GHS Label elements, including precautionary statements



# **Pictograms**

Signal word: Dar	nger		
Health Hazards	H315	Causes skin irritation	
	H317	May cause an allergic skin reaction	
	H319	Causes serious eye irritation	
	H331	Toxic if inhaled	
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled	
	H335	May cause respiratory irritation	
General Precautions:	P101	If medical advice is needed, have product container or label at hand.	
	P102	Keep out of reach of children.	
	P103	Read label before use.	
Prevention	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
Precautions:			
	P264	Wash skin thoroughly after handling.	
	P271	Use only outdoors or in a well-ventilated area.	
	P272	Contaminated work clothing should not be allowed out of the workplace.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection.	

	P285	In case of inadequate ventilation wear respiratory protection.	
Response Precautions:	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	P311	Call a POISON CENTER or doctor/physician.	
	P305 + P351 + P338		
	P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.	
	P337 + P313	If eye irritation persists: Get medical advice/attention.	
	P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER doctor/physician.	
	P362	Take off contaminated clothing.	
Storage Precautions:	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.	
	P405	Store locked up.	
Disposal Precautions:	P501	Dispose of contents/container to an approved waste disposal plant.	

Hazards not otherwise classified (HNOC) or not covered by GHS – Lachrymator.

# **Section 3 - Composition / Information on Ingredients**

The following ingredient(s) are hazardous according to OSHA criteria:

CAS	Component	Concentration
5124-30-1	4,4´ Methylenedicyclohexyl diisocyanate	35% - 85%

#### **Section 4 - First Aid Measures**

**Inhalation:** Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact:** In case of skin contact, wash thoroughly with soap and water.

**Ingestion:** Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

After first aid, get appropriate in-plant, paramedic, or community medical support.

# **Section 5 - Fire-Fighting Measures**

Flammable Classification: Non-Flammable

Extinguishing Media: Water Fog, Dry Chemical, and Carbon Dioxide Foam

Unusual Fire or Explosion Hazards: None known.

**Fire-Fighting Instructions:** Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam.

Further information: Because fire may produce toxic thermal decomposition products,

wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

#### Section 6 - Accidental Release Measures

**Spill /Leak procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

**Environmental precautions:** Prevent discharge to drains.

### **Section 7 - Handling and Storage**

**Handling Precautions:** For industrial use only. This product is not intended to be sprayed. Do not breathe vapor or mist. Use good general housekeeping procedures. Wash hands after use. Avoid contact with skin and eyes.

**Storage Requirements:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Moisture sensitive - avoid water contamination.

# **Section 8 - Exposure Controls / Personal Protection**

CAS	Component	Value	Control parameters	Basis
5124-30-1	4,4	TWA	0.0050 ppm	USA. ACGIH
	Methylenedicyclohexyl			Threshold Limit
	diisocyanate			Values (TLV)
		С	0.01 ppm	USA. OSHA -
			0.11 mg/m3	TABLE Z-1
		С	0.01 ppm	USA. NIOSH
			0.11 mg/m3	Recommended
				Exposure Limits.

**Respiratory Protection:** Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges as a backup to engineering controls.

**Hand Protection:** Wear chemically resistant gloves such as butyl rubber, neoprene or PVC to prevent repeated exposure.

**Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Other Protective Clothing/Equipment:** Additional protective clothing may be required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

**Section 9 - Physical and Chemical Properties** 

Appearance : clear liquid
Odor/Threshold: odorless
pH: N.A. (non-aqueous)

Melting Point/Freezing Point: N.A.

Low/High Boiling Point: N.A. Flash Point: 368 °F

Evaporation Rate: Not available

Flammability: f.p. at or above 200 °F

**UEL/LEL:** Not available

Vapor Pressure: 1.60 x 10<sup>-5</sup> mmHg @ 77 °F Vapor Density (Air=1): Not available.

Specific Gravity: 1.079 @ 77 °F
Water Solubility: Insoluble

Partition coefficient: Not available Auto-ignition temperature: 437 °F

**Decomposition temperature:** Not available

Viscosity: 240 centipoise @ 77 °F

% Volatile: Nil

# **Section 10 - Stability and Reactivity**

**Stability:** These products are stable at room temperature in closed containers under normal storage and handling conditions. Storage temperatures should be maintained between 77 °F and 120 °F.

**Polymerization:** Contact with moisture and other materials that react with isocyanates, or temperatures above 350 °F may cause polymerization.

Chemical Incompatibilities: Water, Amines, Strong bases, Alcohols, Copper alloys.

Hazardous Decomposition Products: Thermal oxidative decomposition can produce carbon

oxides and traces of incompletely burned carbon compounds.

# **Section 11- Toxicological Information**

Skin Corrosion/Irritation: no data

Serious Eye Damage/Irritation: no data

Respiratory/Skin Sensitization: no data Germ Cell Mutagenicity: no data

Carcinogenicity: No component of this product at levels greater than or equal to 0.1% is identified

as a carcinogen or potential carcinogen by IARC, NTP or OSHA.

Reproductive Toxicity: no data

Specific Target Organ Toxicity – Single Exposure: no data Specific Target Organ Toxicity – Repeated Exposure: no data

Aspiration Hazard: no data

**Acute Toxicity:** 

Oral: > 5000 mg/kg (calculated)
Inhalation: 0.43 mg/l, 4h (calculated)

Chronic Exposure: no data

Potential Health Effects - Miscellaneous: no data

### **Section 12 - Ecological Information**

Toxicity: no data Persistence and Degradability: no data

Bioaccumulative Potential: no data Mobility in Soil: no data

Other Adverse Effects: no data

### **Section 13 - Disposal Considerations**

**Disposal:** Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

### Section 14 - Transport Information

DOT IATA IMDG

Not Regulated Not Regulated Not Regulated

# **Section 15 - Regulatory Information**

**TSCA Inventory Status (40 CFR710):** All components of this formulation are listed in the TSCA Inventory.

<u>California Proposition 65</u>: This product does not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.

### 16 - Other Information





Revision: 1 NFPA

Date Prepared: April 28, 2015

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging: DSL-Domestic Substances List: EC-Equivalent Concentration: EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association: IMDG-International Maritime Dangerous Goods Code: LC-Lethal Concentration: LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality: TLV-Threshold Limit Value: TSCA-Toxic Substances Control Act Public Law 94-469: TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

**Disclaimer:** The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use. This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



# **Safety Data Sheet**

**SDS No. 402B** 

# **Section 1 - Chemical Product and Company Identification**

**Product/Chemical Name:** Part B for: Clear Flex® 30; FeatherLite®; FlexFoam-iT® Series; Foam-iT! 3, 10, 15, 26; Renew® Flexible Foam 10# and 25#; Renew® Rigid Foam 10#; Simpact® 60A and 85A; StyroCoat®; SMASH! Plastic®; Smooth-Cast® 300, 300Q, 320, 325, 60D, 61D, 65D, 66D, ONYX® Fast and Slow; Task® 2, 3, 7 FlameOut®, 8, 11, 15, 21; URE-BOND® II; Urethane

666; and Part A for Smooth-Cast® 380 **General Use:** Polyurethane Elastomer

Manufacturer: Smooth-On, Inc.,

5600 Lower Macungie Rd., Macungie, PA 18062 Phone (610) 252-5800, FAX (610) 252-6200

**Emergency Contact**: Chem-Tel

Domestic: 800-255-3924 International: 813-248-0585

#### Section 2 - Hazards Identification

#### Classification of the substance or mixture

Not a hazardous substance or mixture according to United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) and Council Directive 1999/45/EC and its subsequent amendments.

# GHS Label elements, including precautionary statements

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

### Hazards not otherwise classified (HNOC) or not covered by GHS - none

# Section 3 - Composition / Information on Ingredients

No ingredients are hazardous according to OSHA criteria.

#### **Section 4 - First Aid Measures**

**Inhalation:** Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately. **Eye Contact:** Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact:** In case of skin contact, wash thoroughly with soap and water.

**Ingestion:** Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

After first aid, get appropriate in-plant, paramedic, or community medical support.

#### **Section 5 - Fire-Fighting Measures**

Flammable Classification: Non-Flammable

**Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam

Unusual Fire or Explosion Hazards: None known.

**Fire-Fighting Instructions:** Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam.

**Further information:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

#### **Section 6 - Accidental Release Measures**

**Spill /Leak procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

**Environmental precautions:** No special environmental precautions required.

### **Section 7 - Handling and Storage**

Handling Precautions: Use good general housekeeping procedures. Wash hands after use.

**Storage Requirements:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

### **Section 8 - Exposure Controls / Personal Protection**

**Respiratory Protection:** Respiratory protection is not normally required when using this product with adequate ventilation. Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges.

**Hand Protection:** Should hand protection be needed, wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

**Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

**Section 9 - Physical and Chemical Properties** 

Appearance: translucent viscous liquid

Odor/Threshold: Mild to sweet odor

**pH:** N.A. (non-aqueous)

**Melting Point/Freezing Point:** N.A.

Low/High Boiling Point: N.A.

Flash Point: >300 °F

**Evaporation Rate:** Not available Flammability: f.p. at or above 200 °F

**UEL/LEL:** Not available

**Vapor Pressure:** None (Polymeric Resin)

Vapor Density (Air=1): >1

Specific Gravity (H<sub>2</sub>O=1, at 4 °C): 1.07

Water Solubility: Insoluble

Partition coefficient: Not available

Auto-ignition temperature: Not available **Decomposition temperature:** Not available

**Viscosity:** 20,000 – 30,000 centipoise

% Volatile: Nil

# **Section 10 - Stability and Reactivity**

Stability: These products are stable at room temperature in closed containers under normal

storage and handling conditions.

Polymerization: Hazardous polymerization cannot occur. **Chemical Incompatibilities:** Strong bases, and acids.

Hazardous Decomposition Products: Thermal oxidative decomposition can produce carbon

oxides and traces of incompletely burned carbon compounds.

# **Section 11- Toxicological Information**

Skin Corrosion/Irritation: no data Serious Eye Damage/Irritation: no data

Germ Cell Mutagenicity: no data Respiratory/Skin Sensitization: no data Reproductive Toxicity: no data Carcinogenicity: no data

Specific Target Organ Toxicity - Single Exposure: no data Specific Target Organ Toxicity - Repeated Exposure: no data

**Aspiration Hazard:** no data Acute Toxicity: no data

Chronic Exposure: no data Potential Health Effects - Miscellaneous: no data

### **Section 12 - Ecological Information**

**Toxicity:** no data

Persistence and Degradability: no data Bioaccumulative Potential: no data

Mobility in Soil: no data

Other Adverse Effects: no data

#### **Section 13 - Disposal Considerations**

**Disposal:** Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

### **Section 14 - Transport Information**

IATA DOT IMDG Not Regulated Not Regulated **Not Regulated** 


### Section 15 - Regulatory Information

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

California Proposition 65: This product does not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.

#### 16 - Other Information

HMIS		
Н	1	
F	0	
R	0	



Revision: 1

**NFPA** Date Prepared: April 28, 2015

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use. This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.