

Material Safety Data Sheet

Flexo Products Limited 4777 Kent Avenue, Niagara Falls, ON L2H 1J5 Phone: (905) 354-2723 Fax: (905) 354-1301 Web Site: www.flexoproducts.com

Super Lift-Off

Use: Floor Stripper

Code: FH440J, P, D

Date of MSDS: December 1, 2014

WHMIS: D2B, E TDG: Not Regulated

HMIS: Health - 2, Flammability - 0, Reactivity - 0, PPE - B

Emergency Telephone #

CANUTEC 613-996-6666

I - HAZARDOUS INGREDIENTS				
Chemical Name	Wt/Wt %	CAS#	LD50 (mg/kg)	LC50
Glycol Carbitol	10-30	112-34-5	3384 oral rat	not available
2-Aminoethanol	10-30	141-43-5	172 oral rat	not available

II - PHYSICAL DATA

Physical State: liquid Viscosity: 6.0 cps Vapour Pressure: not available

Oil/Water Factor: not availableAppearance: clear colourlesspH: 12.5 ± 0.5Vapour Density: not availableEvaporation Rate: similarOdour: moderate

Specific Gravity: 1.0 ± 0.04 Boiling Point (°C): 94 Odour Threshold: not available

Freezing Point (°C): < 0

III - FIRE AND EXPLOSION DATA

Conditions of Flammability: not availableUFL: not availableFlash Point and Test Method: not applicableLFL: not available

Sensitivity to Static Discharge or Mechanical Impact: not available

Means of Extinction: chemical foam, carbon dioxide, dry chemical

Auto-Ignition Temperature: oxides of carbon

IV - REACTIVITY DATA

Conditions of Chemical Instability: stable Conditions of Reactivity: not applicable

Incompatible Substances: strong oxidizers, acids Hazardous Decomposition Products: not available

Storage Requirements: store in closed containers away from incompatible materials.

V - TOXICOLOGICAL PROPERTIES

Synergistic Materials: not available Route(s) of Entry: skin, eyes, ingestion, inhalation

Irritancy of Product: high Sensitization: not available

Acute Effects Chronic Effects

Eye: contact may cause severe irritation or chemical burns

Skin: may cause severe irritation or chemical burns

Inhalation: highly irritating to the respiratory system

Carcinogen: none known

Teratogen: none known

Mutagen: none known

Ingestion: can cause vomiting, headache & medical problems Reproductive Toxin: none known

Prolonged or Repeated Exposure: Skin: Can cause drying, defatting & dermatitis.

VI - FIRST AID MEASURES

Eye Contact: Immediately flush with water for 15 minutes. If irritation persists, contact a physician. Immediately flush with water for 15 minutes. Contact a physician if irritation develops.

Completely decontaminate clothing, shoes and leather, or discard.

Inhalation: Remove to fresh air. If symptoms persist, contact a physician.

Ingestion: Do not induce vomiting. Rinse mouth with water, then drink one glass of water. Contact a physician

immediately. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is

convulsing.

VII - PROTECTIVE EQUIPMENT

Personal Protective Equipment: Eyes: safety glasses recommended Skin: impermeable gloves recommended

Respiratory: not normally required if good ventilation is maintained

Ventilation: general ventilation normally adequate

VIII - SPECIAL MEASURES

For Leaks or Spills: Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. **Waste Disposal:** Review all Federal, Provincial and local regulations prior to disposal.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.