

Searine CPF=36 A

A Glutaraldehyde Base Cavity Fluid with Entrone

Searine is a multi-base glutaraldehyde cavity fluid designed to exhibit maximum penetration with complete saturation of tissues. The glutaraldehyde in Searine induces a high level of sanitation and increases fluid action. Special modifiers and control chemicals further enhance preservation. Searine is recommended for all normal cases as well as cases requiring greater preservation, increased sanitation or both. Searine may be used hypodermically or with external packs to enhance localized preservation and bleaching.

NORMAL ^B CASES (# BOTTLES)	SPECIAL CASES ^c REQUIRING GREATER PRESERVATION (# BOTTLES)	SPECIAL CASES ^D REQUIRING GREATER SANITATION
2	21/2-3	21/2-3

Notes:

- A A value assigned to all Champion fluids ranking them on the basis of preservative ability using recommended dilutions in normal cases. The Champion Preservative Factor is not index but can equal it in certain fluids. It is derived from the total chemical composition of each fluid and results of extensive field research. The Champion Preservative Factor can be used by the embalmer to predict the reactivity, preservative value and firming action of Champion fluids.
- B Recommended quantity is $2-2\frac{1}{2}$ bottles with reaspiration. If condition of body is uncertain after cavity treatment-reaspirate and reinject one additional bottle.
- C Cases with higher preservative demand such as cancer, renal and liver diseases with their complications, institutional cases and other wasting diseases, delayed embalming, advanced decomposition, edema and bodies subjected to extensive drug therapy. Recommended quantity is 3 bottles with reaspiration and reinjection of one additional bottle.
- D Cases with infectious diseases such as AIDS, hepatitis, meningitis, tuberculosis and other conditions requiring a high level of disinfection. Recommended quantity is 3 bottles with reaspiration and reinjection of one additional bottle.

BEFORE USING, READ MATERIAL SAFETY DATA SHEET.
FOR PROFESSIONAL EMBALMING USE ONLY.

MATERIAL SAFETY DATA SHEET

THE CHAMPION COMPANY

400 Harrison Street Springfield, Ohio 45505

EMERGENCY TELEPHONE NO. (937) 324-5681

CHEMTREC: (800) 424-9300 (Spill, Leak, Fire, Exposure or Accident)

HAZARD RATING Health

2 Fire 2 Reactivity 0 Special 0

I. PRODUCT INFORMATION

General Type:

Embalming Fluid

Trade Name:

Searine

II. HAZARDOUS INGREDIENTS

		OSHA PEL	ACGIH TLV
MATERIAL (CAS)	<u>%</u>	TWA/STEL (15)	TWA/STEL (15)
Formaldehyde (50-00-0)	8	.75ppm/2ppm	.3ppm (ceiling)
Possible Carcinogen: NTP, IARC	;		
Glutaraldehyde (111-30-8)	2	.2ppm (ceiling)	.05ppm (ceiling)
Phenol (108-95-2)	8	5ppm/NONE	5ppm/NONE
Methanol (67-56-1)	45	200ppm/NONE	200ppm/250ppm

III. PHYSICAL DATA

Boiling Point

103° F

Freezing Point

N/A

Specific Gravity Vapor Density

0.936

Vapor Pressure Solubility in Water **UNKNOWN**

Percent Volatiles

45 (with heat)

Evaporation Rate

COMPLETE 1

(Butyl Acetate = 1)

Appearance and Odor

Water-white, clear liquid with pungent odor.

IV. FIRE AND EXPLOSION HAZARD DATA

Flash Point

103° F (COC) Combustible Liquid

Flammable Limits In Air

Lower 6.7 Upper 72

Extinguishing Media

Foam, Dry Chemical, Carbon Dioxide, Water Spray

Special Fire Fighting

Wear self-contained breathing apparatus, cool container with water

Procedures

spray.

Unusual Fire and Explosion Hazard

V. HEALTH HAZARD DATA

Threshold Limit Value

See Part II

Effects of Overexposure

If swallowed may cause burns, nausea, vomiting, diarrhea, blindness or death. Skin contact may cause burns, dermatitis or serious skin injury. Eye contact may cause burns, inflammation, eye injury or blindness. Inhalation may cause burning of throat and lungs, difficult breathing and collapse, liver damage, nerve damage or blindness. Can be absorbed through skin.

Emergency and First Aid

Procedures

Contact physician immediately. If swallowed do not induce vomiting, give milk or water and get medical attention. If unconscious - give nothing. If eye or skin contact - flush with water for 15 minutes. Remove contaminated clothing, get medical attention. If inhaled - remove to fresh air, give artificial respiration. If not breathing, get medical attention.

VI. REACTIVITY DATA

Stability

Product is stable

Conditions to Avoid

Sparks, heat and open flames

Incompatibilities

Strong acids and alkalis

Hazardous Decomposition Products

At high temperatures may release carbon monoxide or carbon dioxide

Hazardous Polymerization

Will not occur

VII. SPILL OR LEAK PROCEDURES

If Material is Spilled

Neutralize with sodium sulfite solution and flush to sewer with large quantity of water - if allowed. Mop up with dry, non-reactive

absorbent and dispose of as solid waste as allowed.

Waste Disposal Method

Flush to chemical sewer, incinerate, dispose in sanitary landfill - if allowed or flush to waste treatment system - if allowed.

VIII. SPECIAL PROTECTION INFORMATION

Respiratory Protection

Unnecessary if area is adequately ventilated - use organic vapor mask

if necessary.

Local Ventilation

Preferred

Mechanical Ventilation Special Ventilation

Acceptable if necessary
Not normally required

Other Ventilation

Not normally required Impervious vinyl or rubber type

Protective Gloves
Eye Protection

Coverall goggles or full face shield

Other Protective Equipment

Safety shower, eye wash and full protective clothing is required.

IX. SPECIAL PRECAUTIONS

Maintain adequate ventilation and engineering controls to insure exposure levels below OSHA limits. Avoid prolonged inhalation or contact with skin or eyes.

Keep bottles tightly capped. Keep away from heat and flames. Store in cool, dry, well-ventilated area.

The information herein given is in good faith but no warranty, expressed or implied, is made, except that to the best of the Company's knowledge it is accurate. The Champion Company does not assume any legal responsibilities for use or dependence upon same. Customers may wish to conduct tests of their own. The user is urged to read the information provided on the label before using product.

Searine

Date August 1, 2010