SET BLACK Version Number: 2

SAFETY DATA SHEET

INDENTIFICATION OF THE MATERIAL AND SUPPLIER SECTION 1.

SET BLACK **Product Name:**

Other Names:

Phone:

Recommended Use:

Company Name: Resene Paints Limited

32-50 Vogel Street Naenae Wellington NEW ZEALAND (04) 577 0500 (04) 577 0600 Fax: P O Box 38242 Wellington Mail Centre

Address:

Emergency Telephone: 0800 737 363 Available Monday - Friday 8.00am - 4.30pm

New Zealand Poisons Centre: 0800 764 766

SECTION 2. HAZARDS IDENTIFICATION

Hazard Classificaton NON HAZARDOUS according to NZ HSNO Regulations

Not Regulated under NZS5433 for land transportation

Risk Phrases Safety Phrases

Substance Classification

Hazard Statements

COMPOSITION / INFORMATION ON INGREDIENTS SECTION 3.

CAS No **TWA** Ingredients 2,2,4-trimethyl-1,3-pentanediol monoisobuty < 10 25265-77-4 None Establish Fungicide < 1 Not Classified None Establish Acrylic Resin None Establish < 10 Not known Water 30 - 60 7732-18-5 None Establish various None Establish Proprietary ingredients

FIRST AID MEASURES SECTION 4.

Eye: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so.

Continue rinsing. If eye irritation persists get medical attention/advice.

If swallowed consult physician or New Zealand National Poisons Centre (Ph 0800 764 766) Swallowed:

Australian National Poisons Centre (Ph 1800 131 126) IMMEDIATELY. Never give anything by

mouth to an unconscious person.

If swallowed DO NOT INDUCE vomiting.

Remove/take off all contaminated clothing and wash before re-use. Wash skin with water/shower and Skin

plenty of soap. If skin irritation occurs get medical advice/attention.

Remove to fresh air and keep at rest in a position comfortable for breathing. Inhaled

Aggravated medical conditions caused by exposure

Chronic Health Effects

Advice to Doctor Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher Foam, Carbon Dioxide, Dry Chemical

Hazards from

combustion products

Special protective precautions and equipment for firefighters

Fire/Explosion Hazard Auto Ingnition Temperature Lower Explosion Limit **Upper Explosion Limit**

n/a n/a n/a **Hazchem Code Flash Point**

ACCIDENTAL RELEAS SECTION 6.

SET BLACK Resene Paints Limited

Emergency Procedures

Keep spectators away and avoid breathing dust or vapours

Methods and materials for containment and clean up

Minor Spills Clean up spills immediately.

Wear protective clothing and breathing apparatus.

Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways.

Sweep up.

Place in separate container for disposal or recovery.

Major Spills Restrict access to area. No smoking or naked lights.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Clear area of personnel and move upwind.

Dike and contain spill with inert materials (eg. Sand).

Stop leak if safe to do so.

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water.

Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use

Conditions for safe storage including any incompatibilities

Storage Temperatures Min 1°C Max 40°C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure standards for mixture No exposure standards has been established for this product

Component Pigments

Breathing Zone ppm Breathing Zone mg/m³

Personal Protection

Safety eyewear with splash guards or side shields to prevent eye contact is recommended when Eyes

using any paint.

Hands/Feet Protective clothing. Gloves of neoprene, nitrile rubber or PVC - Industrial weight lined

gauntlet recommended.

Other Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.

Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of

heated materials. Wash hands thoroughly before handling food.

Respirator

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Black viscous liquid

Vapour Pressure Vapour Density **Boiling Point** Odour Melt Freeze Solubility Volatile by Weight pН

100°C 0°C Soluble 48 Amine 7 - 10

SECTION 10. STABILITY AND ACTIVITY

Chemical Stability Product is considered stable under normal storage and handling conditions.

Conditions to Avoid Freezing, excessive heat and changes in temperature

Incompatible Material

Hazardous decomposition product Oxides of carbon and nitrogen

Hazardous reactions Hazardous polymerisation will not occur.

Resene Paints Limited SET BLACK

Page 2 of 3

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product

Refer to individual raw materials

SECTION 12. HAZARDS IDENTIFICATION

Do not allow the product to enter the environment

No data available for this product

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineratio

Consult manufacturer for recycling options and recycle where possible

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

SECTION 14. FIRST AID MEASURES

UN Number

UN Proper

shipping

Subsidiary risk

Poison Schedule HAZCHEM Code

Packing Group: Class

Special precautions for user

SECTION 15. REGULATORY INFORMATION

Group Standard Not applicable Approved Handler Not required

SECTION 16. OTHER INFORMATION

Date of Preparation 10/06/2008

Literature references MSDS's for individual raw material

Abbreviations:

NOHSC National Occupational Health and Safety Commissio

TLV Time weighted averag STEL Short term exposure limit

CAS Numbe Chemical Abstract Service registry numbe

TWA Threshold limit valu

Marine Pollutant Marine Pollutant

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.