

RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

Section 1 – Chemical Product and Company Information

Product Name: RAIN-X Deicer Windshield Washer Fluid -25/DEG

(RX5066517)

Product Use: Windshield Washer Fluid

Company: South/Win Ltd.

3818 Burlington Rd. Greensboro, NC 27405

Telephone: (800) 648-4393

Emergency Telephone Number: CHEMTREC: (800) 424-9300

Section 2 – Composition Information

Component	CAS#	%
Water	7732-18-5	50 - 70
Methanol	67-56-1	30 - 50
Ethylene Glycol	111-76-2	< 1
Monobutyl Ether		

Section 3 – Hazards Identification

EMERGENCY OVERVIEW: POISON! Product is very HARMFUL. May be FATAL or cause blindness if swallowed.

Potential Health Effects:

Inhalation: Vapors may cause slight irritation to the mucous membranes. Exposure to vapors over

an extended period of time may lead to toxic effects on the nervous system in general and the optic nerve in particular. Once absorbed into the body it is slowly eliminated. Symptoms include: headache, drowsiness, blurred vision, nausea, vomiting, coma and death. A person may get better after prolonged exposure but then could worsen again

up to 30 hours later.

Ingestion: May be fatal or cause blindness if swallowed. Death occurs usually after consuming 3

ounces of this product. Symptoms parallel symptoms observed during inhalation.



RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

Skin Contact: May cause skin irritation through defatting which leads to dry and cracked skin. Skin

absorption can occur leading to symptoms similar to those seen through inhalation.

Eye Contact: May cause eye irritation; prolonged exposure can lead to eye lesions.

Chronic Effects: Marketed impairment of vision has been reported. Skin irritation has also been observed.

Aggravation of

Pre-existing Conditions:

Persons with pre-existing skin disorders, eye problems, or impaired liver or kidney

functions may be more susceptible to the effects of this substance.

Section 4 - First Aid Measures

Inhalation: If inhaled, move to fresh air. If breathing is difficult, administer artificial respiration

(mouth to mouth) or oxygen as indicated. Contact a physician immediately.

Ingestion: DO NOT DELAY. CONTACT A PHYSICIAN IMMEDIATELY! Induce vomiting as directed by

medical personnel if victim is conscious. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below the hips to prevent aspiration of material into the lungs. Seek medical attention immediately.

Oral LD 50: N/D

Skin: Wash affected area with soap and water. Remove contaminated clothing. Launder

contaminated clothing before reuse. Contact a physician if irritation develops.

Eyes: Flush with large amounts of cold water for at least 15 minutes. Do not let victim rub

eyes. Contact a physician immediately.

Section 5 – Fire Fighting Measures

Flash Point: 32° C (90° F)

Method Used: TCC

Extinguisher

Carbon dioxide, Dry chemical, Alcohol Foam.

Media:



RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

Special

Isolate fire area and deny unnecessary entry. Use dry chemical, alcohol foam or carbon

Firefighting Procedures: dioxide. Water spray may be used only to keep fire exposed containers cool, protect personnel attempting to stop leak and disperse vapors.

Protective Equipment: Firefighters should wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other

positive pressure mode.

Unusual

None Fire and

Explosion Hazards:

HMIS Rating: Health 1 Flammability 3

Reactivity 0

NFPA Rating:

Health 1

Flammability 3

Reactivity 0

Section 6 – Accidental Release Measures

Spill & Leak

Isolate spill area, remove all sources of ignition and ventilate area of leaks and spills. Do Response: not allow spilled material to enter sewers or streams. Using recommended protective

equipment, contain and recover liquid if possible. Add dry material to absorb (if

large spill, dike to contain). Using recommended protective equipment, pick up bulk of spill and containerize for recovery or disposal. Do not use combustible materials such as

saw dust and do not flush material down the sewer.

Section 7 – Handling and Storage

Avoid contact with skin, eyes and clothing. Do not wear contact lenses when handling Handling:

this product. Keep out of reach of children. Wash thoroughly after handling.

Work Practice: Use only in well ventilated areas. Keep containers tightly closed and keep away from

heat and open flames.



RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

Storage: Store in closed containers in a cool, dry, well-ventilated area; maintain closure of bungs.

Do not reuse container. Avoid container damage while storing. Do not allow material to

be stored above 20°C (68°F).

Empty Container Warning: Empty containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, bronze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition; they may explode and cause injury or death. Do not attempt to refill containers since residue is difficult to remove. Empty drums should be completely drained, properly bunged and returned to a drum

reconditioner. All containers should be disposed of in an environmentally safe manner in

accordance with governmental regulations.

Section 8 – Exposure Controls/ Personal Protection

Exposure guidelines:

Methanol: OSHA Permissible Exposure Limit (PEL) – 200 ppm; ACGIH Threshold

Limit Value – 200 ppm (Time Weighted Average), 250 ppm (Short Term

Limit Value) skin

Respiratory General room ventilation should be satisfactory. Local exhaust ventilation may be

Protection: necessary if misting is generated. If the exposure limit is exceeded, then a full-face

respirator, airlined hood or full face piece self-contained breathing apparatus must be

worn.

Protective Gloves:

Wear neoprene rubber gloves, protective boots, gloves, lab coat, apron or overalls as

appropriate to prevent skin contact.

Eye Protection: Safety glasses with side shields or chemical goggles are required. Contact lenses should also not be worn if the product could be splashed into the eyes. Keep eye wash fountain

and quick-drench facilities in work area.

Other

To prevent repeated and prolonged skin contact, wear impervious clothing and boots.

Protective Wear:

Work

Read label for instructions in use of product.

Practices:



RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

Section 9 – Physical/Chemical Characteristics

Appearance and Odor: Bright opaque florescent orange liquid, mild alcohol odor

Boiling Point: $84^{\circ}C (183^{\circ}F)$ Flash Point: $32^{\circ}C (90^{\circ}F)$

Method Used: TCC Flammable Limits in air % by volume: N/D

Auto-Ignition Temp: 470°C (878°F) as methanol

LEL: 6% as methanol UEL: 36% as methanol

Specific Gravity: $0.940 - 0.950 @ 20^{\circ}C (68^{\circ}F)$

Vapor Pressure @ 20°C: N/D

Vapor Density: 1.1 (Air = 1) Solubility in Water: Miscible Freezing Point: $-32^{\circ}\text{C} (-25^{\circ}\text{F})$

pH in water: 6 - 8

Section 10 – Stability and Reactivity

Stability: Stable X Unstable

Conditions Heat, flames, ignition sources and incompatibilities

to Avoid:

Incompatibility: Strong acids, oxidizing agents and aluminum

Hazardous Oxides of carbon and formaldehyde

Decomposition

Products:

Hazardous May occur Will not occur X

Polymerization:



RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

Section 11 - Toxicological Data

Eye Irritation: N/D

Dermal Toxicity 20 mg/24 hours Rabbit for Methanol

Draize Test:

Oral Toxicity: LD 50: 5,628 mg/kg, Rat for Methanol

Inhalation LC50: 64,000 ppm/1 hour Rat for Methanol

Toxicity:

Carcinogenicity: NTP: N/D

IARC: N/D ACGIH: N/D

Section 12 – Ecological Information

When released into the soil, this material is expected to readily degrade

When released into the water, this material is expected to have a half-life between 1 and 10 days.

Persistence and

Not established.

Degradability:

Section 13 – Disposal Considerations

Waste Disposal: All recovered material should be packaged, labeled, transported and disposed or

reclaimed in conformance with Good Engineering Practices. Comply with all applicable

governmental regulations. Avoid land filling of liquids. Reclaim where possible.

Product can be disposed of in a licensed facility.



RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

Section 14 - Transport Information

US Department of Transportation

Hazard Class/Division: 3 (Flammable liquid)

Identification Number: UN1993

Packing Group: III

Proper Shipping Name: Alcohols N.O.S. (Methanol)

Product shipment size: In containers with greater than 5 liter capacity

Hazard Class: ORM-D; Quantities less than 5 liters

Section 15 – Regulatory Information

OSHA (Occupational Safety, and Health Administration)

29 CFR 1910.1200 Hazardous Chemical: yes

SARA (Superfund Amendment and Reauthorization Act)

Section 311: Hazardous Chemical - yes

Immediate - yes Delayed - yes Fire - yes

Sudden Release - no

Reactive - no

Section 313: Toxic Chemical – yes Methanol: CAS # 67-56-1: 30-50%

CERCLA Reportable Quantities (RQ) SARA 302 Threshold Planning Quantities (TPQ)

None

TSCA (Toxic Substance Control Act)

All of the ingredients in this product are listed on the TSCA Inventory.



RAIN-X Deicer Windshield Washer Antifreeze -25/DEG

Revision Date: 6/12/2013 MSDS Number: 3200-RB

Date Issued: 6/1/2008

California Prop 65:

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Section 16 – Other Information

None

Disclaimer: The information contained herein is based on the data available to us and is believed to be correct. However, South/Win, Ltd. and/or the preparer makes no warranty, expressed or implied, regarding the accuracy of this information or the results to be obtained from the use thereof. South/Win, Ltd assumes no responsibility for injury from the use of this product.