



## Speedball 2000 Power Cleaner Non-Butyl Solvent Power Cleaner Degreaser

Version Number: 1

Preparation date: 2014-06-11

### 1. IDENTIFICATION

**Product name:** Speedball 2000 Power Cleaner Non-Butyl Solvent Power Cleaner Degreaser  
**Product Code:** 95891164  
**SDS #:** MS0800200  
**Recommended use:**

- Cleaning product
- This product is intended to be used neat.

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**  
 US Headquarters  
 Diversey, Inc.  
 8310 16th St.  
 Sturtevant, Wisconsin 53177-1964  
 Phone: 1-888-352-2249  
 MSDS Internet Address: [www.diversey.com](http://www.diversey.com)

Canadian Headquarters  
 Diversey, Inc. - Canada  
 2401 Bristol Circle  
 Oakville, Ontario L6H 6P1  
 Phone: 1-800-668-3131

**Emergency telephone number:** 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Serious eye damage/eye irritation Category 2A



**Signal Word:**

**Warning**

#### Precautionary Statements

##### **CAUSES SERIOUS EYE IRRITATION.**

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: May be mildly irritating to skin. In case of contact, immediately flush with plenty of water. If irritation occurs and persists, get medical attention.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

**Classification for the diluted product @ RTU**

This product is intended to be used neat.

**Precautionary Statements****3. COMPOSITION/INFORMATION ON INGREDIENTS****Classified Ingredients**

| Ingredient(s)                     | CAS #      | Weight %      |
|-----------------------------------|------------|---------------|
| Benzyl alcohol                    | 100-51-6   | 3% - < 5%     |
| Diethylene glycol monoethyl ether | 111-90-0   | 1% - < 3%     |
| Sodium xylene sulfonate           | 1300-72-7  | 1% - < 3%     |
| Alcohol ethoxylates               | 68439-46-3 | 1% - < 3%     |
| Sodium hydroxide                  | 1310-73-2  | > 0.1% - < 1% |

\*Exact percentages are being withheld as trade secret information

**4. FIRST AID MEASURES****Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

**Skin:** In case of contact, immediately flush with plenty of water. If irritation occurs and persists, get medical attention.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

**Aggravated Medical Conditions:** None known.

**Diluted Product:**

This product is intended to be used neat.

**Eyes:** See undiluted product information above.

**Skin:** See undiluted product information above.

**Inhalation:** See undiluted product information above.

**Ingestion:** See undiluted product information above.

**5. FIRE-FIGHTING MEASURES**

**Specific methods:** No special methods required

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Not applicable.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

**7. HANDLING AND STORAGE**

**Handling:** Avoid contact with skin and eyes. Wash thoroughly after handling. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

**Aerosol Level (if applicable) :** Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines:

| Ingredient(s)                     | CAS #      | ACGIH                         | OSHA                      |
|-----------------------------------|------------|-------------------------------|---------------------------|
| Benzyl alcohol                    | 100-51-6   | -                             | -                         |
| Diethylene glycol monoethyl ether | 111-90-0   | -                             | -                         |
| Sodium xylene sulfonate           | 1300-72-7  | -                             | -                         |
| Alcohol ethoxylates               | 68439-46-3 | -                             | -                         |
| Sodium hydroxide                  | 1310-73-2  | 2 mg/m <sup>3</sup> (Ceiling) | 2 mg/m <sup>3</sup> (TWA) |

### Undiluted Product:

#### Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

### Personal Protective Equipment

|                                  |                                                                        |
|----------------------------------|------------------------------------------------------------------------|
| <b>Eye protection:</b>           | Chemical-splash goggles.                                               |
| <b>Hand protection:</b>          | Chemical-resistant gloves.                                             |
| <b>Skin and body protection:</b> | No special requirements under normal use conditions.                   |
| <b>Respiratory protection:</b>   | No special requirements under normal use conditions.                   |
| <b>Hygiene measures:</b>         | Handle in accordance with good industrial hygiene and safety practice. |

### Diluted Product:

This product is intended to be used neat.

### Personal Protective Equipment

|                                  |                                                                        |
|----------------------------------|------------------------------------------------------------------------|
| <b>Eye protection:</b>           | Chemical-splash goggles.                                               |
| <b>Hand protection:</b>          | Chemical-resistant gloves.                                             |
| <b>Skin and body protection:</b> | No special requirements under normal use conditions.                   |
| <b>Respiratory protection:</b>   | No special requirements under normal use conditions.                   |
| <b>Hygiene measures:</b>         | Handle in accordance with good industrial hygiene and safety practice. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

**Physical State:** Liquid

**Evaporation Rate:** No information available

**Odor threshold:** No information available.

**Melting point/range:** Not determined

**Autoignition temperature:** No information available

**Solubility in other solvents:** No information available

**Density:** 8.42 lbs/gal 1.01 Kg/L

**Bulk density:** No information available

**Flash point:** > 200 °F > 93.3 °C

**Dilution Flash Point:** > 200 °F > 93.3 °C

**Elemental Phosphorus:** 0.00 % by wt.

**pH:** 11.3

**Dilution pH:** 11.3 @ RTU

**Metal Corrosion** Not determined

**Explosion limits:** - upper: Not determined - lower: Not determined

**Color:** Clear, Purple

**Odor:** Citrus

**Boiling point/range:** Not determined

**Decomposition temperature:** Not determined

**Solubility:** Completely Soluble

**Relative Density (relative to water):** 1.01

**Vapor density:** No information available

**Vapor pressure:** No information available.

**Partition coefficient (n-octanol/water):** No information available

**Viscosity:** No information available

**VOC:** 0.47 % \*

**VOC % by wt. at use dilution** 0.47 % \*

**Flammability (Solid or Gas):** Not applicable

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

|                                          |                              |
|------------------------------------------|------------------------------|
| <b>Reactivity:</b>                       | Not Applicable               |
| <b>Stability:</b>                        | The product is stable        |
| <b>Hazardous decomposition products:</b> | None reasonably foreseeable. |
| <b>Materials to avoid:</b>               | None known.                  |
| <b>Conditions to avoid:</b>              | No information available.    |

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation

**Delayed, immediate, or chronic effects and symptoms from short and long-term exposure****Skin contact:** May be mildly irritating to skin. Symptoms may include redness and/or transient discomfort.**Eye contact:** Causes serious eye irritation. Symptoms may include pain, redness, and watering.**Ingestion:** May be irritating to mouth, throat and stomach. Symptoms may include stomach pain and nausea.**Inhalation:** May be irritating to nose, throat, and respiratory tract. Symptoms may include coughing and difficulty breathing.**Sensitization:** No known effects.**Numerical measures of toxicity**

ATE - Oral (mg/kg): &gt;5000

ATE - Dermal (mg/kg): &gt;5000

ATE - Inhalatory, mists (mg/l): &gt;20

**12. ECOLOGICAL INFORMATION****Ecotoxicity:** No information available.**Persistence and Degradability:** No information available.**Bioaccumulation:** No information available.**13. DISPOSAL CONSIDERATIONS****Waste from residues / unused products:** This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.**Contaminated Packaging:** Do not re-use empty containers.**RCRA Hazard Class (undiluted product):** Not Regulated**14. TRANSPORT INFORMATION****DOT/TDG/IMDG:** Please refer to the Diversey HazMat Library, only available through Internet Explorer, <http://naextranet.diversey.com/dot/>, for up to date shipping information.**DOT (Ground) Bill of Lading Description:** CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID**IMDG (Ocean) Bill of Lading Description:** CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID**15. REGULATORY INFORMATION****International Inventories at CAS# Level**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL).

**U.S. Regulations****California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.**RIGHT TO KNOW (RTK)**

| Ingredient(s)                     | CAS #      | MARTK: | NJRTK: | PARTK: | RIRTK: |
|-----------------------------------|------------|--------|--------|--------|--------|
| Water                             | 7732-18-5  | -      | -      | -      | -      |
| Benzyl alcohol                    | 100-51-6   | X      | -      | X      | -      |
| Diethylene glycol monoethyl ether | 111-90-0   | -      | X      | -      | -      |
| Sodium xylene sulfonate           | 1300-72-7  | -      | -      | -      | -      |
| Alcohol ethoxylates               | 68439-46-3 | -      | -      | -      | -      |
| Sodium hydroxide                  | 1310-73-2  | X      | X      | X      | X      |

**CERCLA/ SARA**

| Ingredient(s)                     | CAS #     | Weight %      | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|-----------------------------------|-----------|---------------|----------------------|-----------------------|-------------|
| Diethylene glycol monoethyl ether | 111-90-0  | 1% - < 3%     |                      |                       | X           |
| Sodium hydroxide                  | 1310-73-2 | > 0.1% - < 1% | 1000                 |                       |             |

| Ingredient(s)                     | CAA HAP | CAA ODS | CWA Priority Pollutants |
|-----------------------------------|---------|---------|-------------------------|
| Diethylene glycol monoethyl ether | X       |         |                         |

**SARA 311/312 Hazard Categories**

**Immediate:** X  
**Delayed:** -  
**Fire:** -  
**Reactivity:** -  
**Sudden Release of Pressure:** -

**Canada**

**16. OTHER INFORMATION**

**NFPA**

**Health** 2

**Flammability** 0

**Instability** 0

**Version Number:** 1

**Preparation date:** 2014-06-11

**Reason for revision:** Not applicable

**Prepared by:** NAPRAC

**Additional advice:** • Contains an added fragrance, see "Odor" heading in section 9 for specific description

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*