

1. Identification

Product identifier Stannous Chloride Concentrate
Product code R-0602
Recommended use Use as directed by manufacturer for purposes directly related to water testing.
Recommended restrictions None known
Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Taylor Technologies, Inc.
Address 31 Loveton Circle
Sparks, MD 21152
United States
Telephone (410) 472-4340 Monday—Friday, 8:00 a.m.—4:30 p.m.
Website www.taylortechnologies.com
E-mail Not available
Emergency phone number (800) 837-8548

2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1
Health hazards Acute toxicity, inhalation Category 4
Acute toxicity, oral Category 4
Eye damage/irritation Category 1
Skin corrosion/irritation Category 1B
Specific target organ toxicity, single exposure Category 3 respiratory tract irritation
Environmental hazards Not currently regulated by OSHA; refer to section 12 of the SDS for additional information.

Label elements



Signal word Danger
Hazard statement May be corrosive to metals. Causes severe skin burns and eye damage. Harmful if inhaled.
Precautionary statement
Prevention Keep only in original container. Do not breathe mist or vapor. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response Absorb spillage to prevent material damage.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water.
Wash contaminated clothing before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
Immediately call a physician or poison control center.
Storage Store locked up. Store in corrosive-resistant container with a corrosive-resistant liner.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified	None
Supplemental information	None

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Deionized water	Dihydrogen oxide	7732-18-5	50–60
Hydrochloric acid	Muriatic acid; Hydrogen chloride	7647-01-0	30–40
Tin dichloride	Stannous chloride	7772-99-8	5–10

4. First-aid measures

Inhalation	Move to fresh air. Give oxygen or artificial respiration if needed. Get medical attention immediately.
Skin contact	Immediately flush skin with running water for at least 20 minutes. Immediately take off all contaminated clothing. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.
Most important symptoms/effects, acute and delayed	Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring. Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.
General information	Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. Firefighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Firefighting equipment/instructions	Firefighters should wear full protective gear. Evacuate the area promptly. Fight fire from upwind to avoid exposure to combustion products. Cool containers/tanks with water spray. Do not get water inside container. Move containers from fire area if it can be done without risk. Prevent fire-extinguishing water from contaminating surface water or the ground water system.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Not combustible; however, the product can react with metals to form flammable and explosive hydrogen gas.

Hazardous combustion products

Chlorine gas. Hydrogen gas. Tin oxides. Other irritating fumes and smoke.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.

Small Spills: Absorb spillage with noncombustible, absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for reuse. For waste disposal, refer to section 13 of the SDS. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product.

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from metals and other incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in corrosive-resistant container with a corrosive-resistant inner liner. Store in original tightly closed container. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (refer to section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

U.S. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m ³	Not applicable
		5 ppm	Not applicable

U.S. ACGIH Threshold Limit Values

Components	Type	Value	Form
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm	Not applicable
Tin dichloride (CAS 7772-99-8)	TWA	2 mg/m ³	Not applicable

U.S. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m ³	Not applicable
		5 ppm	Not applicable
		5 ppm	Not applicable
Tin dichloride (CAS 7772-99-8)	TWA	5 ppm	Not applicable
		2 mg/m ³	Not applicable

Biological limit values

No biological exposure limits noted for the ingredient(s)

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eyewash fountain and quick-drench shower in the immediate work area.
Skin protection	
Hand protection	Wear appropriate chemical-resistant gloves. Advice should be sought from glove suppliers.
Other	Wear appropriate chemical-resistant clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure limits. Advice should be sought from respiratory protection suppliers.
Thermal hazards	When necessary, wear appropriate thermal protective clothing.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contamination.

9. Physical and chemical properties

Appearance

Physical state	Liquid
Form	Liquid
Color	Clear, colorless

Odor Pungent

Odor threshold Not available

pH <0.01

Melting point/freezing point Not available

Initial boiling point and boiling range 230°F (110°C)

Flash point Not applicable (does not burn)

Evaporation rate Not available

Flammability (solid, gas) Not applicable

Upper/lower flammability or explosive limits

Flammability limit, lower (%) Not applicable

Flammability limit, upper (%) Not applicable

Explosive limit, lower (%) Not applicable

Explosive limit, upper (%) Not applicable

Vapor pressure 160 mm Hg

Vapor density 1.25

Relative density Not available

Solubility(ies)

Solubility (water) Soluble in all proportions

Partition coefficient (n-octanol/water) Not available

Auto-ignition temperature Not applicable

Decomposition temperature Not available

Viscosity Not available

Other information

Explosive properties Not applicable

Oxidizing properties Not applicable

Percent volatile 91%

Specific gravity Not available

10. Stability and reactivity

Reactivity	This product is stable and nonreactive under normal conditions of use, storage, transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use
Conditions to avoid	High temperatures. Do not use in areas without adequate ventilation.
Incompatible materials	Acetylides. Alcohols. Aldehydes. Bases. Borides. Carbides. Epoxides. Fluorine. Metal compounds. Nitrates. Oxidizing agents. Picrates. Reducing agents.
Hazardous decomposition products	None known. For hazardous combustion products, refer to section 5 of the SDS.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system
Skin contact	Causes severe skin burns
Eye contact	Causes serious eye damage
Ingestion	Causes digestive tract burns

Most important symptoms/effects, acute and delayed

Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring. Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.

Acute toxicity

Harmful if inhaled
Harmful if swallowed

Components	Species	Test Results
Hydrochloric acid (CAS 7647-01-0)		
Acute		
<i>Dermal</i>		
LD ₅₀	Rabbit	Not available
<i>Inhalation</i>		
LC ₅₀	Rat	3124 mg/L, 1 hour
<i>Oral</i>		
LD ₅₀	Rabbit	900 mg/kg
Tin dichloride (CAS 7772-99-8)		
Acute		
<i>Dermal</i>		
LD ₅₀	Rabbit	Not available
<i>Inhalation</i>		
LC ₅₀	Rat	Not available
<i>Oral</i>		
LD ₅₀	Rabbit	700 mg/kg
Deionized water (CAS 7732-18-5)		
Acute		
<i>Dermal</i>		
LD ₅₀	Rabbit	Not available
<i>Inhalation</i>		
LC ₅₀	Rat	Not available
<i>Oral</i>		
LD ₅₀	Rat	>89840 mg/kg

Skin corrosion/irritation	Causes severe skin burns and eye damage
Serious eye damage/eye irritation	Causes serious eye damage
Respiratory sensitization	Not expected to be a respiratory sensitizer
Skin sensitization	Not expected to be a skin sensitizer
Germ cell mutagenicity	Not expected to be mutagenic
Carcinogenicity	This product is not considered to be a carcinogen by IARC, NTP, OSHA, or U.S. ACGIH.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)	
Not regulated	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity, single exposure	May cause respiratory irritation
Specific target organ toxicity, repeated exposure	Not classified as a specific target organ toxicity – repeated exposure
Aspiration toxicity	Not expected to be an aspiration hazard
Chronic effects	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

12. Ecological information

Ecotoxicity	This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
--------------------	---

Components	Species	Test Results
Hydrochloric acid (CAS 7647-01-0) – Aquatic		
Acute		
<i>Algae</i>		
EC ₅₀	Green algae (<i>Selenastrum capricornutum</i>)	0.492 mg/L, 72 hours
<i>Crustacea</i>		
EC ₅₀	Water flea (<i>Daphnia magna</i>)	0.492 mg/L, 48 hours
<i>Fish</i>		
LC ₅₀	Carp (<i>Cyprinus carpio communis</i>)	4.92 mg/L, 96 hours
Chronic		
<i>Algae</i>		
NOEC	Green algae (<i>Selenastrum capricornutum</i>)	0.097 mg/L, 72 hours
Tin dichloride (CAS 7772-99-8) – Aquatic		
Acute		
<i>Crustacea</i>		
EC ₅₀	Water flea (<i>Daphnia magna</i>)	22 mg/L, 48 hours
Chronic		
<i>Crustacea</i>		
NOEC	Water flea (<i>Daphnia magna</i>)	0.18 mg/L, 21 days
Persistence and degradability	Not available	
Bioaccumulative potential	Not available	
Mobility in soil	Not available	
Other adverse effects	No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose of in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose of in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion with the user, the producer, and the waste disposal company.

Waste from residues/unused products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (refer to Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste-handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transportation information

DOT

UN number	UN1760
UN proper shipping name	Corrosive liquids, N.O.S. (Hydrochloric acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Label(s)	8
Packing group	II
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Special provisions	B2, IB2, T11, TP2, TP27
Packaging exceptions	154
Packaging, non-bulk	202
Packaging, bulk	242

IATA

UN number	UN1760
UN proper shipping name	Corrosive liquid, N.O.S. (Hydrochloric acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Packing group	II
Environmental hazards	Not listed
ERG code	8L
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed
Cargo aircraft only	Allowed

IMDG

UN number	UN1780
UN proper shipping name	Corrosive liquid, N.O.S. (Hydrochloric acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	Not listed
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

DOT





Marine pollutant



15. Regulatory information

U.S. federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance (40 CFR 302.4)

Hydrochloric acid (CAS 7647-01-0)

SARA 304 Emergency Release Notification

Hydrochloric acid (CAS 7647-01-0) 5000 lb.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate hazard — yes
Delayed hazard — no
Fire hazard — no
Pressure hazard — no
Reactivity hazard — no

SARA 302 Extremely Hazardous Substance

Chemical name	CAS number	Reportable quantity (lb.)	Threshold planning quantity (lb.)	Threshold planning quantity lower value	Threshold planning quantity upper value
Hydrochloric acid	7647-01-0	5000	500	Not applicable	Not applicable

SARA 311/312 Hazardous Chemical

Not regulated

SARA 313 (TRI reporting)

Chemical name	CAS number	% by weight
Hydrochloric acid	7647-01-0	3–7

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Hydrochloric acid (CAS 7647-01-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Hydrochloric acid (CAS 7647-01-0)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Hydrochloric acid (CAS 7647-01-0) 6545

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Hydrochloric acid (CAS 7647-01-0) 20% W/V

DEA Exempt Chemical Mixtures Code Number

Hydrochloric acid (CAS 7647-01-0) 6545

Safe Drinking Water Act (SDWA)

Not regulated

U.S. state regulations**California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not regulated

Massachusetts Right-to-Know Act

Hydrochloric acid (CAS 7647-01-0)

Tin dichloride (CAS 7772-99-8)

New Jersey Worker and Community Right-to-Know Act

Hydrochloric acid (CAS 7647-01-0)

Tin dichloride (CAS 7772-99-8)

Pennsylvania Worker and Community Right-to-Know Act

Hydrochloric acid (CAS 7647-01-0)

Rhode Island Right-to-Know Act

Hydrochloric acid (CAS 7647-01-0)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International inventories

Country(ies) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	yes
Canada	Domestic Substances List (DSL)	yes
Canada	Non-Domestic Substances List (NDSL)	no
China	Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)	yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	yes
Europe	European List of Notified Chemical Substances (ELINCS)	no
Japan	Existing and New Chemical Substances (ENCS)	yes
Korea	Existing Chemicals List (ECL)	yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	yes

*A "yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(ies).

A "no" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(ies).

16. Other information, including date of preparation or last revision**List of abbreviations**

ACGIH: American Conference of Governmental Industrial Hygienists
AICS: Australian Inventory of Chemical Substances
CAA: Clean Air Act
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
CFR: Code of Federal Regulations
CSA: Canadian Standards Association
DEA: Drug Enforcement Agency
DOT: Department of Transportation
DSL: Domestic Substances List
EC: effective concentration
ECL: Existing Chemicals List
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
ENCS: Existing and New Chemical Substances
EPA: Environmental Protection Agency
HAP: hazardous air pollutants

HMIS: Hazardous Materials Identification System
 HNOC: hazards not otherwise classified
 HPA: Hazardous Products Act
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association
 IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
 ICAO: International Civil Aviation Organization
 IECSC: Inventory of Existing Chemical Substances Produced or Imported in China
 IMDG: International Maritime Dangerous Goods
 IUCLID: International Uniform Chemical Information Database
 LC: lethal concentration
 LD: lethal dose
 MARPOL: marine pollution
 MSHA: Mine Safety and Health Administration
 NDSL: Non-Domestic Substances List
 NFPA: National Fire Protection Association
 NIOSH: National Institute of Occupational Safety and Health
 NOEC: no observable effect concentration
 NTP: National Toxicology Program
 NZIoC: New Zealand Inventory of Chemicals
 OECD: Organisation for Economic Co-operation and Development
 OEL: occupational exposure limits
 OSHA: Occupational Safety and Health Administration
 PEL: permissible exposure limits
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 PPE: personal protective equipment
 RCRA: Resource Conservation and Recovery Act
 Act RQ: reportable quantity
 RTECS: Registry of Toxic Effects of Chemical Substances
 RTK: right to know
 SARA: Superfund Amendments and Reauthorization Act
 SDS: Safety Data Sheet
 SDWA: Safe Drinking Water Act
 STEL: short-term exposure limit
 TLV: threshold limit values
 TSCA: Toxic Substances Control Act
 TWA: time-weighted average
 VOC: volatile organic compounds
 WEL: workplace exposure limit

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be changed, or altered, in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date

May 2015

Last revision

May 2015