SAFETY DATA SHEET

Stingray Wasp & Hornet Jet Spray

SDS #: 6594-A

Revision date: 2015-04-10

Format: NA Version 1.01



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Stingray Wasp & Hornet Jet Spray

Other means of identification

Product Code(s) 6594-A

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation 1735 Market Street Philadelphia, PA 19103

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

SDS #: 6594-A **Revision date:** 2015-04-10

Version 1.01

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction



Precautionary Statements - Prevention

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention

P363 - Wash contaminated clothing before reuse

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use Foam. Carbon dioxide (CO2). Dry chemical. Water spray for extinction

Precautionary Statements - Storage

P405 - Store locked up

P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
Piperonyl butoxide	51-03-6	0.5
Permethrin	52645-53-1	0.25
Tetramethrin	7696-12-0	0.1
Petroleum distillates, hydrotreated light	64742-47-8	>80
Carbon Dioxide	124-38-9	<5

Synonyms are provided in Section 1.

SDS #: 6594-A Revision date: 2015-04-10

Version 1.01

4. FIRST AID MEASURES

Eye Contact

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Allergic skin reactions.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration

pneumonia.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). Dry chemical. Water spray.

Specific Hazards Arising from the Chemical

Contents under pressure. Temperatures (>54.4°F) may cause bursting. Keep containers

cool to avoid bursting. Combustible liquid. Contents under pressure.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize

spill area, tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in

Section 13. Rinsate may be disposed at a waste water treatment plant.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F. Do not open by force or throw into fire even after use. Do not spray on flames

or red-hot objects.

Stingray Wasp & Hornet Jet Spray

SDS #: 6594-A **Revision date:** 2015-04-10

Version 1.01

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products Strong oxidizing agents. Alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carbon Dioxide 124-38-9	STEL 30000 ppm TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m ³	IDLH: 40000 ppm TWA: 5000 ppm TWA: 9000 mg/m ³ STEL: 30000 ppm STEL: 54000 mg/m ³	Mexico: TWA 5000 ppm Mexico: TWA 9000 mg/m³ Mexico: STEL 15000 ppm Mexico: STEL 27000 mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m ³ Skin	-	-	-

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and

protective suit.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Aerosolized liquid

Physical State Aerosol

Color No information available

Stingray Wasp & Hornet Jet Spray

SDS #: 6594-A Revision date: 2015-04-10

Version 1.01

Odor No information available Odor threshold No information available

pH 6-8

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point Non-flammable per flame projection test. 76.7 °C / 170.06 °F

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure 4913 mm Hg

Vapor densityNo information availableDensityNo information available

Specific gravity 0.78

Water solubility Insoluble in water

No information available Solubility in other solvents No information available **Partition coefficient** No information available Autoignition temperature **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks

Incompatible materials Strong oxidizing agents. Alkalis.

Hazardous Decomposition Products Carbon oxides (COx).

11. TOXICOLOGICAL INFORMATION

Product Information

Component Information

Chemical name LD50 Oral		LD50 Dermal	LC50 Inhalation
Piperonyl butoxide (51-03-6)	= 4570 mg/kg (Rat)		
Tetramethrin (7696-12-0)			> 2500 mg/m³(Rat) 3 h
Petroleum distillates, hydrotreated light (64742-47-8)	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h

Information on toxicological effects

Symptoms No information available.

SDS #: 6594-A Revision date: 2015-04-10

Version 1.01

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Repeated or prolonged exposure may cause central nervous system effects. Animals given

piperonyl butoxide in the diets showed clinical and histologic signs of liver toxicity. Kidney

damage was also seen.

Mutagenicity Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

Permethrin: Not genotoxic in laboratory studies.

Carcinogenicity Contains no ingredient listed as a carcinogen. Permethrin: Evidence of tumors in mice but

is not considered relevant to humans.

Neurological effects Permethrin: Clinical signs of neurotoxicity include altered motor activity and FOB effects,

with no signs of histopathology.

Reproductive toxicity Permethrin: No toxicity to reproduction in animal studies.

Developmental toxicity Permethrin: Not teratogenic in animal studies.

STOT - single exposure Not classified. STOT - repeated exposure Not classified.

Target organ effects Central Nervous System (CNS), Liver, kidney.

Neurological effects Permethrin: Clinical signs of neurotoxicity include altered motor activity and FOB effects,

with no signs of histopathology.

Aspiration hazard Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl butoxide 51-03-6		Group 3		
Permethrin 52645-53-1		Group 3		

12. ECOLOGICAL INFORMATION

Ecotoxicity

Piperonyl butoxide (51-0	03-6)			
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	μg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Permethrin (52645-53-1)				
Active Ingredient(s)	Duration	Species	Value	Units
Permethrin	48 h EC50	Crustacea	0.001	mg/L
	72 h EC50	Algae	0.0125	mg/L
	96 h LC50	Fish	0.79	μg/L
	21 d NOEC	Crustacea	0.039	μg/L
	96 hr NOEC	Algae	0.9	μg/L
	21 d NOEC	Fish	0.3	μg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Petroleum distillates, hydrotreated light		96 h LC50: = 45 mg/L (Pimephales promelas)	
64742-47-8		96 h LC50: = 2.2 mg/L (Lepomis macrochirus) 96 h LC50: = 2.4 mg/L (Oncorhynchus mykiss)	

Persistence and degradability Permethrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation Permethrin: The substance has a potential for bioconcentration.

Mobility Permethrin: Immobile; Not expected to reach groundwater.

SDS #: 6594-A Revision date: 2015-04-10

Version 1.01

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated PackagingContainers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D"

transition to "Limited Quantity" by 12/31/2020. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond

(new). Please prepare shipping documents to match the carton mark.

Proper Shipping Name Consumer commodity

Hazard class ORM-D

TDG The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not

applicable when shipped only by road or rail in Canada.

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.2

Description UN1950, Aerosols, 2.2, Marine Pollutant

ICAO/IATA

UN/ID no ID8000

Proper Shipping Name Consumer commodity

Hazard class

IMDG/IMO

UN/ID no
Proper Shipping Name
Hazard class
EmS No.
Marine Pollutant
UN1950
Aerosols
2
F-D, S-U
Permethrin

Description UN1950, Aerosols, 2, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Piperonyl butoxide - 51-03-6	51-03-6	0.5	1.0
Permethrin - 52645-53-1	52645-53-1	0.25	1.0
Tetramethrin - 7696-12-0	7696-12-0	0.0999999	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	No

SDS #: 6594-A **Revision date**: 2015-04-10

Version 1.01

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals This product is toxic to fish, birds and other wildlife.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Piperonyl butoxide 51-03-6	Х		
Permethrin 52645-53-1	Х	X	
Tetramethrin 7696-12-0	Х		
Carbon Dioxide 124-38-9	Х	X	Х

International Inventories

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Piperonyl butoxide 51-03-6 (0.5)	X	X	Х	Х	X	Х	X	Х
Permethrin 52645-53-1 (0.25)			Х	Х	Х	Х	Х	Х
Tetramethrin 7696-12-0 (0.1)			Х	Х	X	Х	Х	Х
Petroleum distillates, hydrotreated light 64742-47-8 (>80)	Х	Х	Х	Х	X	Х	Х	Х
Carbon Dioxide 124-38-9 (<5)	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Moderate risk, Grade 2

SDS #: 6594-A **Revision date**: 2015-04-10

Version 1.01

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Carbon Dioxide	100000	100000 kg/yr

WHMIS Hazard Class

A - Compressed gases B3 - Combustible liquid D2B - Toxic materials







NFPA	Health Hazards 2	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 2	Physical hazard 0	Personal Protection X

16. OTHER INFORMATION

Revision date: 2015-04-10

Revision note (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet