



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008
DATE PRINTED: 11/11/2008

REVISION NUMBER: 2
PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **TEK FOUR WOOD FLOOR FINISH**
PRODUCT CODE: 118986

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 0/0
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May be harmful if swallowed.
SKIN CONTACT: May cause moderate skin irritation.
INHALATION: Inhalation of spray mist may be irritating.
EYE CONTACT: May cause moderate eye irritation.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
N-Methyl pyrrolidone 872-50-4	< 10	NA	NA
Diethylene glycol methyl ether 111-77-3	< 5	NA	NA

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Get immediate medical attention.
SKIN: Get medical attention if irritation persists. Remove contaminated clothing. Wash skin with water, using soap if available.
INHALATION: If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA
METHOD: None

TEK FOUR WOOD FLOOR FINISH

FLAMMABLE LIMITS IN AIR

- LOWER (%): None
- UPPER (%): None

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

As for surrounding fire. Water. Dry chemical. Foam.

FIRE FIGHTING PROCEDURES:

Non-combustible material.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Pick up with absorbant material.

LARGE SPILLS:

Reclaim as much as possible. Shovel or sweep up residue and place in suitable containers.

PERSONAL PRECAUTIONS:

NA

ENVIRONMENTAL PRECAUTIONS:

NA

METHODS FOR CLEANING UP:

NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

Avoid contact with skin and eyes. Use only with adequate ventilation. Keep out of reach of children.

OTHER PRECAUTIONS:

No other spill procedures necessary.

SPECIFIC USE(S):

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.

PROTECTIVE GLOVES:

Neoprene. Rubber gloves. Vinyl gloves.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION
EQUIPMENT:

Appropriate protective clothing as needed to prevent skin contact.

VENTILATION:

Not normally required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Opaque white liquid. Mild odor.

BOILING POINT (F):

212°F

(C) NA

VAPOR PRESSURE:

NA

VAPOR DENSITY (AIR=1):

NA

SOLUBILITY IN WATER:

NA

SPECIFIC GRAVITY:

1.1

VOC Content (%):

61 approx.

VOV Content (%):

NE

EVAPORATION RATE:

NA

PH:

8 - 9

10. STABILITY AND REACTIVITY

STABILITY DATA:

STABLE

POLYMERIZATION:

Will Not Occur.

TEK FOUR WOOD FLOOR FINISH

10. STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION: Smoke. Carbon Monoxide. Carbon Dioxide.
INCOMPATIBILITY (MATERIALS TO AVOID): None
CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
N-Methyl pyrrolidone 872-50-4	< 10	Listed	Listed	Listed	Developmental
Diethylene glycol methyl ether 111-77-3	< 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
N-Methyl pyrrolidone 872-50-4	< 10	Not Listed	Not Listed	Listed
Diethylene glycol methyl ether 111-77-3	< 5	Not Listed	Not Listed	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
N-Methyl pyrrolidone 872-50-4	< 10	Listed
Diethylene glycol methyl ether 111-77-3	< 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

TEK FOUR WOOD FLOOR FINISH

PRODUCT COMPOSITION CAS#	%	NJRTK:
Diethylene glycol methyl ether 111-77-3	< 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
N-Methyl pyrrolidone 872-50-4	< 10	Listed
Diethylene glycol methyl ether 111-77-3	< 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***