



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008
DATE PRINTED: 11/11/2008

REVISION NUMBER: 2
PREPARED BY: Walter Friedlander

1. CHEMICAL PRODUCT

PRODUCT NAME: **TEX ETCH PLUS B-R, Acidic Fountain Solution**
PRODUCT CODE: 117920

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 0/0
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Causes vomiting, nausea, and diarrhea. May cause central nervous system effects. May cause liver and kidney damage.
SKIN CONTACT: Prolonged contact may lead to irritation and dermatitis.
INHALATION: None in normal use. Inhalation of dust or mist may cause nose and respiratory irritation.
EYE CONTACT: Causes moderate eye irritation.
CHRONIC EFFECTS: Sensitizer.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Dipropylene glycol methyl ether 34590-94-8	4 max.	100 ppm	NA
Gum Arabic 9000-01-5	7 max.	NA	NA
Propylene glycol methyl ether 107-98-2	4 max.	100 ppm	NA
Hydroxyacetic acid 79-14-1	5 max.	NA	NA
Ethylene glycol 107-21-1	7	NA	NA
Magnesium nitrate 10213-15-7	3.0	NA	NA

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Drink several glasses of water or milk. Get immediate medical attention. Never give anything by mouth to an unconscious person.
SKIN: Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Get medical attention if irritation or burns develop.
INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

TEX ETCH PLUS B-R, Acidic Fountain Solution

4. FIRST AID MEASURES

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None **(C):** NA

METHOD: No data

FLAMMABLE LIMITS IN AIR

- **LOWER (%)**: None

- **UPPER (%)**: None

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical.

FIRE FIGHTING PROCEDURES: Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Rinse down drain.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water. Releases of some glycol ethers may be CERCLA reportable.

PERSONAL PRECAUTIONS: NA

ENVIRONMENTAL PRECAUTIONS: NA

METHODS FOR CLEANING UP: NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Avoid creating mists or aerosols. Keep from freezing.

OTHER PRECAUTIONS: Keep out of reach of children. Read and follow label instructions.

SPECIFIC USE(S): NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS: None known.

RESPIRATORY PROTECTION: None normally required. Use NIOSH approved respirator with dust/mist filter as needed to meet exposure limits of mist in air.

PROTECTIVE GLOVES: Rubber or plastic gloves recommended to minimize skin contact.

EYE PROTECTION: Goggles.

OTHER PERSONAL PROTECTION EQUIPMENT: Appropriate protective clothing as needed to prevent skin contact.

VENTILATION: General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Hazy. Yellow liquid. Mild odor.

BOILING POINT (F): 212 F **(C)** NA

VAPOR PRESSURE: 15.7 mm Hg @ 22.2 C

VAPOR DENSITY (AIR=1): 0.625

SOLUBILITY IN WATER: NA

TEX ETCH PLUS B-R, Acidic Fountain Solution

9. PHYSICAL AND CHEMICAL PROPERTIES

SPECIFIC GRAVITY: 1.09 +/- 0.01 / 9.09 lbs./gal.
VOC Content (%): 80 +/- 2.0
VOV Content (%): NE
EVAPORATION RATE: (BuAc = 1) : 1.26
PH: 3.4 (typical)

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: When heated to high temperatures, the following may be produced: Oxides of Carbon. Oxides of Phosphorus. Oxides of Nitrogen.
INCOMPATIBILITY (MATERIALS TO AVOID): Do not mix with: Reducing agents.
CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Dipropylene glycol methyl ether 34590-94-8	4 max.	Listed	Listed	Listed	Not Listed
Gum Arabic 9000-01-5	7 max.	Listed	Listed	Listed	Not Listed
Propylene glycol methyl ether 107-98-2	4 max.	Listed	Listed	Listed	Not Listed
Hydroxyacetic acid 79-14-1	5 max.	Listed	Listed	Listed	Not Listed
Ethylene glycol 107-21-1	7	Listed	Listed	Listed	Not Listed
Magnesium nitrate 10213-15-7	3.0	Not Listed	Not Listed	Not Listed	Not Listed

TEX ETCH PLUS B-R, Acidic Fountain Solution

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Dipropylene glycol methyl ether 34590-94-8	4 max.	Not Listed	Not Listed	Listed
Gum Arabic 9000-01-5	7 max.	Not Listed	Not Listed	Not Listed
Propylene glycol methyl ether 107-98-2	4 max.	Not Listed	Not Listed	Not Listed
Hydroxyacetic acid 79-14-1	5 max.	Not Listed	Not Listed	Not Listed
Ethylene glycol 107-21-1	7	2270 kg 5000 lb	Not Listed	Listed
Magnesium nitrate 10213-15-7	3.0	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Dipropylene glycol methyl ether 34590-94-8	4 max.	Listed
Gum Arabic 9000-01-5	7 max.	Listed
Propylene glycol methyl ether 107-98-2	4 max.	Listed
Hydroxyacetic acid 79-14-1	5 max.	Listed
Ethylene glycol 107-21-1	7	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Dipropylene glycol methyl ether 34590-94-8	4 max.	Listed
Propylene glycol methyl ether 107-98-2	4 max.	Listed
Ethylene glycol 107-21-1	7	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Dipropylene glycol methyl ether 34590-94-8	4 max.	Listed
Gum Arabic 9000-01-5	7 max.	Listed
Propylene glycol methyl ether 107-98-2	4 max.	Listed
Ethylene glycol 107-21-1	7	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Dipropylene glycol methyl ether 34590-94-8	4 max.	Listed
Propylene glycol methyl ether 107-98-2	4 max.	Listed
Ethylene glycol 107-21-1	7	Listed

16. OTHER INFORMATION

TEX ETCH PLUS B-R, Acidic Fountain Solution

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

***** END OF MSDS *****