



## MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008 REVISION NUMBER: 2  
DATE PRINTED: 11/11/2008 PREPARED BY: Walter Friedlander

### 1. CHEMICAL PRODUCT

PRODUCT NAME: **TEX FAST CLEAN**  
PRODUCT CODE: 117885

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 3/3  
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation  
333 Hollenbeck Street  
Rochester, New York 14621  
Information: 585-336-2200  
Emergency Phone:  
INFOTRAC: 1-800-535-5053  
OUTSIDE US: 1-352-323-3500

### 2. HAZARDS IDENTIFICATION

#### EFFECTS FROM ACUTE EXPOSURE:

**INGESTION:** Headache, dizziness, respiratory irritation, nausea, possible convulsions. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.

**SKIN CONTACT:** Prolonged contact may lead to irritation and dermatitis.

**INHALATION:** Inhalation of spray mists irritating to nose and throat; possible nausea, dizziness. High vapor concentrations may cause unconsciousness and other central nervous system effects, even death.

**EYE CONTACT:** May cause moderate eye irritation.

**CHRONIC EFFECTS:** Dermatitis.

**EFFECTS/CARCINOGENICITY:** None listed under OSHA, IARC, or NTP.

**ROUTES OF ENTRY:** Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Aliphatic hydrocarbon 64742-88-7	51 min.	NA	NA
Aromatic hydrocarbon solvent 64742-95-6	49 min.	NA	NA
Xylenes 1330-20-7	2 max.	100 ppm	100 ppm 435 mg/m <sup>3</sup>
1, 2, 4-Trimethylbenzene 95-63-6	16 max.	25 ppm	NA

### 4. FIRST AID MEASURES

**INGESTION:** Get immediate medical attention. DO NOT INDUCE VOMITING. May cause aspiration pneumonia. Never give anything by mouth to an unconscious person.

**SKIN:** Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Get medical attention if irritation or burns develop.

**INHALATION:** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**EYES:** In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

## TEX FAST CLEAN

### 4. FIRST AID MEASURES

NOTES TO PHYSICIAN: None.

### 5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): 73 F (TCC) typical (C): NA  
METHOD: TCC

#### FLAMMABLE LIMITS IN AIR

- LOWER (%): 1.3% (approx.)  
- UPPER (%): 10.2% (approx.)

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

NO

Sensitivity to static discharge is not expected.

Water fog, carbon dioxide, foam, dry chemical. Water may be ineffective.

FIRE FIGHTING PROCEDURES:

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

### 6. ACCIDENTAL RELEASE MEASURES

#### SPILL PROCEDURES:

SMALL SPILLS:

LARGE SPILLS:

Mop up or soak up immediately.

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Keep out of drains, sewers, streams, or other bodies of water.

PERSONAL PRECAUTIONS: NA

ENVIRONMENTAL PRECAUTIONS: NA

METHODS FOR CLEANING UP: NA

### 7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN  
IN HANDLING AND STORAGE:

Use only in a well ventilated area. DANGER: Flammable liquid and vapor. Do not breathe mist or vapors. Do not store near heat, sparks or flame. Do not store near oxidizing agents.

Observe proper grounding procedures to prevent fire hazard from static accumulation and discharge. Vapors are heavier than air and may tend to collect in low or poorly ventilated areas resulting in possible fire and/or inhalation hazard. Store only in original container and keep closed. Do not reuse container.

OTHER PRECAUTIONS:

Keep out of reach of children. Read and follow label instructions. Minimize exposure to liquids, mists, vapors, or fumes.

SPECIFIC USE(S):

NA

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

None normally required. Use NIOSH approved organic vapor respirator as needed if spray mist or vapors exceed PEL or TLV.

PROTECTIVE GLOVES:

Nitrile gloves. Rubber or plastic gloves recommended to minimize skin contact.

EYE PROTECTION:

Safety Glasses. Goggles.

OTHER PERSONAL PROTECTION  
EQUIPMENT:

Chemical resistant materials are required to prevent prolonged or repeated skin contact.

## TEX FAST CLEAN

**VENTILATION:** General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Use non-sparking equipment. No smoking or open lights.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE AND ODOR:</b>	Clear, colorless liquid. Vanilla odor.	
<b>BOILING POINT (F):</b>	241 - 293 F	(C) NA
<b>VAPOR PRESSURE:</b>	18 mm Hg @ 25 C	
<b>VAPOR DENSITY (AIR=1):</b>	> 1	
<b>SOLUBILITY IN WATER:</b>	NA	
<b>SPECIFIC GRAVITY:</b>	0.798 +/- 0.01	
<b>VOC Content (%):</b>	100 (per EPA Method 24; 6.65#/gal.)	
<b>VOV Content (%):</b>	NE	
<b>EVAPORATION RATE:</b>	Approx. 1.1 (n-BuAc = 1)	
<b>PH:</b>	NA	

### 10. STABILITY AND REACTIVITY

<b>STABILITY DATA:</b>	STABLE
<b>POLYMERIZATION:</b>	Will Not Occur.
<b>HAZARDOUS DECOMPOSITION:</b>	Incomplete combustion produces: Fumes. Smoke. Carbon Monoxide.
<b>INCOMPATIBILITY (MATERIALS TO AVOID):</b>	Do not mix with: Acids. Alkalines. Strong oxidents, such as nitric acid, or hypochlorites.
<b>CONDITIONS/HAZARDS TO AVOID:</b>	Keep away from heat, sparks and flame. Avoid any source of ignition.

### 11. TOXICOLOGICAL INFORMATION

<b>ACUTE TOXICITY:</b>	NE
<b>EFFECTS OF CHRONIC EXPOSURE:</b>	NE
<b>OTHER TOXIC EFFECTS:</b>	NE

### 12. ECOLOGICAL INFORMATION

<b>ECOTOXICOLOGICAL INFORMATION:</b>	No data at this time
<b>CHEMICAL FATE INFORMATION:</b>	No data at this time.
<b>MOBILITY:</b>	NA
<b>PERSISTENCE/DEGRADABILITY:</b>	NA
<b>BIOACCUMULATIVE POTENTIAL:</b>	NA
<b>OTHER ADVERSE EFFECTS:</b>	NA

### 13. DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHODS:** Dispose in accordance with Federal, State and Local regulations.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

### 15. REGULATORY INFORMATION

# TEX FAST CLEAN

## 15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Aliphatic hydrocarbon 64742-88-7	51 min.	Listed	Listed	Listed	Not Listed
Aromatic hydrocarbon solvent 64742-95-6	49 min.	Listed	Listed	Listed	Not Listed
Xylenes 1330-20-7	2 max.	Listed	Listed	Listed	Not Listed
1, 2, 4-Trimethylbenzene 95-63-6	16 max.	Listed	Listed Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Aliphatic hydrocarbon 64742-88-7	51 min.	Not Listed	Not Listed	Not Listed
Aromatic hydrocarbon solvent 64742-95-6	49 min.	Not Listed	Not Listed	Not Listed
Xylenes 1330-20-7	2 max.	100 lb 45.4 kg	Not Listed	Listed
1, 2, 4-Trimethylbenzene 95-63-6	16 max.	Not Listed	Not Listed	Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Aliphatic hydrocarbon 64742-88-7	51 min.	Listed
Aromatic hydrocarbon solvent 64742-95-6	49 min.	Listed
Xylenes 1330-20-7	2 max.	Listed
1, 2, 4-Trimethylbenzene 95-63-6	16 max.	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Xylenes 1330-20-7	2 max.	Listed
1, 2, 4-Trimethylbenzene 95-63-6	16 max.	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Xylenes 1330-20-7	2 max.	Listed
1, 2, 4-Trimethylbenzene 95-63-6	16 max.	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Xylenes 1330-20-7	2 max.	Listed
1, 2, 4-Trimethylbenzene 95-63-6	16 max.	Listed

## 16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

## TEX FAST CLEAN

---

\*\*\* END OF MSDS \*\*\*