Not classified as Hazardous according to criteria of Worksafe Australia Not classified as Hazardous according to Occupational Safety and Health Administration's (OSHA) Communication Standard , 29 CFR 1910.1200

CK - NAC

THERMO ELECTRON

LOUISVILLE, CO 80027

331 South 104th Street

U.S.A

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

THERMO ELECTRON 189 - 199 Browns Rd NOBLE PARK VIC 3174

Tel: +61 3 9790 4100 Tel: (303) 581 6428 Fax: +61 3 9790 4155 Fax: (303) 581 6429

Product Name: CK (NAC) Reagent Set **Catalogue Numbers:** 1380-200, 1380-500

Use: This reagent is intended for the in vitro quantitative determination of CK (ATP:Creatine N-phosphotransferase,

EC 2.7.3.2) in human serum on both manual and automated systems.

UN Number: None allocated

Proper Shipping Name: NONE ALLOCATED Dangerous Goods Class: None allocated

Subsidiary risk: None allocated Packing Group: None allocated Hazchem Code: None allocated Poison Schedule: None allocated

Contact Point

AUSTRALIA

AustraliaU.S.AQuality Assurance Manager:Chemtel

Tel: +61 3 9790 4100 24 Hour Emergency Assistance

Mon – Fri 9:00am to 5:00pm 1-800-255-3924

2. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE NAME Proportion CAS Number

All ingredients in this product are not hazardous according to the criteria of Worksafe Australia and OSHA Communication Standard 29 CFR 1910.1200.

3. HAZARD IDENTIFICATION

Not Classified as hazardous according to the criteria of Worksafe Australia and OSHA Communication Standard 29 CFR 1910.1200

Hazard Category: None allocated

ACUTE HEALTH EFFECTS

Swallowed:

Swallowing large quantities may cause irritation to mouth, throat and stomach, which may lead to nausea, vomiting and diarrhoea.

Eye:

May cause mechanical irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision. These effects are anticipated to be of a transient (short acting) nature and no long term injury is envisaged.

Skin:

May cause irritation to the skin.

Page 1 of 4 Issue Date: October 2003 PI144040C.00

Not classified as Hazardous according to criteria of Worksafe Australia
Not classified as Hazardous according to Occupational Safety and Health Administration's
(OSHA) Communication Standard, 29 CFR 1910.1200

CK - NAC

3. HAZARD IDENTIFICATION (cont)

Inhaled

May cause irritation to the mouth, throat and upper respiratory system.

Chronic:

Prolonged or repeated inhalation of the dust may cause sneezing, coughing and mucous buildup.

4. FIRST AID MEASURES

Swallowed:

If swallowed, **<u>DO NOT</u>** induce vomiting. If conscious, give 1 to 2 glasses of water to drink. Seek immediate medical assistance.

Eye:

If material is splashed into eyes, immediately, flush with plenty of water for 15 minutes, ensuring eye lids are held open. If irritation persists transport to hospital or doctor.

Skins

If material is splashed onto the skin, remove any contaminated clothing and wash skin thoroughly with soap and water. If irritation persists transport to hospital or doctor.

Inhaled:

Move victim to fresh air. Apply resuscitation if victim is not breathing.

First Aid Facilities:

Eye wash fountain, safety shower and normal wash room facilities.

Advice to Doctor:

Treat symptomatically.

In case of poisoning, contact Poisons Information Centre

In Australia call Tel: 131126 In New Zealand Tel: 034747000

5. FIRE-FIGHTING MEASURES

Fire/Explosion Hazard

If safe to do so, move undamaged containers from fire area.

Hazardous Decomposition Products: Decomposes on heating emitting noxious smoke.

Fire Fighting Procedures: Fire fighters to wear Self-contained breathing apparatus (SCBA) in confined spaces, in oxygen deficient atmospheres or if exposed to products of decomposition. Full protective clothing is also recommended. **Extinguishing Media**: Use extinguishing media suitable for surrounding fire situation.

Flammability

This material is not a combustible or flammable solid.

6. ACCIDENTAL RELEASE MEASURES

Avoid generating dusts. Wear suitable protective equipment. Ventilate area. If possible wet area down to prevent high dust levels. If available, use dustless methods, such as a HEPA vacuum and filter. Otherwise, use a non-sparking shovel and place into a suitably labeled container for later disposal. Do not dry sweep.

Page 2 of 4 Issue Date: October 2003 PI144040C.00

Not classified as Hazardous according to criteria of Worksafe Australia Not classified as Hazardous according to Occupational Safety and Health Administration's (OSHA) Communication Standard , 29 CFR 1910.1200

CK - NAC

7. HANDLING AND STORAGE

Avoid generating dusts. Store in a cool place and out of direct sunlight. Store away from oxidizing agents. Keep containers closed, when not using the product. Store at 2-8°C and the reagent will be stable until the expiry date stated on the bottle and kit box labels. Store in original packages as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards

No exposure standards are available for this product, however, the nature of the product is a dust therefore it is recommended that an exposure standard of 10 mg/m³ for an eight hour exposure based upon Nuisance dust.

Engineering Controls

Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate.

Personal Protection Equipment

GLOVES: Not normally required, however, for people with sensitive skins the use of neoprene or nitrile is recommended

EYES: Spectacles with side shields to protect eyes.

RESPIRATORY PROTECTION: Avoid breathing of dusts. The use of a respirator is not normally required, however, if high dust levels are present, then the use of a suitable dust mask or half-face respirator fitted with a P1 filter is recommended. All respirators must comply with AS/NZS 1715 and AS/NZS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off white powder with no odour.

Boiling Point:
Freezing Point:
Not available.
Vapour Pressure:
Not available.
Specific Gravity:
Not available.
Flash Point:
Not applicable.
Flammability Limits:
Not applicable.
Completely miscible.

Other Properties

pH: 6.35 - 6.65 @ 19-22°C

10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions of use.

HAZARDOUS DECOMPOSITION PRODUCTS:

Decomposes on heating emitting noxious smoke.

HAZARDOUS POLYMERIZATION:

Will not occur.

INCOMPATIBILITIES:

Strong oxidizing agents.

CONDITIONS TO AVOID:

Generation of high dust levels and incompatibles.

Page 3 of 4 Issue Date: October 2003 PI144040C.00

Not classified as Hazardous according to criteria of Worksafe Australia
Not classified as Hazardous according to Occupational Safety and Health Administration's
(OSHA) Communication Standard, 29 CFR 1910.1200

CK - NAC

11. TOXICOLOGICAL INFORMATION

There is no toxicological information available for this product, the following is expected:

Oral LD50(rat): > 2,000 mg/kg Dermal LD50(rabbit): > 2,000 mg/kg

12. ECOLOGICAL INFORMATION

No ecological information available for this product. Do not dispose of large quantities to waterways, drains or sewers.

13. DISPOSAL CONSIDERATIONS

Refer to appropriate authority in your State. Normally suitable for disposal by approved waste disposal agent

14. TRANSPORT INFORMATION

UN Number: None allocated

Proper Shipping Name: NONE ALLOCATED **Dangerous Goods Class:** None allocated

Subsidiary risk: None allocated Packing Group: None allocated Hazchem Code: None allocated

Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) 6th Edition. Not classified as a Dangerous Good according to the UN, DOT(US), ICAO(IATA) or IMO(IMDG).

15. REGULATORY INFORMATION

Poison Schedule: None allocated

RISK PHRASES

None allocated

SAFETY PHRASES

S22 Do not breathe dust.

16. OTHER INFORMATION

Disclaimer

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions which are available on request.

© 2003 Thermo Electron Corporation. All rights reserved

License granted to make unlimited paper copies for internal use only.

Page 4 of 4 Issue Date: October 2003 PI144040C.00