Page 1 of 9 F41-6401 TN0150-0305

SECTION 1	IDENTIFICATION OF COMPANY/UNDERTA		CE/PREPAR	ATION AND OF THE
Product Name:	Canon NP Toner (Black	ck) for NP-3825 (Copier	
Product Code:	F41-6401			
Manufacturer:	Canon Inc.30-2, Shim	omaruko 3-Chom	e, Ohta-ku, T	Okyo, Japan, Ph # 03-3758-2111
Supplier:	Canon USA, Inc., One	e Canon Park, Me	lville, NY 11	747, USA
Phone #:	1-800-OK-CANON	24 Hr. Eme	ergency CHE	MTREC # 1-800-424-9300
MSDS #:	TN0150-0305			
SECTION 2	COMPOSITION/INFO	RMATION ON II	NGREDIENT	r'S
Hazardous Ingred	ient(s)			
Chemical Name None		CAS#	Weight %	EU Symbol EU R-Phrase
Chemical Name None		USA OSHA PE		ACGIH TLV
Chemical Name		EU ILV		DFG MAK
None				

Date of Issue: March 22, 1990 Revised: November 1, 2000



Page 2 of 9 F41-6401 TN0150-0305

arcinogen Chemical Name		CAS#	Reference	
No component of this carcinogen or potentia	SHA regulations or Annex I			
ther Ingredient(s)		<u>-</u>		
Chemical/Generic	Name		Weight %	
Styrene acrylate copolymer Iron oxide(CAS No. 1317-61-9) Styrene polymer			40 - 50 35 - 45 5 - 15	
SECTION 3 H	HAZARDS IDENTIFIC	CATION	-	
Emergency Overview:	Black fine powder, s	light plastic o	odor.	
Potential Health E	ffects and Symptoms:			
Potential Health En Inhalation:	ffects and Symptoms: Exposure to excessiv tract.	e amounts of	dust may cause physical irritation to respiratory	
	Exposure to excessiv tract.	based on anim	dust may cause physical irritation to respiratory mal testing. Ingestion is a minor route of entry	
Inhalation:	Exposure to excessive tract. Practically non-toxic	based on animis product.	mal testing. Ingestion is a minor route of entry	
Inhalation: Ingestion:	Exposure to excessive tract. Practically non-toxic for intended use of the	based on animis product.	mal testing. Ingestion is a minor route of entry	
Inhalation: Ingestion: Eye: Skin:	Exposure to excessive tract. Practically non-toxice for intended use of the May cause transient seems. May be non irritant.	based on animis product. Slight irritation	mal testing. Ingestion is a minor route of entry	

Revised: November 1, 2000 Date of Issue: March 22, 1990

Canon

Date of Issue:

March 22, 1990

MATERIAL SAFETY DATA SHEET

Page 3 of 9 F41-6401 TN0150-0305

Revised: November 1, 2000

FIRST AID MEASURES **SECTION 4** First Aid Measures: Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. Ingestion: Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for Eye: 5 minutes or until particle is removed. If irritation persists, obtain medical attention. Skin: Wash with soap and water. If irritation persists, obtain medical advice. Note to None Physicians: **SECTION 5** FIRE FIGHTING MEASURES Fire Fighting Measures: CO2, water, dry chemicals Extinguishing Media: Unsuitable None Extinguishing Media: None Special Fire Fighting Procedures: Can form explosive dust-air mixtures when finely dispersed in air. Unusual Fire and **Explosion Hazards:** Fire and Explosive Properties: Flash Point(°C): Not applicable Flammable(Explosive) Not applicable Limits: Autoignition Not available Temperature($^{\circ}$ C): Flammability: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))

Canon

MATERIAL SAFETY DATA SHEET

Page 4 of 9 F41-6401 TN0150-0305

SECTION 5 FIRE FIGHTING MEASURES - Continued Fire and Explosive Properties - Continued: Autoflammability: Not applicable **Explosive Properties:** Can form explosive dust-air mixtures when finely dispersed in air. **Oxidizing Properties:** Not available Hazardous CO2, CO **Combustion Products:** Other Properties: Not known SECTION 6 ACCIDENTAL RELEASE MEASURES Personal Precautions: Avoid breathing dust. **Environmental** Do not wash away into sewer. **Precautions:** Method for Cleaning Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner. Up: If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures. **SECTION 7** HANDLING AND STORAGE Handling: Avoid breathing dust. Use with adequate ventilation. Keep out of the reach of children. Storage: Keep away from oxidizing materials.

Date of Issue: March 22, 1990 Revised: November 1, 2000



Page 5 of 9 F41-6401 TN0150-0305

SECTION 8 EXPO	DSURE CONTRO	DLS / PERSONAL PROTECTION
Exposure Guidelines:	USA OSHA(TWA/I	PEL):15mg/m3 (Total dust)
	ACGIH(TWA/TLV)	5mg/m3 (Respirable fraction) 10mg/m3 (Inhalable particulate)
		3mg/m3 (Respirable particulate)
	DFG (MAK):	4 mg/m3 (Inhalable fraction) 1.5 mg/m3 (Respirable fraction) (Also refer to SECTION 2)
Engineering Controls:	Use adequate ver	ntilation.
Personal Protection Eq	_	
Respiratory Protection:	Required X	Not Required
Eye/Face Protection:	Required 🛛	Not Required
Skin Protection:	Required 🛛	Not Required
SKIII I IUICCIIUII.	□ Kequired ▶	110t Required
SECTION 9 PHYS	SICAL AND CHE	MICAL PROPERTIES
Appearance:	Black	fine powder
Odor:	Slight	plastic odor
pH:		plicable
Boiling Point/Range(°C	C): $\overline{\text{Not ap}}$	plicable
Melting Point/Range(°C	C): $\overline{100-1}$	50 (Softening point)
Decomposition Temper	rature(°C): $\overline{>200}$	
Flash Point(°C):	-	pplicable
Flammable (Explosive)		plicable
Autoignition Temperate	` ′	ailable
Flammability:	Not-fla (Solids)	ammable (Test method : Directive 92/69/EEC, A10 Flammability
Autoflammability:		plicable
Explosive Properties:		rm explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not av	ailable
Vapor Pressure:		plicable
Vapor Density:		plicable
Density / Specific Grav		-
Water Solubility:	Neglig	
Fat Solubility:	Partial	ly soluble in toluene and xylene
Partition Coefficient (n-Octanol/Water):		plicable
Percent Volatile:	Neglig	ible
Evaporation Rate:		plicable
	March 22, 1990	Revised: November 1, 2000



Page 6 of 9 F41-6401 TN0150-0305

SECTION 10 STA	ABILITY	AND REACTIVITY
Stability:		Stable
Conditions to Avoid:	:	None
Materials to Avoid:		Strong oxidizers
Hazardous Decomposition Products:		CO, CO2
Hazardous Polymerization:		☐ May Occur ☑ Will Not Occur
Conditions to Avo	id:	None
SECTION 11 TOX	KICOLO	GICAL INFORMATION
Acute Toxicity: Inhalation:	Not ava	nilable
Ingestion:	Rat, LD	050 > 5000mg/kg
Eye:	Rabbit,	transient slight conjunctival irritation only.
Skin:	Rabbit,	non irritant.
Sensitization:	Not ava	nilable
Mutagenicity:	Ames 7	Cest (Salmonella typhimurium) : Negative
Reproductive Toxicity:	Not ava	nilable

Date of Issue: March 22, 1990 Revised: November 1, 2000

Page 7 of 9 F41-6401 TN0150-0305

SECTION 11 TO	XICOLOGICAL INFORMATION - Continued
Carcinogenicity:	Not available
Others:	Chronic effects: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.
SECTION 12 ECO	OLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effects:	Not available
SECTION 13 DIS	POSAL CONSIDERATION
Method of Disposal:	DO NOT put toner or toner container into fire; heated toner may cause severe burns DO NOT shred a toner container holding remaining toner, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state or local laws.
SECTION 14 TRA	ANSPORT INFORMATION
UN #:	None
UN Shipping Name:	None
UN Classification:	None
UN Packing Group:	None
Special Precautions:	None

Date of Issue: March 22, 1990 Revised: November 1, 2000



Page 8 of 9 F41-6401 TN0150-0305

SECTION 15 REC	GULATORY INFORMATION	
EU Information: Information on the	Label:	
Symbol &	Not required	
Indication: R-Phrase:	Not required	
S-Phrase:	Not required	
Dangerous Component(s):	None	
Specific Provision	ns in Relation to Protection of Man or the Environment:	
76/769/EEC:	Not regulated	
(EC)3093/94:	Not regulated	
(EEC)2455/92:	Not regulated	
Others:	None	
USA Information: Information on the L	abel	
Signal Word:	Not required	
Hazard warning:	Not required	
Safety Advice:	Not required	
Hazardous Component(s):	None	
SARA Title III §313 Chemical Na		
None	Weight /o	
California Propositi		
Chemical Nar	me Weight %	
None		

Revised: November 1, 2000 Date of Issue: March 22, 1990

Canon

MATERIAL SAFETY DATA SHEET

Page 9 of 9 F41-6401 TN0150-0305

SECTION 16	OTHER INFORMATION

Other Information:

None

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 88/379/EEC
- EU Regulation (EC)3093/94, (EEC)2455/92

Abbreviations:

"EU" stands for European Union.

"OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration.

"ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

"EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC.

"DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

"TWA" stands for Time Weighted Average.

"IARC" stands for International Agency for Research on Cancer.

"NTP" stands for National Toxicology Program (USA).

"OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard.

"FHSA" stands for Federal Hazardous Substances Act.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue:	March 22, 1990	
Revised Date:	November 1, 2000	

Date of Issue: March 22, 1990 Revised: November 1, 2000