# MATERIAL SAFETY DATA SHEET TOKUYAMA REBASE II Powder

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME TOKUYAMA REBASE II Powder

PRODUCT USE Denture Liner, a component of kit. For dental professionals only.

SUPPLIER Tokuyama Dental America Inc. MANUFACTURER

Tel: (877) 378 3548 (Toll-Free)

Tokuyama Dental Corporation 38-9, Taitou 1-chome, Taitou-ku,

Tokyo, Japan

TEL: +81-3-3835-7201

CONTACT PERSON http://www.tokuyama-dental.com/contact.htm

EMERGENCY TELEPHONE Washington

National Capital Poison Center

3201 New Mexico Avenue, Suite 310 Washington, DC 20016

Telephone: +1 202 362 3867

Emergency telephone: 1 800 222 1222

Fax: +1 202 362 8377 E-mail: pc@poison.org Web site: http://www.poison.org

San Francisco

California Poison Control System at San Francisco General Hospital

University of California San Francisco, Box 1369

1001 Potrero Avenue, Bldg 5 Rm 2A21 San Francisco, California 94143-1369

Telephone: +1 415 643 3200

Emergency telephone: 1 800 222 1222

Fax: +1 415 502 6010

E-mail: coadmin@calpoison.org Web site: http://www.calpoison.org

http://www.who.int/ipcs/poisons/centre/en/

# **2 HAZARDS IDENTIFICATION**

# POTENTIAL HEALTH EFFECTS

INHALATION

Not irritating.

SKIN CONTACT

Prolonged contact may cause redness and irritation. May cause sensitization by skin contact.

**EYE CONTACT** 

Slightly irritating.

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Weight
BENZOYL PEROXIDE	202-327-6	94-36-0	1-5%
TITANIUM DIOXIDE	236-675-5	13463-67-7	< 1%

# **4 FIRST-AID MEASURES**

GENERAL INFORMATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INHALATION

Move the exposed person to fresh air at once.

INGESTION

Try to induce vomiting. Get medical attention if any discomfort continues.

# **TOKUYAMA REBASE II Powder**

#### SKIN CONTACT

Wash the skin immediately with soap and water.

#### **EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

#### **5 FIRE-FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapors.

SPECIFIC HAZARDS

When heated and in case of fire, irritating vapors/gases may be formed.

PROTECTIVE MEASURES IN FIRE

Wear full protective clothing.

# **6 ACCIDENTAL RELEASE MEASURES**

## PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this material safety data sheet.

#### SPILL CLEAN UP METHODS

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers.

## 7 HANDLING AND STORAGE

#### **HANDLING**

All handling to take place in well-ventilated area.

#### **STORAGE**

Store in a cool, dark place (0-25°C, 32-77°F). Keep away from heat, direct sunlight, sparks and open flames.

STORAGE CLASS

Chemical storage.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENT	STD	TWA (8-hrs)		STEL	Notes	
BENZOYL PEROXIDE	PEL		5 mg/m3			
BENZOYL PEROXIDE	ACGIH		5 mg/m3			A4
TITANIUM DIOXIDE	ACGIH		10 mg/m3			A4
TITANIUM DIOXIDE	PEL		15 mg/m3			

COMPONENT	IDLH
BENZOYL PEROXIDE	1500 mg/m3
TITANIUM DIOXIDE	5000 mg/m3

ACGIH=American Conference of Governmental Industrial Hygienists.

A4: Not Classifiable as a Human Carcinogen.

PROTECTIVE EQUIPMENT





# **ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

# **TOKUYAMA REBASE II Powder**

HAND PROTECTION

Wear protective gloves.

**EYE PROTECTION** 

Wear approved safety goggles.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Powder, dust

COLOR Pink.

#### 10 STABILITY AND REACTIVITY

STABILITY

Dust may form an explosive mixture in the atmosphere.

CONDITIONS TO AVOID

Keep away from heat, sparks and open flame. Protect against direct sunlight.

MATERIALS TO AVOID

Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS

Toxic gases are generated when heated.

# 11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

No data on possible toxic effects have been found.

# 12 ECOLOGICAL INFORMATION

**ECOTOXICITY** 

No data on possible environmental effects have been found.

# 13 DISPOSAL CONSIDERATIONS

**DISPOSAL METHODS** 

Dispose of waste and residues in accordance with local authority requirements.

# 14 TRANSPORT INFORMATION

TRANSPORT NOTES Not regulated.

# 15 REGULATORY INFORMATION

# **INVENTORIES**

COMPONENT	CAN	US	EU	AUS	JAP	KOR	CHN	PHLP
BENZOYL PEROXIDE	DSL	Yes.	EINECS	Yes.	Yes.	Yes.	Yes.	Yes.
TITANIUM DIOXIDE	DSL	Yes.	EINECS	Yes.	Yes.	Yes.	Yes.	Yes.

# US FEDERAL REGULATIONS

COMPONENT	SARA 302-TPQ	CERCLA-RQ	SARA 313
BENZOYL PEROXIDE			1.0 %

REVISION DATE 15/01/2013

# **TOKUYAMA REBASE II Powder**

## **US STATE REGULATIONS**

COMPONENT	CAS	CA	FL	MA	MN	NJ	PA	RI
BENZOYL PEROXIDE	94-36-0		Yes.	Yes.	Yes.	Yes.	Yes.	Yes.
TITANIUM DIOXIDE	13463-67-7	С		Yes.	Yes.	Yes.	Yes.	Yes.

## STATE REGULATIONS COMMENTS

California Proposition 65. Warning: Titanium dioxide. This product contains a chemical known to the State of California to cause cancer.

REGULATORY REFERENCES

29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

# **16 OTHER INFORMATION**

**REVISION DATE** 

15/01/2013