

Powerresins Temp Safety Data Sheet

SECTION I

Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Trade name: PowerResins

Synonym / Description: Photocurable acrylic paint for DLP/SLA 3D printers for manufacturing temporary crown and bridges

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation

Resin for for DLP/SLA 3D printers/ UV curable paint for figurines

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promarket Tasarım ve Teknoloji A.Ş.

lhlamurkuyu Mah. Çanakkale Cad. Eren Plaza No: 5 Kat: 4 PK: 34771 Ümraniye / Istanbul, Türkiye

1.4 Emergency telephone number:

+90 216 612 00 94

SECTION 2

Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008

- Hazard categories:
- Skin corrosion/irritation: Skin Irrit. 2
- Serious eye damage/eye irritation: Eye Irrit. 2
- Respiratory or skin sensitisation: Skin Sens. 1A
- Specific target organ toxicity single exposure: STOT SE 3
- Hazard Statements:
- Causes skin irritation.
- Causes serious eye irritation.
- May cause an allergic skin reaction.
- May cause respiratory irritation.

2.2 Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

- isopropylidenediphenol peg-2 dimethacrylate
- 2-hydroxyethyl methacrylate
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
- Hydroxy propyl methacrylate
- phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Signal word: Warning

Pictograms:

Hazard statements



- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents/ container in accordance with local and national regulations.

2.3 Other hazards

No information available.

Composition / Information on Ingredient

3.2. Mixtures

Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-------------|--|------------------------------|------------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification accordi | ng to Regulation (EC) No. 12 | 272/2008 [CLP] | |
| 41637-38-1 | isopropylidenediphe | nol peg-2 dimethacrylate | | 45 - < 60 % |
| | Skin Irrit, 2, Eye Irrit, | 2, Skin Sens. 1A, STOT SE 3 | k; H315 H319 H317 H335 | |
| 6606-59-3 | 1,6-hexanediol dime | | , | 1 - < 5 % |
| | 229-551-7 | | | |
| | Skin Irrit. 2, Eye Irrit. | 2, STOT SE 3; H315 H319 H | I335 | |
| 868-77-9 | 2-hydroxyethyl methacrylate | | | 1 - < 5 % |
| | 212-782-2 | 607-124-00-X | | |
| | Skin Irrit. 2, Eye Irrit. | H317 | | |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | | | 1 - < 5 % |
| | 278-355-8 | 015-203-00-X | | |
| | Repr. 2, Skin Sens. 1B | , Aquatic Chronic 2; H361f I | H317 H411 | |
| 27813-02-1 | Hydroxy propyl methacrylate | | | 1 - < 5 % |
| | 248-666-3 | | 01-2119490226-37 | |
| | Eye Irrit. 2, Skin Sens | . 1; H319 H317 | | |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | | | < 1 % |
| | 423-340-5 | 015-189-00-5 | 01-2119489401-38 | |
| | Skin Sens. 1, Aquatic Chronic 4; H317 H413 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4

First aid measures

4.1 Description of first aid measures

After inhalation

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with skin

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time , then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

Non-flammable.

5.1 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6

Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7

Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

Keep away from spontaneous flammable or combustible substances.

Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

7.3. Specific end use(s)

Ligth curing material for fabrication of dental splints and guides.

For use by trained specialist staff.

Exposure controls/personal protection

8.1 Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary . When using do not eat or drink

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9

Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid:
Colour: tooth-like
Odour: faintly like esters

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined

Flash point: >100 °C DIN 51755

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable Gas: not applicable

Decomposition temperature: >=190 °C

Not oxidizing.

Oxidizing properties

Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,1 g/cm³ DIN 51757

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient: not determined Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with: strong oxidising agents, strong alcaline or acidic materials.

10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15° C - 28° C / 59° F - 82° F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11

Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|-------------|---------------------------|---------------------|---------|----------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 868-77-9 | 2-hydroxyethyl methacryl | ate | | | |
| | oral | LD50 >5050 mg/kg | Rat | | |
| | dermal | LD50 >3000 mg/kg | Rabbit | | |
| 75980-60-8 | diphenyl(2,4,6-trimethylb | | | | |
| | oral | LD50 >5000 mg/kg | Rat | | |
| | dermal | LD50 >2000 mg/kg | Rat | | |
| 27813-02-1 | Hydroxy propyl methacry | | | | |
| | oral | LD50 >2000 mg/kg | Rat | OECD 401 | |
| | dermal | LD50 >5000 mg/kg | Rat | | |
| 162881-26-7 | phenyl bis(2,4,6-trimethy | | | | |
| | oral | LD50 >2000 mg/kg | Rat | OECD 401 | |
| | dermal | LD50 >2000 mg/kg | Rat | OECD 402 | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (isopropylidenediphenol peg-2 dimethacrylate; 2-hydroxyethyl methacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; Hydroxy propyl methacrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (isopropylidenediphenol peg-2 dimethacrylate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12

Ecological information

12.1 Toxicity

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | | |
|-------------|--|-------------------|------|------------------------------------|----------|--------|--|
| | Aquatic toxicity | Dose | [h] | Species | Source | Method | |
| 868-77-9 | 2-hydroxyethyl methacrylate | | | | | | |
| | Acute fish toxicity | LC50 227 mg/l | 96 h | Pimephales promelas | | | |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | | | | | | |
| | Acute algae toxicity | ErC50 >2,01 mg/l | 72 h | Scenedesmus subspicatus | | | |
| | Acute crustacea toxicity | ErC50 >3,53 mg/l | 48 h | Daphnia magna (Big water flea) | | | |
| | Acute bacteria toxicity | (>1000 mg/l) | 3 h | Activated sludge | | | |
| 27813-02-1 | Hydroxy propyl methacrylate | | | | | | |
| | Acute fish toxicity | LC50 493 mg/l | 96 h | Leuciscus idus (golden orfe) | | | |
| | Acute algae toxicity | ErC50 >97,2 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD 201 | | |
| | Acute crustacea toxicity | EC50 380 mg/l | 48 h | Daphnia magna (Big water flea) | OECD 202 | | |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | | | | | | |
| | Acute fish toxicity | LC50 >0,09 mg/l | 96 h | Brachydanio rerio (zebra-fish) | OECD 203 | | |
| | Acute algae toxicity | ErC50 >0,26 mg/l | 72 h | Desmodesmus subspicatus. | OECD 201 | | |
| | Acute crustacea toxicity | ErC50 >1,175 mg/l | 48 h | Daphnia magna (Big water flea) | OECD 202 | | |
| | Crustacea toxicity | NOEC >0,008 mg/l | 21 h | Daphnia magna (Big water flea) | OECD 211 | | |
| | Acute bacteria toxicity | (>100 mg/l) | 3 h | OECD 209 | | | |

Ecological information

12.2 Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | |
|--|--|-------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 868-77-9 | 2-hydroxyethyl methacrylate | | | |
| | 84 | % | 28 | |
| | Leicht biologisch abbaubar | | | |
| 75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | | | | |
| | | 0-10% | 28 | |
| | Not readily biodegradable (according to OECD criteria) | | | |
| 27813-02-1 | Hydroxy propyl methacrylate | | | |
| | OECD | 94% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | | | |
| | CO2 formation (% of the theoretical value). | 1% | 29 | |
| | Not readily biodegradable (according to OECD criteria) | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-------------|--|---------|
| 868-77-9 | 2-hydroxyethyl methacrylate | 0,47 |
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 3,1 |
| 27813-02-1 | Hydroxy propyl methacrylate | 0,97 |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | 5,8 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-------------|--|-------|-------------------------------|----------|
| 75980-60-8 | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 47-55 | Cyprinus carpio (Common Carp) | |
| 162881-26-7 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide | <5 | Cyprinus carpio (Common Carp) | OECD 305 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13

Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15

Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D):

3 - highly water contaminating

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1A; H317 | Calculation method |
| STOT SE 3; H335 | Calculation method |

Relevant H and EUH statements (number and full text)

| H315 | Causes skin irritation. |
|-------|--|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H361f | Suspected of damaging fertility. |
| H411 | Toxic to aquatic life with long lasting effects. |

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.